

CITY OF SOMERVILLE, MASSACHUSETTS OFFICE OF STRATEGIC PLANNING & COMMUNITY DEVELOPMENT JOSEPH A. CURTATONE MAYOR

PLANNING DIVISION

TO: Zoning Board of Appeals **FROM:** Planning Staff **DATE:** Sept 1, 2011

RE: 35R Lexington Ave Updated Conditions

Planning Staff would like to recommend changes to the conditions for 35R Lexington Ave based on additional information received by Fire Prevention and a request from a neighbor regarding wording of the conditions related to extermination, documentation of the limitation of two units at the property, and ensuring that a roof deck is not constructed in the future.

Outdoor Fireplace

The outdoor fireplace has been deemed an open air fire and is therefore prohibited. A condition should be added to the permit to prohibit the outdoor fireplace from being built and that open air fires are not allowed on the site except those allowed by the Fire Department for cooking.

Rodent Control

A neighbor requested that the demolition plan condition specifically call out that neighbors should be notified by certified mail and that ongoing extermination for the duration of the project should be maintained by a licensed exterminator who can also transport rodents and animals. The City is currently working on creating a rodent control ordinance but until this is in effect, adding this language is reasonable and the wording has been included in condition 14 below.

Documentation of Two Units at the Site

Condition 27 indicated that both the condominium documents and the deed specify that no more than 2 units shall be on this lot and all other operational perpetual conditions on the project including that the sprinklers must remain operational; however, a neighbor requested a change to the wording to ensure that both of these documents include this information. Please see the edit below.





Roof Deck

An older plan for the site included a roof deck on a one-story portion of one of the residential buildings. The roof deck was eliminated from the plan; however, a neighbor requested that a condition prohibit a roof deck from being constructed in the future. Please see condition 42 below.

Additions are underlined, deletions are struck. Note that any decision on behalf of the Board to change parking on the site will require an update to the date of the approved plan, and may require adjustments to condition #36.

#	Condition		Timeframe for Compliance	Verified (initial)	Notes
Apr	olication and Plans				
	Approval is for the renovation structure, and the building of parcel. This approval is based application materials and the Applicant:	an additional structure on the l upon the following	Building Permit / CO	Plng.	
	Date (Stamp Date)	Submission			
	9/8/2009 10/18/10 (complete)	Initial application submitted to the City Clerk's Office			
1	2/9/11	Modified plans submitted to OSPCD (A0, A1, A2, A3)			
	10/27/10	Modified plans submitted to OSPCD (A4)			
	12/9/10	Modified plans submitted to OSPCD (A5)			
	Any changes to the approved minimis must receive ZBA ap				
2	location(s) to confirm separat verify estimated infiltration ra to the Engineering Department construction of the infiltration	ting at the proposed infiltration ion from groundwater and ate. Results shall be provided at for review prior to a system. The utility, grading a City regulations, and may be ity Engineer to meet these of create additional runoff to butting properties, and shall extent practicable.	Building Permit	Engineer ing	





3	The 5 foot masonry wall next to the parking space for Unit 1 may need to be removed from the plan and the landscaping in front of Unit 1 may need to be reduced to allow for sufficient turning radius for fire apparatus. Once the building is altered to provide a 14 ft driveway along the rear property line, the Owner shall contact Fire Prevention to conduct a site visit to determine if the wall can be constructed or not and to determine the extent of the landscaping in front of Unit 1. Once the low-hanging overhead wires are raised, the passage has an 18-ft clear width, the fence along the back property line is removed, and approval from the MBTA to temporarily use the land is obtained, the Owner shall contact the Fire Department to conduct a site visit to determine if the wall can be constructed or not and to determine the extent of the landscaping in front of Unit 1. The property owner shall provide the materials needed to mockup the dimensions of the site.	Prior to landscape work building permit	Plng./IS D
4	The proposed Autumn Blaze Maple shall be replaced with another species of tree of a similar size. Three of the required trees on the site must be of a 3" minimum caliper. Tree species and caliper shall be subject to review and approval of Planning Staff.	Building Permit	Plng./IS D
Agr	eements on Abutting Land		
5	The applicant shall submit proof that the MBTA and Applicant have executed the License for Entry (LI-7014) that was submitted by the Applicant's agent to the Planning Board on March 1, 2007 and stamped in at the Office of Strategic Planning and Community Development on March 2, 2007.	Building Permit or March 31, 2011, whichever is first	Plng.
6	The applicant shall remove all improvements (including pavement) on the area of approximately 3,200 square feet that is owned by the MBTA and leased by the City of Somerville for the Community Path. This is the area that is beyond the lot area shown on the plan, adjacent to the Path. The applicant shall remove the posts of the chain linked fence and maintain a temporary construction fence along the property line indicated on the plan until the fence required in Condition #6 can be installed. The applicant shall have an arborist investigate the tree that is directly impacted by the fence post to determine if the tree can be saved. If it cannot be saved, the applicant shall plant one additional 3 inch caliper tree in its place of a species to be determined by Planning Staff.	Building Permit or April 30, 2011, whichever is first	Plng.
7	The applicant shall deliver to the City of Somerville a recordable release deed, with an original copy to the MBTA, naming the MBTA as grantee, relinquishing any claim to any right, title or interest to the area of encroachment onto the property of the MBTA.	Building Permit	Law





8	The Applicant shall install high-quality black wrought-iron fence, facing the Community Path along the property line marked on the plan. The applicant shall stake the fence location and have the applicant's engineer and city engineer confirm that it is on the property line prior to installation of the permanent fence. The applicant shall include a gate in the fence that allows residents of the project to access the path. The applicant shall provide material samples to Planning Staff for approval prior to installation of the fence.	СО	Plng.	
9	The Applicant shall place attractive plantings along the fence facing the Community Path to improve aesthetics and limit runoff. Prior to planting, the Applicant shall provide a planting plan for this area to Planning Staff for review and approval.	СО	Plng.	
10	The Applicant shall abide by the "easement/driveway" agreement dated March 1, 2007 (or a similar recordable document), signed by the Applicant and residents of 39 Lexington Avenue (identified on the agreement as "Catherine and Jerry Dunlap (Unit 1)" and "Lara and Joshua Winn (Unit 2)") that was stamped in at the Office of Strategic Planning and Community Development on March 2, 2007.	Building Permit	Plng.	The driveway easement has been recorded
Con	struction Impacts		•	
11	The applicant shall work with the owners of 39 Lexington Ave to prune the tree near the sidewalk and property line of 35R and 39 Lexington Ave, if it poses a hazard or creates access problems. The tree and the wall located at 39 Lexington Ave shall not be removed by the Owner of 35R Lexington Ave.	During Construction	Owner / Abutter	
12	The applicant shall post the name and phone number of the general contractor at the site entrance where it is visible to people passing by.	During Construction	Plng.	
13	The applicant shall develop a demolition plan in consultation with the City of Somerville Inspectional Services Division. Full compliance with proper demolition procedures shall be required, including timely advance notification to abutters of demolition date and timing, rodent control measures (i.e. rodent baiting – see condition 14), minimization of dust, noise, odor, and debris outfall, and sensitivity to existing landscaping on adjacent sites.	Demolition Permitting	ISD	
14	Rodent control should be in effect seven days a week prior to the demolition and abutters should be notified by <u>certified</u> mail of rodent control activities. <u>There shall be ongoing extermination throughout the construction maintained by a licensed exterminator who can also transport rodents and <u>animals.</u></u>	Demo	ISD	





Hours of operations for trucks Monday-Friday 7am-7pm, Saturday and Sunday 9am-5pm. Hours of operation for	During	ISD
heavy equipment vehicles are to be Monday-Friday 8:30am-	Construction	
All construction materials, equipment and vehicles must be stored onsite. If occupancy of the street layout is required, such occupancy must be in conformance with the requirements of the Manual on Uniform Traffic Control Devices and the prior approval of the Traffic and Parking Department must be obtained.	During Construction	T&P
The applicant shall only use the Lexington Avenue driveway for access by construction equipment. No construction access shall be allowed from the MBTA	During Construction	ISD
Notification must be made, within the time period required	During	OSE/FP/
under applicable regulations, to the Massachusetts Department of Environmental Protection (DEP) if there is any release of oil, hazardous materials, or regulated hazardous substances at the site. The City's OSE office, Fire	Construction	ВОН
Department and the Board of Health shall also be notified.		
Federal regulations regarding air quality including without limitation continuous dust control during demolition and	During Construction	Plng/OS E
The Applicant shall at his expense replace any existing equipment (including, but not limited to street sign poles, signs, traffic signal poles, traffic signal equipment, wheel chair ramps, granite curbing, etc) and the entire sidewalk immediately abutting the subject property if damaged as a result of construction activity. All new sidewalks and driveways must be constructed to DPW standard	СО	DPW
The applicant shall comply with all applicable law concerning any and all contamination of the property that is the subject of the application, including, but not limited to, the elimination of all contamination and other hazardous materials on the area of encroachment onto the property of the MBTA, in accordance with applicable DEP	Building Permit	ВОН
•		
The Applicant shall install warning signs for exiting vehicles with the legend "Yield to Entering Vehicle".	СО	T&P
vehicles with the legend "Caution Two Way Traffic".	СО	T&P
The passageway into the site shall have an unobstructed width of 18 feet and the driveway along the north side of the property shall have an unobstructed width of 14 feet. The Applicant shall remove the encroaching fence and shed and move them to the property line or replace them if damaged. The Owner shall install and maintain fire lane signage along these paths. The passage shall be kept clear of ice and snow.	Perpetual	ISD
	stored onsite. If occupancy of the street layout is required, such occupancy must be in conformance with the requirements of the Manual on Uniform Traffic Control Devices and the prior approval of the Traffic and Parking Department must be obtained. The applicant shall only use the Lexington Avenue driveway for access by construction equipment. No construction access shall be allowed from the MBTA property. Notification must be made, within the time period required under applicable regulations, to the Massachusetts Department of Environmental Protection (DEP) if there is any release of oil, hazardous materials, or regulated hazardous substances at the site. The City's OSE office, Fire Department and the Board of Health shall also be notified. The applicant shall strictly comply with applicable State and Federal regulations regarding air quality including without limitation continuous dust control during demolition and construction. The Applicant shall at his expense replace any existing equipment (including, but not limited to street sign poles, signs, traffic signal poles, traffic signal equipment, wheel chair ramps, granite curbing, etc) and the entire sidewalk immediately abutting the subject property if damaged as a result of construction activity. All new sidewalks and driveways must be constructed to DPW standard. The applicant shall comply with all applicable law concerning any and all contamination of the property that is the subject of the application, including, but not limited to, the elimination of all contamination and other hazardous materials on the area of encroachment onto the property of the MBTA, in accordance with applicable DEP requirements and G. L. c. 21E. The Applicant shall install warning signs for exiting vehicles with the legend "Yield to Entering Vehicle". The Applicant shall install warning signs for entering vehicles with the legend "Caution Two Way Traffic". The passageway into the site shall have an unobstructed width of 14 feet. The Applicant shall remove the encroachin	All construction materials, equipment and vehicles must be stored onsite. If occupancy of the street layout is required, such occupancy must be in conformance with the requirements of the Manual on Uniform Traffic Control Devices and the prior approval of the Traffic and Parking Department must be obtained. The applicant shall only use the Lexington Avenue driveway for access by construction equipment. No construction access shall be allowed from the MBTA property. Notification must be made, within the time period required under applicable regulations, to the Massachusetts Department of Environmental Protection (DEP) if there is any release of oil, hazardous materials, or regulated hazardous substances at the site. The City's OSE office, Fire Department and the Board of Health shall also be notified. The applicant shall strictly comply with applicable State and Federal regulations regarding air quality including without limitation continuous dust control during demolition and construction. The Applicant shall at his expense replace any existing equipment (including, but not limited to street sign poles, signs, traffic signal poles, traffic signal equipment, wheel chair ramps, granite curbing, etc) and the entire sidewalk immediately abutting the subject property if damaged as a result of construction activity. All new sidewalks and driveways must be constructed to DPW standard. The applicant shall contamination of the property that is the subject of the application, including, but not limited to, the elimination of all contamination and other hazardous materials on the area of encroachment onto the property of the MBTA, in accordance with applicable DEP requirements and G. L. c. 21E. The Applicant shall install warning signs for entering vehicles with the legend "Yield to Entering Vehicle". The Applicant shall install warning signs for entering vehicles with the legend "Caution Two Way Traffic". The passageway into the site shall have an unobstructed width of 14 feet. The Applicant shall remove the encr





	The pitch of the driveway must stay the same with the pitch	СО	Engineer
25		CO	•
	away from the garage.	A 1: 4	ing
	A fire lane may be required for approximately 20 feet in	Applicant	Fire
	front of 38 Lexington Ave and for approximately 5 feet on	must contact	Preventi
	each side of the driveway leading to the site. Once the	FD once	on
	chain link fence at 33 Lexington Ave is moved or removed,	fence at 37	
	the Owner shall contact the Fire Department to conduct a	Lexington is	
26	site visit to determine if and where the fire lanes are	removed.	
	required. The Fire Department will determine the location	BP for	
	of fire lanes per the timing as outlined in condition 3. The	determinatio	
	Applicant must install fire lane signage (per the Manual of	n / CO for	
	<u>Uniform Traffic Control Devices</u>) on the street before a CO	<u>signage</u>	
	issued.		
Imp	acts of Completed Project		
	The owner shall provide condominium documents and the	CO	Plng.
	deed to planning staff prior to occupancy. Documents The		
27	condo documents and the deed shall specify that no more		
27	than 2 units shall be on this lot and all other operational		
	perpetual conditions on the project including that the		
	sprinklers must remain operational.		
	A code compliant fire alarm systems and sprinkler system	CO	FP /
	must be installed in both buildings. Plans for the systems		DPW
28	shall be provided to the Somerville Fire Prevention Office		
20	for review and approval. Water lines for sprinklers must be		
	separate from the domestic lines.		
	If the drainage plan allows, a 3" minimum caliper tree shall	СО	Plng.
29	be placed at the eastern corner of the site.		1 1119.
	To the extent possible, all exterior lighting must be confined	СО	Plng.
	to the subject property, cast light downward and must not		Ting.
30	intrude, interfere or spill onto neighboring properties or the		
	night sky.		
	Trash and recycling will be kept in the designated shed until	Perpetual	ISD
	the day of pickup. Trash shall be picked up from on the lot,	1 orpetuur	
	per the agreement with the trash disposal company provided		
31	by the applicant. If city trash crews will not pick up trash		
51	from on the lot, owners must arrange for private trash		
	removal. No trash is to be placed at the curb in front of		
	adjacent properties.		
	The shrubs between the patio for building 2 and the	Darmatus 1	ICD
22		Perpetual	ISD
32	neighborhood shall be 8-10 feet high and the spacing shall		
	be the recommended distance to function as screening.	D 4 1	D1 /
	Landscaping should be installed and maintained in	Perpetual	Plng. /
33	compliance with the American Nurserymen's Association		ISD
	Standards.		100
34	The Applicant, its successors and/or assigns, shall be	Perpetual	ISD
	responsible for maintenance of both the building and all on-		
	site amenities, including landscaping, fencing, lighting,		
	parking areas and storm water systems, ensuring they are		
	clean, well kept and in good and safe working order.		





35	Snow plowed on the development shall be limited to the onsite storage area as shown in plan or removed from the premises. No snow may be placed from the lot onto abutting properties, City rights of way, or the Community Path. If no adequate snow storage is available for a given snow, snow must be trucked to an off-site location.	Perpetual	ISD.	
36	The Owners may not pave additional areas on the lot nor provide more on-site parking except that an additional parking space(s) must be provided onsite for the second or subsequent number of spaces that is (are) removed from the street due to required fire lanes.	Perpetual	ISD.	
37	All AC equipment and other utility equipment shall be located along the Community Path side of the buildings, away from neighboring properties.	Perpetual	ISD.	
38	The electrical, phone and cable lines above the passageway shall be raised to allow sufficient height for a fire truck to enter the site. New electrical, telephone, cable TV and other such lines and equipment shall be placed underground from the source or connection.	СО	ISD.	
Fina	al Review			
39	The Applicant shall contact Planning Staff at least five working days in advance of a request for a final sign-off on the building permit to ensure the proposal was constructed in accordance with the plans and information submitted and the conditions attached to this approval.	Final sign off	Plng.	
40	Applicant shall provide final material samples for siding, trim, windows and doors to the Planning Staff for review and approval prior to construction.	BP	Plng.	
Additional Conditions				
41	The outdoor fire place shall be removed from the plan and shall not be constructed. Open air fires are not allowed on the site except those allowed by the Fire Department for cooking.	BP / Perpetual	Plng.	
42	No roof decks shall be constructed on the site.	Perpetual	ISD	



