

**CITY OF SOMERVILLE MASSACHUSETTS
SOMERVILLE CITY HALL
93 HIGHLAND AVENUE
SOMERVILLE MA. 02143
BIDDING INSTRUCTIONS FOR FORD VEHICLES
Bid No. 13-76**

Enclosed you will find an invitation to bid for:

- (2) 2014 Ford Transit Connect XLT Cargo Vans
- (1) 2013 or Newer Ford F-650 Regular Cab XL (F6H)
- (1) 2013 or Newer Ford E-350 SRW Cargo Van
- (1) 2013 or Newer Ford Super Duty F-350 DRW 4WD 60" CA
- (1) 2013 or Newer Ford Super Duty F-350 DRW 4WD 84" CA Regular Cab & Chassis
(12' Rack Truck with Power Tailgate)
- (1) 2013 or Newer Ford Super Duty F-350 SRW 4WD Super Cab 8ft Box 158" XL
(with Plow and Sander)
- (1) 2013 or Newer Ford Super Duty F-350 SRW 4WD Super Cab 8ft Box 158"
XL (With Fisher Plow and Power Tailgate)
- (1) 2013 or Newer Ford Super Duty F-550 DRW 4WD Regular Cab 141" WB
60" CA XL
- (1) 2013 or Newer Ford Super Duty F-550 DRW 2WD Regular Cab &
Chassis 141" WB 60" CA XL (Signalier ATR 41 I)

for the City of Somerville, Department of Public Works. Contract is from 06/01/2013 through
05/31/2014.

When submitting bid, please identify the bid item and number clearly. All bids must be sealed and delivered to Purchasing Department, City of Somerville, 93 Highland Ave., Somerville, MA 02143. Please mark the outside of all bid envelopes with the Bid number above and write "Ford Vehicles" on the bid envelope.

BIDS SUBMITTED MUST BE AN ORIGINAL.

The completion of the following forms is necessary for consideration of a potential contract award. When submitting bid documents, please retain the order of documents as originally provided.

- 1) "Notice to Bidders" signed by person submitting bid.
- 2) "Signature Form" complete when submitting your bid.
- 3) Tax Compliance/Non Collusion Form
- 4) Certificate of Signature Authority
- 5) Somerville Living Wage Form
- 6) Quality Requirements
- 7) Bid Pricing Page

NOTE: If Vendor is incorporated an updated "CERTIFICATE OF GOOD STANDING" from the Commonwealth of Massachusetts will be needed for the awarded vendor only.

Please review and return with your sealed bids as sent. Also, insure that all forms are completed and your bid response is submitted as requested.

Your cooperation is greatly appreciated.

NOTICE TO BIDDERS
BID #13-76

All bids must be in accordance with terms and conditions set forth herein as stated.

- SECTION A. Sealed bids for: **10 Ford Vehicles**, The bids will be received at the office of the Purchasing Director, Somerville City Hall, 93 Highland Avenue, Somerville, MA. 02143 no later than **Monday, May 28, 2013 at 11:00 A.M.** at which time and place they will be publicly opened and read.
- SECTION B. Forms of price bid, specifications and terms of contract can be obtained at the above office on or after **Monday, May 13, 2013.**
- SECTION C. Bid envelopes shall be clearly marked as follows: "**Bid No: 13-76
Bid for Ford Vehicles**"
- SECTION D. If **awarded** vendor is a Corporation, vendor must comply with request for "Certificate of Good Standing". See attached instructions.
- SECTION E. **INSURANCE: Awarded Vendor** must comply with insurance requirements as stated in the bid package.
- SECTION F. Living Wage - N/A
- SECTION G. The requirements in Section **E or F** will be waived if the words "Non-Applicable" (N/A) are inserted in the space designated.
- SECTION H. The Purchasing Director reserves the right to accept or reject any or all bids, to waive any informalities, to divide the award, to amend any specifications or to accept any portion of a bid, if in her sole judgment, the best interest of the City of Somerville would be served by so doing.
- SECTION I. The City reserves the right to cancel a contract, if awarded bidder does not respond to all necessary documents and required signature forms within ten (10) working days of receipt of contract.

Signature: _____

Company: _____

By: _____ Title: _____

Date: _____ Tel. No: _____ Fax: _____

City of Somerville

Invitation for Bids for

10 Ford Vehicles

Bid No. 13-76

I. General Information and Bid Submission Requirements

Bid Delivery

All bids must be delivered to City of Somerville, Purchasing Department, 93 Highland Avenue, Somerville, MA 02143.

Bids must be delivered by 11:00 A.M. on **Monday, May 28, 2013**.

1 copy of the bid should be submitted. Bids must be sealed and marked as follows:
Bid for **"Ford Vehicles, Bid No. 13-76"**.

All bids must include a non-collusion form, tax compliance certificate, bid pricing sheet, and reference form as provided in this IFB.

Bid Signature

A bid must be signed as follows: 1) if the bidder is an individual, by her/him personally; 2) if the bidder is a partnership, by the name of the partnership, followed by the signature of each general partner; and 3) if the bidder is a corporation, by the authorized officer, whose signature must be attested to by the clerk/secretary of the corporation, and with the corporate seal affixed.

Time for Bid Acceptance

The contract will be awarded within 60 days after the bid opening. The time for award may be extended for up to 45 additional days by mutual agreement between the City of Somerville and the apparent lowest responsive and responsible bidder (or, for a contract requiring payment, the apparent highest responsive and responsible bidder.) The City reserves the right to award multiple contracts, if required.

Bonding Requirements N/A

Changes and Addenda

If any changes are made to this IFB, an addendum will be issued. Addenda will be mailed or faxed to all bidders on record as having picked up the IFB. No changes may be made to the bid documents, by the Bidders; without written authorization and/or an addendum from the Purchasing Department.

Questions about the IFB

Questions concerning this invitation for bids must be submitted in writing to: Orazio DeLuca, City of Somerville, Purchasing Department, 93 Highland Avenue, Somerville, MA 02143 **before 4:30 P.M. on Wednesday, May 22, 2013**. Questions may be delivered, mailed, faxed to 617-625-1344, or e-mailed to **odeluca@somervillema.gov**. Written responses will be emailed, via addendum, to all bidders on record as having picked up the IFB.

If any bidders or proposers contact anyone outside of Purchasing regarding this bid/proposal, the bidder/proposer will be disqualified from the bidding process.

Modification or Withdrawal of Bids, Mistakes, and Minor Informalities

A bidder may correct, modify, or withdraw a bid by written notice received by the City of Somerville prior to the time and date set for the bid opening. Bid modifications must be submitted in a sealed envelope clearly labeled "Modification No. ___" to the address listed in part one of this section. Each modification must be numbered in sequence, and must reference the original IFB.

After the bid opening, a bidder may not change any provision of the bid in a manner prejudicial to the interests of the City or fair competition. Minor informalities will be waived or the bidder will be allowed to correct them. If a mistake and the intended bid are clearly evident on the face of the bid document, the mistake will be corrected to reflect the intended correct bid, and the bidder will be notified in writing; the bidder may not withdraw the bid. A bidder may withdraw a bid if a mistake is clearly evident on the face of the bid document, but the intended correct bid is not similarly evident.

Right to Cancel/Reject Bids

The City of Somerville may cancel this IFB, or reject in whole or in part any and all bids, if the City determines that cancellation or rejection serves the best interests of the City.

Bid Prices to Remain Firm

All bid prices submitted in response to this IFB must remain firm for 60 days following the bid opening.

Unbalanced Bids

The City reserves the right to reject unbalanced, front-loaded and conditional bids.

Unforeseen Office Closure

If, at the time of the scheduled bid opening, Purchasing Department is closed due to uncontrolled events such as fire, snow, ice, wind, or building evacuation, the bid opening will be postponed until 2:00 p.m. on the next normal business day. Bids will be accepted until that date and time.

II. Purchase Description/Scope of Services

Contract Term Length and Renewal Options

The contract will remain in effect from **June 1, 2013 through May 31, 2013**. The City reserves the right to award contracts to more than one vendor based on the lowest price for each item bid.

Contract Value

The City of Somerville, Department of Public Works, estimates the bid value to be \$500,000.00 for the Ten Vehicles. This is just an estimate.

Price Submission

All prices must contain a unit rate, if applicable and a total contract price as requested on the bid price form in this IFB.

Estimated Quantities

The City of Somerville has provided estimated quantities for item over the course of the next three years. These estimates are estimates only and not guaranteed.

Brand Name "Or Equal"

Any references to any brand name or proprietary product in the specifications shall require the acceptance of an equal or better brand. Samples may be requested before a final decision is made. The City has the right to make the final determination as to whether an alternate brand is equal to the brand specified.

Warranty

The bidder shall specify and guarantee the standard warranty on the vehicles, within the bid document.

The bidder warrants that (1) the Supplies sold are merchantable, (2) that they are fit for the purpose for which they are being purchased, (3) that they are absent any latent defects and (4) that they are in conformity with any sample which may have been presented to the City.

The bidder guarantees that upon inspection, any defective or inferior Supplies shall be replaced without additional cost to the City. The Vendor will assume any additional cost accrued by the City due to the defective or inferior Supplies.

Performance Standards

The vendor selected must be a certified Ford dealer, or a certified dealer of an equivalent brand.

Any vehicle up-fittings for after-market accessories must be completed by an authorized factory installer for the specific equipment. For example: regarding the Fisher Plows and Easterner Dump Bodies its recommended you should use J.C. Madigan in up-fitting the hydraulics and dump bodies.

All electrical wiring shall be continuous with no splices to insure a reliable installation. The wiring and connections will also be weather resistant and neatly tied in place to protect them from abrasion, corrosion and other damage. All warning / emergency lighting shall be on separate circuit breakers supplied by wiring capable of handling at least 125% of the total load that each unit will draw. Plow joy stick controls should be fastened in an area as not to obstruct the safe operation of the vehicle. Attaching the joy stick to the face of the dashboard with Velcro is not acceptable.

The City may reject Bid's from vendors that are (in the City's opinion and best interest) not located within a reasonable traveling distance of our facility, The City may also require onsite service or flatbed towing to and from the vendors location (at the vendor's expense) for any defects, repairs, service of aftermarket accessories during the warranty period.

Delivery Terms

All vehicles must be delivered in a timely fashion after receiving the vehicle order, and be in agreement with the DPW, Superintendent of Highways.

All prices must be F.O.B. Somerville, freight prepaid.

Description of Services

Invoicing

Vendor will mail an invoice to the ordering department after completion and delivery of the order.

Cancellation

The City reserves the right to cancel this contract at any time on any grounds, including the vendor's failure to comply with the specifications provided herein.

Laws and Regulations

The Bidding procedures shall be in accordance with M.G.L. c. 30B, as most recently amended and all other applicable laws. The contractor shall comply with all Federal, State and Local laws regulations and ordinances governing this type of work.

Sales Tax Exemption

Materials, equipment, and supplies for this project are exempt from sales tax in accordance with M.G.L. Chapter 64H, Section 6 (d). The City will furnish the successful bidder with its sales tax exemption number.

References

Please include on a separate sheet a minimum of three references for whom similar trucks have been provided. Include contact person and telephone number along with company name and address.

III. Quality Requirements

Please respond to the following questions. A negative response to any of the following questions will automatically disqualify the vendor:

	Yes	No
Is the Vendor a certified Ford Dealer?		
Has the vendor been a certified Dealer, for at least five (5) years?		
Can the Vendor provide the Ten (10) specified vehicles in a timely fashion, according to the specifications?		
Can the Vendor meet the delivery qualifications for the twelve Ford Vehicles?		
Optional: Vendor: Are you a State Office for Minority and Women Owned Business Assistance (SOMWBA) certified minority or woman owned business?		

IV. References
REFERENCE FORM

Bidder: _____

IFB Title: **Ford Vehicles**

Bidder must provide references for: **Three Similar Sized Municipalities**

Reference: _____ Contact: _____

Address: _____ Phone: _____

_____ Fax: _____

Description and date(s) of supplies or services provided: _____

Reference: _____ Contact: _____

Address: _____ Phone: _____

_____ Fax: _____

Description and date(s) of supplies or services provided: _____

Reference: _____ Contact: _____

Address: _____ Phone: _____

_____ Fax: _____

Description and date(s) of supplies or services provided: _____

V. Rule for Award

A contract will be awarded to the responsive and responsible bidder offering the lowest total price based on the Vehicle Specifications. The City reserves the right to award contracts to more than one vendor based on the lowest price for each item bid.

VI. Bid Pricing Sheet

Please quote on the following items. Prices are to include delivery, the cost of fuel, the cost of labor and all other charges related to the Vehicle(s) specifications. Prices are to remain the same for the entire contract period. All prices are to be based on the Vehicle Specifications as stated.

Year	Item	Qty	Est. Miles (year)	# of years	Unit Price	Total
2014	Ford Transit Connect XLT Cargo Vans	2				
2013 or newer	Ford F-650 Regular Cab XL (F6H)	1				
2013 or newer	Ford E-350 SRW Cargo Van	1				
2013 or newer	Ford Super Duty F-350 DRW 4WD 60"CA Regular Cab& Chassis (rack truck with Power Tailgate)	1				
2013 or newer	Ford Super Duty F-350 DRW 4WD 84" CA Regular Cab & Chassis (12' Rack Truck with Power Tailgate)	1				
2013 or newer	Ford Super Duty F-350 SRW 4WD Super Cab 8ft Box 158" XL (with plow and sander)	1				
2013 or newer	Ford Super Duty F-350 SRW 4WD Super Cab 8ft Box 158" XL (with Fisher Plow and Power Tailgate)	1				
2013 or newer	Ford Super Duty F-550 DRW 4WD Regular Cab 141" WB 60" CA XL	1				
2013 or newer	Ford Super Duty F-550 DRW 2WD Regular Cab & Chassis 141" WB 60" CA XL (signalier ATR 41 I)	1				
	Total Price:					
Option 1	Price for extended warranty					
Option 2	Service Maintenance Agreement			5		

Continued on next page.....

Warranty Information: _____

Signature & Title of Person Submitting Bid: _____

Company Name: _____

Address: _____

Phone #: _____ Fax #: _____

E-Mail: _____ Date: _____

ADDENDA #1 _____ #2 _____ #3 _____ #4 _____ ACKNOWLEDGED
Failure to acknowledge receipt of addenda may result in your bid being rejected.

CERTIFICATE OF GOOD STANDING

TO: Vendor

FROM: Purchasing Department

RE: **CERTIFICATE OF GOOD STANDING**

The **Awarded Vendor** must comply with our request for a **CURRENT “Certificate of Good Standing”**.

If you require information on how to obtain the “Certificate of Good Standing” or Certificate of Registration (Foreign Corporations) from the Commonwealth of Massachusetts, please call the Secretary of State’s Office at (617) 727-2850 (Press #1) located at One (1) Ashburton Place, 17th Floor, Boston, MA 02133 or you may access their web site at: www.sec.state.ma.us/corp/certificates/certificate_request.asp

If your company is incorporated outside of Massachusetts and therefore is a “foreign corporation”, but is registered to do business in Massachusetts, please comply with our request for the Certificate of Registration from the Commonwealth of Massachusetts. If your company is a foreign corporation, but is not registered to do business in Massachusetts, please provide the Certificate of Good Standing from your state of incorporation.

Please note that without the above certificate (s), the City of Somerville cannot execute your contract.

IMPORTANT NOTICE

Requests for Certificates in Good Standing by mail may take a substantial amount of time. A certificate may be obtained immediately in person at the Secretary’s Office at the address above. Also, at this time, the Secretary of State’s Office may not have your current annual report recorded. If this is the case, and you are therefore unable to obtain the Certificate of Good Standing, please forward a copy of your annual report filing fee check with your signed contracts. Please forward your original Certificate of Good Standing to the Purchasing Department upon receipt.

Thank You,
Purchasing Director

TERMS AND CONDITIONS

1. FREIGHT ON BOARD (F.O.B.)
All prices are to be firm, F.O.B. delivered destination (Somerville), to the address specified on the "Notice to Bidders" (Form #2) or any other department location doing business for the City of Somerville in need of such services.
2. UNIT PRICE
In case of error in extension of prices quoted herein, the unit price will govern.
3. PRICE REDUCTION
It is understood and agreed that should any price reductions occur between the opening of this bid and completion of this delivery, the benefit of all such reductions will be extended.
4. CANCELLATION OF BID
To withdraw, cancel, correct or modify a bid at any time prior to the bid opening date, a bidder must submit such request in writing to the Purchasing Director. Correction or modifications must be sealed when submitted.
5. SAMPLES
The qualified low bidder will be required to submit samples upon request of the Purchasing Director. Acceptable samples will be a determining factor in the vendor selection process.
6. FINANCIAL AND OPERATIONAL INFORMATION
By submitting a bid, the bidder authorizes the City of Somerville to contact any and all parties referenced by the bidder regarding financial and operational information.
7. PAYMENT
The City of Somerville shall make no payment for a supply or service rendered prior to the execution of this contract.
8. DOCUMENTATION
Please find attached exhibit copies of contract forms which the successful bidder will be required to sign.
10. EXTENSION OF CONTRACT
The City reserves the right to extend the time of any contract resulting from the bid as needed and/or to increase the value by 25% at the sole discretion of the Purchasing Director.

Form: _____
Contract Number: _____

CITY OF SOMERVILLE

Rev. 08/01/12



Non-Collusion Form and Tax Compliance Certification

Instructions: Complete each part of this two-part form and sign and date where indicated below.

A. NON-COLLUSION FORM

I, the undersigned, hereby certify under penalties of perjury that this bid or proposal has been made and submitted in good faith and without collusion or fraud with any other person.

As used in this certification, the word "person" shall mean any natural person, business, partnership, corporation, union, committee, club, or other organization, entity, or group of individuals.

Signature: _____
(Individual Submitted Bid or Proposal)
Duly Authorized

Name of Business or Entity: _____

Date: _____

B. TAX COMPLIANCE CERTIFICATION

Pursuant to M.G.L. c. 62C, §49A, I certify under the penalties of perjury that, to the best of my knowledge and belief, I am in compliance with all laws of the Commonwealth relating to taxes, reporting of employees and contractors, and withholding and remitting child support, as well as paid all contributions and payments in lieu of contributions pursuant to MGL 151A, §19A(b).

Signature: _____
(Duly Authorized Representative of Vendor)

Name of Business or Entity: _____

Social Security Number or Federal Tax ID#: _____

Date: _____

CITY OF SOMERVILLE

SIGNATURE FORM

NAME OF COMPANY: _____

ADDRESS: _____

TELEPHONE #: _____ FAX #: _____

DATE: _____ EMAIL: _____

SIGNATURE OF AUTHORIZED CONTRACTING OFFICIAL:

TITLE: _____

RESIDENCE: _____

IF COMPANY IS A PARTNERSHIP:

FULL NAME AND RESIDENCE OF EACH PARTNER:

IF COMPANY IS A CORPORATION:

THE CORPORATE NAME IS: _____

THE CORPORATION IS ORGANIZED UNDER THE LAWS OF: _____

THE PRESIDENT IS: _____

THE TREASURER IS: _____

THE CLERK/SECRETARY IS: _____

NAME OF CORPORATION THAT WILL APPEAR ON A POTENTIAL CONTRACTUAL
AGREEMENT IF DIFFERS FROM ABOVE: _____.

NAME AND TITLE OF PERSON WHO WILL BE RESPONSIBLE FOR THE SIGNING OF A
POTENTIAL CONTRACTUAL AGREEMENT IF DIFFERS FROM ABOVE:

NAME: _____ TITLE: _____

NAME OF CLERK/SECRETARY WHO WILL ALSO BE SIGNING FOR A POTENTIAL
CONTRACTUAL AGREEMENT IF DIFFERS FROM ABOVE:

Form: _____
Contract Number: _____

CITY OF SOMERVILLE

Rev. 08/01/12



**Certificate of Authority
(Corporations Only)**

Instructions: Complete this form and sign and date where indicated below.

1. I hereby certify that I, the undersigned, am the duly elected Clerk/Secretary of

(Insert Full Name of Corporation)

2. I hereby certify that the following individual _____
(Insert the Name of Officer who Signed the Contract and Bonds)

is the duly elected _____ of said Corporation.
(Insert the Title of the Officer in Line 2)

3. I hereby certify that on _____
(Insert Date: Must be *on or before* Date Officer Signed Contract/Bonds)

at a duly authorized meeting of the Board of Directors of said corporation, at which a quorum was present, it was voted that

(Insert Name of Officer from Line 2) (Insert Title of Officer from Line 2)

of this corporation be and hereby is authorized to make, enter into, execute, and deliver contracts and bonds in the name and on behalf of said corporation, and affix its Corporate Seal thereto, and such execution of any contract of obligation in this corporation's name and on its behalf, with or without the Corporate Seal, shall be valid and binding upon this corporation; and that the above vote has not been amended or rescinded and remains in full force and effect as of the date set forth below.

4. **ATTEST:**

Signature: _____
(Clerk or Secretary)

AFFIX CORPORATE SEAL HERE

Printed Name: _____

Printed Title: _____

Date: _____

(Date Must Be *on or after* Date Officer Signed Contract/Bonds)

Form: _____
Contract Number: _____

CITY OF SOMERVILLE

Rev. 08/01/12



**Certificate of Authority
(Limited Liability Companies Only)**

Instructions: Complete this form and sign and date where indicated below.

1. I, the undersigned, being a member or manager of

(Complete Name of Limited Liability Company)

a limited liability company (LLC) hereby certify as to the contents of this form for the purpose of contracting with the City of Somerville.

2. The LLC is organized under the laws of the state of: _____.

3. The LLC is managed by (check one) a ☐ Manager or by its ☐ Members.

4. I hereby certify that each of the following individual(s) is:

- a member/manager of the LLC;
- duly authorized to execute and deliver this contract, agreement, and/or other legally binding documents relating to any contract and/or agreement on behalf of the LLC;
- duly authorized to do and perform all acts and things necessary or appropriate to carry out the terms of this contract or agreement on behalf of the LLC; and
- that no resolution, vote, or other document or action is necessary to establish such authority.

<u>Name</u>	<u>Title</u>

5. **Signature:** _____

Printed Name: _____

Printed Title: _____

Date: _____

INSURANCE SPECIFICATIONS

INSURANCE REQUIREMENTS FOR AWARDED VENDOR ONLY:

I. Prior to commencing performance of any work or supplying materials or equipment covered by these specifications, the contractor shall furnish to the Office of the Purchasing Director a Certificate of Insurance evidencing the following:

A. GENERAL LIABILITY - Comprehensive Form

Bodily Injury Liability.....\$ One Million

Property Damage Liability.....\$ One Million

B. COVERAGE FOR PAYMENT OF WORKER'S COMPENSATION BENEFIT PURSUANT TO CHAPTER 152 OF THE MASSACHUSETTS GENERAL LAWS IN THE AMOUNT AS LISTED BELOW:

WORKER'S COMPENSATION.....\$ Statutory

EMPLOYERS' LIABILITY.....\$ Statutory

C. AUTOMOBILE LIABILITY INSURANCE AS LISTED BELOW:

BODILY INJURY LIABILITY.....\$ STATUTORY

1. A contract will not be executed unless a certificate (s) of insurance evidencing above-described coverage is attached.

2. Failure to have the above-described coverage in effect during the entire period of the contract shall be deemed to be a breach of the contract.

3. All applicable insurance policies shall read:

"CITY OF SOMERVILLE" as a certificate holder and as an additional insured for general liability only along with a description of operation in the space provided on the certificate.

Certificate Should Be Made Out To:

**City Of Somerville
Purchasing Department
93 Highland Avenue
Somerville, Ma. 02143**

Note: If your insurance expires during the life of this contract, you shall be responsible to submit a new certificate(s) covering the period of the contract. No payment will be made on a contract with an expired insurance certificate.



CITY OF SOMERVILLE, MASSACHUSETTS

JOSEPH A. CURTATONE

MAYOR

Vendor Certification

The vendor certifies that it has provided the City of Somerville with an accurate tax identification number (TIN). In the event that the City is fined by the IRS for an incorrect TIN provided by the vendor, the vendor agrees to reimburse the City for the amount of the fine.

TIN

Signature

Printed Name of Person signing

Company

Date



Somerville City Hall • 93 Highland Avenue • Somerville, Massachusetts 02143

(617) 625-6600, Ext. 3400 • TTY: (617) 666-0001 • Fax: (617) 625-1344

www.somervillema.gov



Appendix A
Ford Vehicles Specifications

The City of Somerville DPW invites bids on the following trucks:

(2) 2014 Ford Transit Connect XLT Cargo Vans

As a condition of this bid, all eligible bidders must provide a trade in allowance and accept in trade: Truck# B-5 which is a 1989 Chevy Astro Van VIN: 1GCCM15Z0KB109667

EMISSIONS: 50 STATE EMISSIONS

ENGINE: 1.6L Eco-Boost I-4 Engine

TRANSMISSION – AUTOMATIC 6 Speed

PRIMARY PAINT: GEM GREEN W-6 PAINT SCHEME.

Factory Paint is preferred but not required provided the City of Somerville DPW fleet color is unavailable from the factory. Winning bidder is responsible for and must be able to match the City of Somerville DPW fleet color of "Gem Green, Forest Green, or Dark Green Metallic Paint" Aftermarket painting must include all painted surfaces of the truck including but not limited to: Door jambs, underside of hood, etc..... HOWEVER, for this particular vehicle, Factory Black Paint is acceptable for the interior, underside of hood, and door jambs. Proper preparation steps must be taken to ensure quality results. Painting of trucks must be performed by a reputable vendor that is equipped and utilizes a baked booth which will ensure a high quality finish and reduce imperfections. Winning vendor must perform a comprehensive inspection of work completed before delivery to the City. Imperfections that cannot be rectified by wet sanding and buffing where needed must be re-painted. A reasonable warranty period covering defects shall include the following: Cracking, Checking, Orange Peel, and Severe loss of gloss or fading, Peeling of the topcoat, or any of the layers of paint. Truck must be transported by flatbed or carrier to and from any Body Shop or Paint Facility as to not accumulate unnecessary mileage.

AIR CONDITIONING

TRIM & ADDITIONAL EQUIPMENT:

POWER GROUP

SWITCHES: (4) UPFI TTER INTEGRAL SWITCHES

Factory or Dealer installed Molded Mud Guards

Factory or Dealer installed Window Vent Shades (Window Deflectors).

REVERSE SENSING SYSTEM

RADIO: Minimum of AM/FM stereo -Inc: digital clock

XLT PWR EQUIPMENT GROUP -Inc: accessory delay, power door locks, remote keyless entry, perimeter anti-theft alarm, power windows w/driver side on e-touch down. Power telescoping trailer tow mirrors w/power heated glass, heated convex spotter mirror, turn signals & two-way fold, door trim panel upgrade.

EXTERIOR:

- Full-size spare tire and rim
- Cargo lights
- Interval windshield wipers
- Dual rear cargo access door s
- NO GLASS DOORS
- Front/rear license plate brackets
- Black door handles

INTERIOR:

- HD Lt Gray vinyl or cloth bucket seats
- Black vinyl full-floor covering
- Scuff plates
- Tilt/telescoping steering column
- Multi-function switch message center -Inc: ice blue lighting, 3-button message control on steering wheel, outside temp display
- Oil minder system
- 3-blink lane change signal
- Air registers w/positive shut-off
- Aux power outlets in instrument panel
- Color -keyed molded door trim panel-inc• hard armrest, grab handle, reflector
- Color -keyed cloth headliner
- Dual color-keyed vinyl sun visors-inc: driver -side pocket, passenger-side mirror insert
- Front door operated dome lamp w/time delay off & IP switch
- Front map lamps

SAFETY:

- Power 4-wheel disc anti-lock braking system (ABS)
- Advance Trac w/ roll stability control (RSC)
- Driver & front passenger side air bags w/passenger-side deactivation switch
- Driver & front passenger side air bag/curtain
- SOS post-crash alert system
- Color -keyed safety belts w/front seat out board height adjustable D rings
- Belt Minder seatbelt-no t-buckled chime & flashing warning light
- Tire pressure monitoring system
- MyKey system - top speed limiter, audio volume limiter, early low fuel warning, programmable sound chimes, Belt Minder with audio mute

MINIMUM WARRANTY REQUIRENT:

- Basic: 3 Years/36,000 Miles
- Drivetrain: Gas Engine: 5 Years/60,000 Miles
- Corrosion: 5 Years/Unlimited Miles
- Emissions: 5 Years/ 50,000 Miles
- Roadside Assistance: 5 Years/60,000 Miles
- List all extended warranty options and available prices

TRUCK EQUIPMENT:

LIGHTING:

Front: (2) WHELEN Vertex Clear LED hideaways. Rear of vehicle: (2) WHELEN Vertex Clear LED hideaways & (2) Vertex Red LED hideaways. Roof mounted Liberty light bar with amber LED flashers.

“Vehicle up-fitting, installation of aftermarket accessories or modifications must first be approved by the City of Somerville. Said work shall only be completed by an authorized factory dealer for specified equipment.

All electrical wiring shall be continuous with no splices to insure a reliable installation. The wiring and connections will also be weather resistant and neatly tied in place to protect them from abrasion, corrosion and other damage. All warning / emergency lighting shall be on separate circuit breakers supplied by wiring capable of handling at least 125% of the total load that each unit will draw.

The City may reject bids from vendors that are (in the city's opinion and best interest) not located within a reasonable travelling distance of our facility. The City may also require onsite service or flatbed towing to and from the vendors location (at the vendors expense) for any defects, repairs, service of aftermarket accessories during the warranty period.

THIS PAGE HAS BEEN INSERTED

TO SEPARATE EACH VEHICLE IN THE BID PACKAGE

**The City of Somerville DPW invites bids on the following truck:
(1) 2013 or Newer - Ford F-650 Regular Cab XL (F6H)**

As a condition of this bid, all eligible bidders must provide a trade in allowance and accept in trade Truck# H-53 which is a 1995 Ford F-800 Dump Body with Hot Box...

VIN: 1FDYF80E3SVA49416

Primary Paint: Gem Green W-6 Paint Scheme. Factory Paint Only.

Interior Primary: Gray

50 State Emissions

Engine: Ford 6.8L Triton V10 3-Valve Gasoline 362 HP @ 4750

Transmission: Ford SelectShift 6-Speed Automatic w/PTO Provision

Rear Axle Ratio: 6.43

GVWR: Special Rating GVWR - Limited to 30,000 lb. GVWR

Engine/Engine Equipment

Ford 6.8L Triton V10 3-Valve Gasoline 362 HP @ 4750

Radiator - Aluminum, Single Row, w/In-Tank Trans Cooler 857 Sq In; Starting

Motor - 12-Volt, Visteon: Less thermal over-crank protection. Emission Compliance - Level 2.

457 lb-ft torque @ 3250 RPM. Component-manufacturer warranty applies.

Torque: 457 ft.lbs. @ 3250 rpm.

Powertrain

Triton 6.8L V-10 SOHC SMPI 30 valve engine * 177 amp alternator * 900 amp battery located rear left * 6-speed electronic automatic transmission with overdrive, lock-up * Rear-wheel drive * 6.43 axle ratio, single speed drive axle * Non stainless steel exhaust * Transmission PTO provision * Standard rear differential * Right mounted horizontal muffler * Right mounted horizontal tailpipe * 60.0 gal. rectangular left front fuel tank.

Steering and Suspension

Hydraulic power-assist re-circulating ball steering * Hydraulic disc brakes with front and rear vented discs * Non-independent front suspension * Front leaf suspension * Front tapered leaf springs * Rigid rear axle * Rear leaf suspension * Rear multi-leaf springs * Front 22.5" x 8.25" wheels rear 22.5" x 7.50" wheels * 11.0R22.5 AS front tires * Rear tires * Rubber auxiliary rear springs * Front and rear white steel disc wheels with 10 wheel studs

Additional Equipment, Features & Safety

4-wheel anti-lock braking system
Cab Mounted Fire Extinguisher
3 Reflective Triangular Reflectors
2 Wheel Blocks
Chrome Grille & Surround
2 front & 2 rear spare tires & wheels

Comfort and Convenience

Air conditioning * AM/FM stereo, clock, seek-scan, 2 speakers, fixed antenna * Cruise control with steering wheel controls * 2 12V DC power outlets, ashtray, front lighter element(s) location, back-up alarm, dual electric horn * Analog instrumentation display includes tachometer, oil pressure gauge, engine temperature gauge, transmission fluid temp gauge, trip computer, trip odometer * Warning indicators include battery, lights on, key, service interval, brake fluid, transmission fluid temp * Steering wheel with tilt adjustment * Manual front windows with light tint * Variable intermittent front windshield wipers * Passenger side vanity mirror * Interior lights include dome light with delay * Glove box, front cup holder, instrument panel bin, dashboard storage * Air compressor * Automatic gearshift steering column lever

Seating and Interior

Seating capacity of 3 * Vinyl faced front seats with carpet back material * Full cloth headliner, full vinyl/rubber floor covering, urethane gear shift knob * Driver and passenger seats with folding back * 4 way driver bucket seat with high back, air suspension, fore/aft * 2 way passenger two person bench seat with mid back * Driver and passenger fixed headrests

Exterior Features

Front splash guards, composite/galvanized steel body material, side steps * Black side window moldings, black front windshield molding, black rear window molding * Black door handles * CHROME grille * 2 doors * Driver and passenger manual stainless steel heated convex spotter folding west coast outside mirrors with lights * Front chrome bumper with straight ends, with front tow hooks * Sealed beam halogen headlamps * Additional exterior lights include cab clearance lights * Clear coat monotone paint * Stationary radiator mounted grille

Brakes/Brake Equipment

Hydraulic Brakes - Quadraulic Split System for 70mm Diameter Pistons - 22.5" Wheels
Parking Brake, Bosch, DSSA Type, 12 x 3. Full power with automatic adjustment, 4-channel ABS antilock brake system. Includes 12" x 3" (Bosch) DSSA type rear axle mounted parking brake, Orscheln lever control, right of driver.

Axle, Front/Suspension, Front

I-Beam Type - 10,000 lb. Cap. Non-Driving - Meritor
MFS-10-122A. Steering Wheel - Two Spoke, Black PVC, 17.5" Dia.: Includes tilt with cruise controls. Includes Ross TAS-66 integral power steering.
Taper-Leaf Springs, Parabolic - 10,000 lb. Cap
Includes shock absorbers. Lube, Front Axle, EmGard 50W, Synthetic Oil

Axle, Rear/Suspension, Rear

EmGard 75W-90 Synthetic Rear Axle Lube 6.43 Axle Ratio

21,000 lb. Single-Speed - Meritor MS-21-14X-4DRC

With 190 wheel ends. Multi-Leaf Springs - Vari-Rate Suspension 23,500 lb. Cap

Includes 4500 lb. auxiliary rubber spring.

Shock Absorbers, Rear - Double Acting

Front Wheels/Tires

Wheels, Front 22.5x8.25 w/Rust Inhibiting Powder, Steel Disc,

10-Hole (285.75MM BC) hub piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs, white. Tires, Front Two 11R22.5G Goodyear G661 HSA (497 rev/mile)

Rear Wheels/Tires

Wheels, Rear 22.5x7.5 Powder Coated Steel Disc, 10-Hole

(285.75MM BC) hub piloted, flanged nut, 5 hand hold, metric mount, 7.50

DC rims; with steel hubs, white. Tires, Rear Four 11R22.5H Goodyear G182 RSD (496 rev/mile)

Transmission

Ford SelectShift 6-Speed Automatic w/PTO Provision Double overdrive with park pawl.

Wheelbase

158" Wheelbase/84" CA/49" AF/246" OAL

Frame

Single Channel - Straight 'C' 15.14 SM, 80,000 PSI

High strength low alloy steel; 10.250" x 3.092" x 0.375" (260.4mm x 78.5mm

X 9.5mm), 427" (10486mm) maximum OAL. Tow Hooks, Front (2) Inside Rail, Frame

Mounted. Special Rating GVWR - Limited to 30,000 lb. GVWR

Minimum Warranty

Basic 24 month/unlimited mileage Powertrain 60 month/100,000 miles

Corrosion Perforation 60 month/unlimited mileage

List all extended warranty options & pricing

SPHD-3.0 Hot Pack Dump Body Bidding Specifications

1.0 INTENT

It is the intent of this specification to provide for the purchase of one (1) new and unused Dump Style Asphalt Heater to be used for the purpose of maintaining proper working temperature of hot mix asphalt.

The following specification is based upon a Stepp Mfg SPHD-3.0 Hot Pack Dump Unit. The City of Somerville Public Works Department has evaluated different styles of asphalt hotbox equipment and has determined that this product is best suited for the Somerville DPW needs in terms of quality and features. This specification shall not be interpreted as restrictive but rather as a measure of quality and performance against which all other Dump Style Premix Heaters will be compared.

In comparing proposals, comparison will not be confined to price only. The successful bidder will be one whose product is judged as best serving the interests of the Somerville DPW when price, product, quality and delivery are considered. The Somerville DPW also reserves the right to reject any or all bids or any part thereof, and to waive any minor technicalities. A contract will be awarded to the bidder submitting the lowest responsible bid meeting the requirements.

2.0 EQUIVALENT PRODUCT

Bids will be accepted for consideration on any make or model that is equal or superior to the hot box specified. Decisions of equivalency will be at the sole interpretation of the Somerville DPW. A blanket statement that equipment proposed will meet all requirements will not be sufficient to establish equivalence. An original manufacture's brochure of the proposed product is to be submitted with proposal.

3.0 INTERPRETATIONS

In order to be fair to all bidders, no oral interpretations will be given to any bidder, as to the meaning of the specification documents or any part thereof. Every request for such a consideration shall be made in writing. Based on such inquiry, the Somerville DPW may chose to issue an Addendum in accordance with local state laws.

4.0 GENERAL

The specification herein states the minimum requirements of the Somerville DPW. All bids must be regular in every respect. Unauthorized conditions, limitations, or provisions shall be cause for rejection. The Somerville DPW will consider as irregular or non-responsive any and all bids that are not prepared and submitted in accordance with the bid document and specification, or any bid lacking sufficient technical literature to enable the Somerville DPW to make a reasonable determination of compliance to the specification. It shall be the bidder's responsibility to carefully examine each item of the specification. Failure to offer a completed bid or failure to respond to each section of the technical specification (COMPLY: YES NO) will cause the proposal to be rejected without review as non responsive. All variances, exceptions and/or deviations shall be fully described in the appropriate section. Deceit in responding to the specification will be cause for rejection.

5.0 SPECIFICATIONS

HOPPER:

COMPLY
YES NO

Hopper shall have a capacity of 3 cubic yard. (4 ton)

The hopper shall have an overall dimension of 210" long
67" high and 90" wide. Hopper to have a low profile design for
Optimum visibility

Hopper floor shall be flat when the hoist is down to achieve the lowest
overall hopper height for driver visibility of operators at the rear of the
unit.

Hopper to be oil jacketed design with a 5" internal u shaped flue,
submerged in the bottom of oil jacket.

Oil jacket shall heat the bottom and half way up the sides.

The oil jacket shall be constructed of 10 gauge steel and have an
internal fill with a cold seal expansion tank.

The oil jacket will have a 1" bottom drain and a 1" cold fill plug.

The oil jacket shall have 2" of 1½# density high temperature
fiberglass insulation covered with a 12 gauge insulation jacket.

Unit will be covered with two (2) 16 gauge steel insulated hoods,
insulated with poly urethane closed cell spray foam insulation. Opening
to form a funnel.

Doors shall be equipped with a gas shock lift assist to reduce the weight
for the operator. Top door handles shall be spring swing handle lock in
the open and closed position.

Discharge door shall be a single guillotine style door with gas shock assist.
Material will be dispensed on to a shoveling platform that will fold up
to discharge material on to road way for large patches.

Discharge door assembly shall be a bolt on for easy replacement if
damaged.

Discharge platform shall have a bolt on extender that shall fold up when
using the lower shovel platform.

COMPLY
YES NO

Hopper shall have a heavy duty truck type, hydraulic scissor hoist, single cylinder for dumping material. Hoist to be mounted to a sub frame that is bolted to frame rails of the truck. Dual cylinder, non-sissor hoist shall not be acceptable.

Hoist shall be powered by a 12Volt electric over hydraulic pump.

Hoist to be mounted to a bolt on sub frame.

Hoist shall be rated to lift 12,000# and include a safety prop.

Power unit shall be located under the hopper attached to the bolt on sub frame.

Unit shall be capable of dumping up to 52 degrees

HEATING SYSTEM FOR HOPPER:

YES NO

Unit shall include a 12 volt Beckett diesel burner. Shall include electronic spark ignition and blower and flame out protection. Burner to be fired into a 5" flue with stainless steel liner.

YES NO

A thirty (30) gallon fuel tank shall be included. 12 volt power must be maintained at all times.

Burner exhaust gasses will be recycled and exhausted on the top of the material to prevent bridging and capture the most efficiencies of the burner system. The burner gases will then be exhausted through the top covers of the units.

Units using an external stack will be unacceptable due to the heat loss out of the stack and not being environmentally friendly or efficient.

Burner shall be rated at 105,000 BTU's. Burner system to have a 1/32nd Din electronic thermostat to control material and oil temperature.

Burner shall have a safety tilt switch to disable burner when unit is raised.

Thermostat to have a LED digital read out displaying desired temperature and actual temperature. The read out shall have a red and green LED display.

Shall have a 12 volt marine type charger in a steel enclosure to maintain battery on unit as needed. Charger shall have a weather tight, flush mounted receptacle mounted on the rear of the box.

The battery box shall contain 2 deep cycle batteries and the battery charger

LIGHTS:

YES NO

Lights will be seal beam style. Rubber grommet mount. All lighting shall meet state and federal regulations of the FMVSS.

Unit will have 7 rear facing lights.

LED Stop/tail, B/U and warning lights will be mounted in stainless steel light boxes on the frame.

Three light bar to be mounted on the top of the rear discharge door assembly.

PAINT

**COMPLY
YES NO**

To be primed with primer and painted two tone. Frame, fenders, top doors, fuel tank and discharge door to be painted black, hopper to be painted black. Paint to be a 2 part poly urethane paint minimum 6 mils thick.

WARRANTY:

YES NO

One (1) year on workmanship and manufactured equipment.

ADDITIONAL EQUIPMENT

TACK TANK W/PUMPING SYSTEM:

YES NO

Unit will be equipped with a heated tack tank with a capacity of 40 gallons.

To have a 6"fill cap. Diesel bottom fired configuration. Will have a 2" molasses gate valve for draining the tank.

Heated tack tank to be insulated with 2" of 1 1/2# hi-temperature fiberglass insulation with 16 gauge outside cover.

The thermostat shall have a digital LED readout that displays both set and actual product temperature and be adjustable from 0-550°F.

TACK TANK PUMPING SYSTEM

YES NO

To include a 12 hp, 2 Cylinder, liquid cooled, Kubota diesel engine with electric start. Teir 4 Compliant.

A 12 volt battery shall be included and located in a lockable battery box. The engine shall power a hydraulic pump.

The hydraulic pump shall power a hydraulic motor which will operate a Viking HL-32 material pump. Pump shall be capable of forward and reverse positions with hydraulic pressure relif built into valve.

YES NO

To include 15' of yellow ortec hose and 5' steel spray wand with an on/off valve. A spring rewind hose reel shall be included. A 3-way valve shall be installed to allow for flushing of pump and plumbing.

A WPC (wand pressure control) valve shall allow for recirculation or spraying material.

OVERNIGHT HEATING SYSTEM

YES NO

Shall have 220 Volt over night heaters. 2-1500 watt 220 VAC heater to heat and maintain material temperatures for storage of hot mix materials over night.

24 HOUR TIMER

YES NO

Shall include a 7 day programmable Timer for timed operation of burner.

SHOVEL CLEANING COMPARTMENT:

YES NO

Shall have a Shovel Cleaning Compartment constructed of 12 gauge material with splash guard compartments, drain plug, and rain tight cover. Shall hold (4) four shovels.

COMPACTOR PLATE CARRIER:

YES NO

Compactor Plate Carrier with hydraulic raise and lower for operator convenience and shall have a spring lock and fold up out of the way when not in use.

PLATE COMPACTOR:

Plate compactor shall be a Wacker Model WP1550AW Plate Compactor- 3300# with water tank.

YES NO

Tool Box:

18"x18"x40" Stainless Steel Tool Box.

YES NO

TOOL HOLDERS

(2) Stainless Steel Tool Holders-spring loaded clamps mounted on each fender for holding rakes, shovels and lutes.

YES NO

ARROW STICK

Arrow stick for increased operator safety. Mounted on the top rear of hopper with controller in the operators control panel.

YES NO

WARNING LIGHTS

All warning light products shall be made by Whelen manufacturing.

-Stainless steel spring loaded frame mounted boxes to include LED stop/tail light, LED back up light and LED TIR Flasher.

-Mini liberty roof mounted light bar

-Two front mounted Vertex lights

-All emergency wiring shall be routed through a junction box.

-The supplier and installer of the body will be required to furnish and install the necessary warning and clearance lights and all FVMSS. Wiring shall be color coded. Heat shrink connections only. *SCOTCH LOCKS ARE NOT ACCEPTABLE*

YES NO

LP HAND TORCH

20# LP Bottle with hand torch and bottle rack.

YES NO

HOSE REEL

Hose reel for tack hose and/or hand torch.

YES NO

Vehicle up-fitting, installation of aftermarket accessories or modifications must first be approved by the City of Somerville. Said work shall only be completed by an authorized factory dealer for specified equipment.

All electrical wiring shall be continuous with no splices to insure a reliable installation. The wiring and connections will also be weather resistant and neatly tied in place to protect them from abrasion, corrosion and other damage. All warning / emergency lighting shall be on separate circuit breakers supplied by wiring capable of handling at least 125% of the total load that each unit will draw.

INSTALLATION: Entire assembly shall be fully operational when delivered to the city. Any item not specifically mentioned but necessary for a complete assembly shall be included.

Factory authorized Vendor must provide safety, operation and maintenance training at time of delivery. Vendor must also include operator's manuals, service manuals, including but not limited to wiring diagrams and schematics for all aftermarket equipment and or custom fabrications.

The City may reject bids from vendors that are (in the city's opinion and best interest) not located within a reasonable travelling distance of our facility. The City may also require onsite service or flatbed towing to and from the vendors location (at the vendors expense) for any defects, repairs, service of aftermarket accessories during the warranty period.

Exceptions & Deviations

Bidder shall fully describe every variance exception and/or deviation. List the item number here and fully explain any items in non-compliance with specification. Additional sheets may be used if required.

THIS PAGE HAS BEEN INSERTED

TO SEPARATE EACH VEHICLE IN THE BID PACKAGE

The City of Somerville DPW invites bids on the following trucks:

(1) 2013 or Newer - Ford E-350 SRW CARGO VAN

As a condition of this bid, all eligible bidders must provide a trade in allowance and accept in trade Truck# P-25 which is a 1994 Chevy 2500 Pickup Truck VIN: 1GCGK24K7RE302823.

EMISSIONS: 50 STATE EMISSIONS

ENGINE: 5.4L FFI V8 ENGINE

TRANSMISSION – AUTOMATIC 4-SPEED AUTOMATIC TRANSMISSION W/OD

TIRES: (5) LT245/75R16E ALL-SEASON BSW TIRES

PRIMARY PAINT: GEM GREEN W-6 PAINT SCHEME.

Factory Paint is preferred but not required provided the City of Somerville DPW fleet color is unavailable from the factory. Winning bidder is responsible for and must be able to match the City of Somerville DPW fleet color of "Gem Green, Forest Green, or Dark Green Metallic Paint" Aftermarket painting must include all painted surfaces of the truck including but not limited to: Door jambs, underside of hood, etc..... HOWEVER, for this particular vehicle, Factory Black Paint is acceptable for the interior, underside of hood, and door jambs. Proper preparation steps must be taken to ensure quality results. Painting of trucks must be performed by a reputable vendor that is equipped and utilizes a baked booth which will ensure a high quality finish and reduce imperfections. Winning vendor must perform a comprehensive inspection of work completed before delivery to the City. Imperfections that cannot be rectified by wet sanding and buffing where needed must be re-painted. A reasonable warranty period covering defects shall include the following: Cracking, Checking, Orange Peel, and Severe loss of gloss or fading, Peeling of the topcoat, or any of the layers of paint. Truck must be transported by flatbed or carrier to and from any Body Shop or Paint Facility as to not accumulate unnecessary mileage.

AIR CONDITIONING: MANUAL AIR CONDITIONING

TRIM & ADDITIONAL EQUIPMENT:

HIGH SERIES EXTERIOR UPGRADE PACKAGE

POWER GROUP

ECONO CARGO SYSTEM

110 VOLT POWER SOURCE

HD ALTERNATOR

SWITCHES: (4) UPFI TTER INTEGRAL SWITCHES

Factory installed running boards (aftermarket not acceptable)

Factory or Dealer installed Molded Mud Guards

Factory or Dealer installed Window Vent Shades (Window Deflectors).

REVERSE SENSING SYSTEM

RADIO: Minimum of AM/FM stereo -Inc: digital clock

PWR EQUIPMENT GROUP -Inc: accessory delay, power door locks, remote keyless entry, perimeter anti-theft alarm, power windows w/driver side on e-touch down. Power telescoping trailer tow mirrors w/power heated glass, heated convex spotter mirror, turn signals & two-way fold, door trim panel upgrade.

EXTERIOR:

- (4) 16" Steel wheels – Sport covers
- Full-size spare tire w/lock & carrier
- Chrome grille & bumpers
- Dual beam Jewel-effect headlamps
- Cargo lights
- Manual telescoping trailer tow mirrors w/manual glass
- Interval windshield wipers
- Dual rear access door s
- NO GLASS DOORS
- Front/rear license plate brackets
- Black door handles

INTERIOR:

- HD Lt gray vinyl bucket seats
- Black vinyl full-floor covering
- Scuff plates
- Tilt/telescoping steering column
- Multi-function switch message center -Inc: ice blue lighting, 3-button message control on steering wheel, outside temp display
- Oil minder system
- 3-blink lane change signal
- (4) Air registers w/positive shut-off
- (2) Aux power outlets in instrument panel
- Instrument panel mounted storage
- Color-keyed molded door trim panel-inc• hard armrest, grab handle, reflector
- Overhead console Inc: storage bins for garage door opener & sunglasses
- Color-keyed cloth headliner
- Front passenger Side roof ride handle
- Driver & front passenger grab handles
- Dual color-keyed vinyl sun visors-inc: driver -side pocket, passenger-side mirror insert
- Front door operated dome lamp w/time delay off & IP switch
- Front map lamps

MECHANICAL:

- HD alternator
- Trailer tow pkg-inc 7 -wire harness w/relays. 7/4 pin combination connector
- Trailer hitch receiver -Inc 2" hitch
- Mono-beam front axle w/coil l spring suspension
- HD gas shock absorber s
- Front stabilizer bar
- Power steering w/steering damper
- 2-ton mechanical jack

SAFETY:

- Power 4-wheel disc anti-lock braking system (ABS)
- Advance Trac w/ roll stability control (RSC)
- Hill start assist control
- Trailer sway control
- Driver & front passenger side air bags w/passenger-side deactivation switch
- Driver & front passenger side air bag/curtain
- SOS post-crash alert system
- Color-keyed safety belts w/front seat out board height adjustable D rings
- Front center seat integrated restraints (SI R)
- Belt Minder seatbelt-no t-buckled chime & flashing warning light
- Child seat tethers on all rear passenger seats
- Tire pressure monitoring system
- MyKey system - top speed limiter, audio volume limiter, early low fuel warning, programmable sound chimes, Belt Minder with audio mute

MINIMUM WARRANTY REQUIREMENT:

- Basic: 3 Years/36,000 Miles
- Drivetrain: Gas Engine: 5 Years/60,000 Miles
- Corrosion: 5 Years/Unlimited Miles
- Emissions: 5 Years/ 50,000 Miles
- Roadside Assistance: 5 Years/60,000 Miles
- List all extended warranty options and available prices

TRUCK EQUIPMENT:

LIGHTING:

Front: (2) WHELEN Vertex Clear LED hideaways. (2) WHELEN Vertex Amber LED hideaways.
Rear of vehicle: (2) WHELEN Vertex Clear LED hideaways & (2) Vertex Red LED hideaways. Roof mounted Liberty light bar with amber LED flashers.

Roof mounted ladder rack system. Trac Rac # 29056 three bar ladder rack

OPTION-PRICE SEPARATELY:

ADRIAN STEEL Lock Smith Interior Package # 2255F
Roof mounted ladder rack system.

Vehicle up-fitting, installation of aftermarket accessories or modifications must first be approved by the City of Somerville. Said work shall only be completed by an authorized factory dealer for specified equipment.

All electrical wiring shall be continuous with no splices to insure a reliable installation. The wiring and connections will also be weather resistant and neatly tied in place to protect them from abrasion, corrosion and other damage. All warning / emergency lighting shall be on separate circuit breakers supplied by wiring capable of handling at least 125% of the total load that each unit will draw.

The City may reject bids from vendors that are (in the city's opinion and best interest) not located within a reasonable travelling distance of our facility. The City may also require onsite service or flatbed towing to and from the vendors location (at the vendors expense) for any defects, repairs, service of aftermarket accessories during the warranty period.

THIS PAGE HAS BEEN INSERTED

TO SEPARATE EACH VEHICLE IN THE BID PACKAGE

The City of Somerville DPW invites bids on the following trucks:

**(1) 2013 or Newer - Ford Super Duty F-350 DRW 4WD 60"CA
Regular Cab & Chassis (Rack Truck with Power Tailgate)**

As a condition of this bid, all eligible bidders must provide a trade in allowance and accept in trade Truck# H-17 which is a 1995 Chevy 3500 Rack Truck VIN: 1GBJC34K9SE230378.

EMISSIONS: 50 STATE EMISSIONS

ENGINE: 6.2L SOHC 16-VALVE EFI NA V8 FLEX-FUEL ENGINE

TRANSMISSION – AUTOMATIC: TORQSHIFT 6-SPEED SELECTSHIFT AUTOMATIC TRANSMISSION
W/OD -Inc: tow/haul mode, MANUAL TRANSFER CASE & HUBS (STD)

TIRES: (7) LT245/75R 17 E ALL-SEASON BSW TIRES

PRIMARY PAINT: GEM GREEN W-6 PAINT SCHEME. FACTORY PAINT ONLY.

AIR CONDITIONING: MANUAL AIR CONDITIONING

TRIM & ADDITIONAL EQUIPMENT:

XL VALUE PACKAGE SERIES... XL DÉCOR PACKAGE.

Front Chrome Bumper.

Factory or Dealer installed Ford OEM Chrome Grille assembly and surround.

SNOW PLOW PREP PKG -Inc: pre-selected springs

HD ALTERNATOR

TRAILER BRAKE CONTROLLER: intended for use only w/trailers having electric brakes

SWITCHES: (4) UPFI TTER INTEGRAL SWITCHES

Factory installed running boards (aftermarket not acceptable)

Factory or Dealer installed Molded Mud Guards

Factory or Dealer installed Window Vent Shades (Window Deflectors).

RADIO: Minimum of AM/FM stereo -Inc: digital clock, (2) speakers WITH STEERING WHEEL
MOUNTED AUDIO CONTROLS. (Upgrade to Sync may be required.)

PWR EQUIPMENT GROUP -Inc: accessory delay, power door locks, remote keyless entry,
perimeter anti-theft alarm, power windows w/driver side on e-touch down. Power telescoping
trailer tow mirrors w/power heated glass, heated convex spotter mirror, integrated clearance
lights & turn signals & two-way fold, door trim panel upgrade. Rear Window Defroster,

EXTERIOR:

- (6) 17" argent painted steel wheels - painted hub covers & chrome center ornaments
- Full-size spare tire w/lock & carrier
- Front fender vents
- Chrome grille
- Dual beam Jewel-effect headlamps
- Cargo lights
- Under hood service light
- Power telescoping trailer low mirrors w/manual glass
- Solar tinted glass
- Interval windshield wipers
- Front/rear license plate brackets
- Black door handles

INTERIOR:

- HD Lt gray leather or vinyl 40/20/40 split bench seat - center armrest, cup holder,
- Black vinyl full-floor covering
- Color-keyed scuff plates
- Tilt/telescoping steering column
- Multi-function switch message center -inc: ice blue lighting, 3-button message control on steering wheel, outside temp display
- Oil minder system
- 3-blink lane change signal
- (4) Air registers w/positive shut-off
- (2) Aux power outlets in instrument panel
- Dash-top tray
- Glove box
- Instrument panel mounted storage
- Color-keyed molded door trim panel-inc• hard armrest, grab handle, reflector
- Overhead console inc: storage bins for garage door opener & sunglasses
- Color-keyed cloth headliner
- Front passenger Side roof ride handle
- Driver & front passenger grab handles
- Dual color-keyed vinyl sun visors-inc: driver-side pocket, passenger-side mirror insert
- Front door operated dome lamp w/time delay off & IP switch
- Front map lamps
- Dual color-keyed coat hooks

MECHANICAL:

- Stationary elevated engine Idle control (SEIC)
- Manual transfer case & hubs
- 4-wheel drive
- HD alternator
- (2) Front tow hooks
- Mono-beam front axle w/coil I spring suspension
- HD gas shock absorber s
- Front stabilizer bar

Power steering w/steering damper
2-ton mechanical jack

SAFETY:

Power 4-wheel disc anti-lock braking system (ABS)
Advance Trac w/ roll stability control (RSC)
Hill start assist control
Trailer sway control
Safety Canopy system
Driver & front passenger side air bags w/passenger-side deactivation switch
Driver & front passenger side air bag/curtain
SOS post-crash alert system
Color-keyed safety belts w/front seat out board height adjustable D rings
Front center seat integrated restraints (SI R)
Belt Minder seatbelt-no t-buckled chime & flashing warning light
Child seat tethers on all rear passenger seats
Tire pressure monitoring system
MyKey system - top speed limiter, audio volume limiter, early low fuel warning, programmable sound chimes, Belt Minder with audio mute

MINIMUM WARRANTY REQUIREMENT:

Basic: 3 Years/36,000 Miles
Drivetrain: Gas Engine: 5 Years/60,000 Miles
Corrosion: 5 Years/Unlimited Miles
Emissions: 5 Years/ 50,000 Miles
Roadside Assistance: 5 Years/60,000 Miles
List all extended warranty options

TRUCK EQUIPMENT:

Body: KNAPHEIDE Model:PVMX-123C

- Heavy duty 12 foot 3 inch long, 96" wide
- 2" dense yellow pine floor
- Construction: 4" cross members, 5" structural long member, side and end rails to be 10 formed material,
- 40" reinforced bulkhead with screen window.
- The entire unit shall be primed with electro static primer and painted with a black finish coat.
- Recessed lights, back up alarm, front and rear flaps.
- 40" removable steel side racks with quiet type latches, painted black
- The rear shall consist of 40" high heavy duty swing out rear racks. The racks shall be capable of being tied back or removed from the truck.
- Pintle assembly consisting of a ½" plate, 2" combo hitch, D rings, and 6 prong light plug.

Liftgate: TOMMYGATE Model:89-20 TP37

- Heavy duty 2,000 lbs railgate
- Dimensions: 89" wide x 37" + 6" ramp
- Power open and close
- 150 amp circuit breaker
- Safety trip bar
- Curb-side Fixed Control: Toggle style switch with steel shield and a timer that deactivates in 90 seconds after last operation to help prevent unauthorized use.

LIGHTING:

Front: (2) WHELEN Vertex Clear LED hideaways. (2) WHELEN Vertex Amber LED hideaways.

Rear of vehicle: (2) WHELEN Vertex Clear LED hideaways & (2) Vertex Red LED hideaways.

Roof mounted Liberty light bar with amber LED flashers.

Vehicle up-fitting, installation of aftermarket accessories or modifications must first be approved by the City of Somerville. Said work shall only be completed by an authorized factory dealer for specified equipment. For example: Regarding the Body, and Emergency lighting, it is recommended that you use the factory authorized dealer "J.C. Madigan."

All electrical wiring shall be continuous with no splices to insure a reliable installation. The wiring and connections will also be weather resistant and neatly tied in place to protect them from abrasion, corrosion and other damage. All warning / emergency lighting shall be on separate circuit breakers supplied by wiring capable of handling at least 125% of the total load that each unit will draw.

The City may reject bids from vendors that are (in the city's opinion and best interest) not located within a reasonable travelling distance of our facility. The City may also require onsite service or flatbed towing to and from the vendors location (at the vendors expense) for any defects, repairs, service of aftermarket accessories during the warranty period.

Factory authorized Vendor must provide safety, operation and maintenance training at time of delivery. Vendor must also include operator's manuals, service manuals, including but not limited to wiring diagrams and schematics for all aftermarket equipment and or custom fabrications.

INSTALLATION: Entire assembly shall be fully operational when delivered to the city. Any item not specifically mentioned but necessary for a complete assembly shall be included.

THIS PAGE HAS BEEN INSERTED

TO SEPARATE EACH VEHICLE IN THE BID PACKAGE

The City of Somerville DPW invites bids on the following trucks:

**(1) 2013 or Newer - Ford Super Duty F-350 DRW 4WD 84"CA
Regular Cab & Chassis (12' Rack Truck with Power Tailgate)**

As a condition of this bid, all eligible bidders must provide a trade in allowance and accept in trade Truck# P-5 which is a 2002 Chevy 3500 Rack Truck VIN: 1GBJC34U92E271062.

EMISSIONS: 50 STATE EMISSIONS

ENGINE: 6 2L SOHC 16-VALVE EFI NA V8 FLEX-FUEL ENGINE

TRANSMISSION – AUTOMATIC: TORQSHIFT 6-SPEED SELECTSHIFT AUTOMATIC TRANSMISSION
W/OD -Inc: tow/haul mode, MANUAL TRANSFER CASE & HUBS (STD)

TIRES: (7) LT245/75R 17 E ALL-SEASON BSW TIRES

PRIMARY PAINT: GEM GREEN W-6 PAINT SCHEME. FACTORY PAINT ONLY.

AIR CONDITIONING: MANUAL AIR CONDITIONING

TRIM & ADDITIONAL EQUIPMENT:

XL VALUE PACKAGE SERIES... XL DÉCOR PACKAGE .

Front Chrome Bumper.

Factory or Dealer installed Ford OEM Chrome Grille assembly and surround.

SNOW PLOW PREP PKG -Inc: pre-selected springs

HD ALTERNATOR

TRAILER BRAKE CONTROLLER: intended for use only w/trailers having electric brakes

SWITCHES: (4) UPFI TTER INTEGRAL SWITCHES

Factory installed running boards (aftermarket not acceptable)

Factory or Dealer installed Molded Mud Guards

Factory or Dealer installed Window Vent Shades (Window Deflectors).

RADIO: Minimum of AM/FM stereo -Inc: digital clock, (2) speakers WITH STEERING WHEEL
MOUNTED AUDIO CONTROLS. (Upgrade to Sync may be required.)

PWR EQUIPMENT GROUP -Inc: accessory delay, power door locks, remote keyless entry,
perimeter anti-theft alarm, power windows w/driver side on e-touch down. Power telescoping
trailer tow mirrors w/power heated glass, heated convex spotter mirror, integrated clearance
lights & turn signals & two-way fold, door trim panel upgrade. Rear Window Defroster,

EXTERIOR:

- (6) 17" argent painted steel wheels - painted hub covers & chrome center ornaments
- Full-size spare tire w/lock & carrier
- Front fender vents
- Chrome grille
- Dual beam Jewel-effect headlamps
- Cargo lights
- Under hood service light
- Power telescoping trailer low mirrors w/manual glass
- Solar tinted glass
- Interval windshield wipers
- Front/rear license plate brackets
- Black door handles

INTERIOR:

- HD Lt gray leather or vinyl 40/20/40 split bench seat - center armrest, cup holder,
- Black vinyl full-floor covering
- Color-keyed scuff plates
- Tilt/telescoping steering column
- Multi-function switch message center -Inc: ice blue lighting, 3-button message control on steering wheel, outside temp display
- Oil minder system
- 3-blink lane change signal
- (4) Air registers w/positive shut-off
- (2) Aux power outlets in instrument panel
- Dash-top tray
- Glove box
- Instrument panel mounted storage
- Color-keyed molded door trim panel-inc• hard armrest, grab handle, reflector
- Overhead console inc: storage bins for garage door opener & sunglasses
- Color-keyed cloth headliner
- Front passenger Side roof ride handle
- Driver & front passenger grab handles
- Dual color-keyed vinyl sun visors-inc: driver-side pocket, passenger-side mirror insert
- Front door operated dome lamp w/time delay off & IP switch
- Front map lamps
- Dual color-keyed coat hooks

MECHANICAL:

- Stationary elevated engine Idle control (SEIC)
- Manual transfer case & hubs
- 4-wheel drive
- HD alternator
- (2) Front tow hooks
- Mono-beam front axle w/coil I spring suspension
- HD gas shock absorbers
- Front stabilizer bar

Power steering w/steering damper
2-ton mechanical jack

SAFETY:

Power 4-wheel disc anti-lock braking system (ABS)
Advance Trac w/ roll stability control (RSC)
Hill start assist control
Trailer sway control
Safety Canopy system
Driver & front passenger side air bags w/passenger-side deactivation switch
Driver & front passenger side air bag/curtain
SOS post-crash alert system
Color-keyed safety belts w/front seat out board height adjustable D rings
Front center seat integrated restraints (SI R)
Belt Minder seatbelt-no t-buckled chime & flashing warning light
Child seat tethers on all rear passenger seats
Tire pressure monitoring system
MyKey system - top speed limiter, audio volume limiter, early low fuel warning, programmable sound chimes, Belt Minder with audio mute

MINIMUM WARRANTY REQUIREMENT:

Basic: 3 Years/36,000 Miles
Drivetrain: Gas Engine: 5 Years/60,000 Miles
Corrosion: 5 Years/Unlimited Miles
Emissions: 5 Years/ 50,000 Miles
Roadside Assistance: 5 Years/60,000 Miles
List all extended warranty options

TRUCK EQUIPMENT:

Body: KNAPHEIDE Model:PVMX-93C

- Heavy duty 12 foot 3 inch long, 96" wide
- 2" dense yellow pine floor
- Construction: 4" cross members, 5" structural long member, side and end rails to be 10 formed material,
- 40" reinforced bulkhead with screen window.
- The entire unit shall be primed with electro static primer and painted with a black finish coat.
- Recessed lights, back up alarm, front and rear flaps.
- 40" removable steel side racks with quiet type latches, painted black
- Pintle assembly consisting of a ½" plate, 2" combo hitch, D rings, and 6 prong light plug.

Liftgate: TOMMYGATE Model:89-20 TP37

- Heavy duty 2,000 lbs railgate
- Dimensions: 89" wide x 37" + 6" ramp
- Power open and close
- 150 amp circuit breaker
- Safety trip bar
- Curb-side Fixed Control: Toggle style switch with steel shield and a timer that deactivates in 90 seconds after last operation to help prevent unauthorized use.

LIGHTING:

Front: (2) WHELEN Vertex Clear LED hideaways. (2) WHELEN Vertex Amber LED hideaways.

Rear of vehicle: (2) WHELEN Vertex Clear LED hideaways & (2) Vertex Red LED hideaways.

Roof mounted Liberty light bar with amber LED flashers.

Vehicle up-fitting, installation of aftermarket accessories or modifications must first be approved by the City of Somerville. Said work shall only be completed by an authorized factory dealer for specified equipment. For example: Regarding the Body, and Emergency lighting, it is recommended that you use the factory authorized dealer "J.C. Madigan."

All electrical wiring shall be continuous with no splices to insure a reliable installation. The wiring and connections will also be weather resistant and neatly tied in place to protect them from abrasion, corrosion and other damage. All warning / emergency lighting shall be on separate circuit breakers supplied by wiring capable of handling at least 125% of the total load that each unit will draw.

The City may reject bids from vendors that are (in the city's opinion and best interest) not located within a reasonable travelling distance of our facility. The City may also require onsite service or flatbed towing to and from the vendors location (at the vendors expense) for any defects, repairs, service of aftermarket accessories during the warranty period.

Factory authorized Vendor must provide safety, operation and maintenance training at time of delivery. Vendor must also include operator's manuals, service manuals, including but not limited to wiring diagrams and schematics for all aftermarket equipment and or custom fabrications.

INSTALLATION: Entire assembly shall be fully operational when delivered to the city. Any item not specifically mentioned but necessary for a complete assembly shall be included.

The City of Somerville DPW invites bids on the following trucks:

(1) 2013 or Newer - Ford Super Duty F-350 SRW 4WD Super Cab 8ft Box 158" XL (With Plow and Sander)

As a condition of this bid, all eligible bidders must provide a trade in allowance and accept in trade Truck# H-11 which is a 1994 Chevy 2500 Pickup Truck VIN: 1GCGK24KXRE302816.

EMISSIONS: 50 STATE EMISSIONS

ENGINE: 6.2L SOHC 16-VALVE EFI NA V8 FLEX-FUEL ENGINE

TRANSMISSION – AUTOMATIC: TORQSHIFT 6-SPEED SELECTSHIFT AUTOMATIC TRANSMISSION
W/OD -Inc: tow/haul mode, MANUAL TRANSFER CASE & HUBS (STD)

TIRES: (5) LT245/75R 17 E ALL-SEASON BSW TIRES

PRIMARY PAINT: GEM GREEN W-6 PAINT SCHEME. FACTORY PAINT ONLY.

AIR CONDITIONING: MANUAL AIR CONDITIONING

TRIM & ADDITIONAL EQUIPMENT:

XL VALUE PACKAGE SERIES... XL DÉCOR PACKAGE ...

Front & Rear Chrome Bumpers.....

Factory or Dealer installed Ford OEM Chrome Grille assembly and surround.

WHEEL WELL LINERS

SNOW PLOW PREP PKG -Inc: pre-selected springs

HD ALTERNATOR

TRAILER BRAKE CONTROLLER: intended for use only w/trailers having electric brakes

SWITCHES: (4) UPFI TTER INTEGRAL SWITCHES

Factory Spray in bed liner (aftermarket not acceptable)

Factory installed running boards (aftermarket not acceptable)

Factory or Dealer installed Molded Mud Guards

Factory or Dealer installed Window Vent Shades (Window Deflectors).

RADIO: Minimum of AM/FM stereo -Inc: digital clock, (2) speakers WITH STEERING WHEEL
MOUNTED AUDIO CONTROLS. (Upgrade to Sync may be required.)

PWR EQUIPMENT GROUP -Inc: accessory delay, power door locks, remote keyless entry,
perimeter anti-theft alarm, power windows w/driver side on e-touch down. Power telescoping
trailer tow mirrors w/power heated glass, heated convex spotter mirror, integrated clearance
lights & turn signals & two-way fold, door trim panel upgrade. Rear Window Defroster,

EXTERIOR:

- (4) 17" argent painted steel wheels - painted hub covers & chrome center ornaments
- Full-size spare tire w/lock & carrier
- Front fender vents
- Box-rail & tailgate top-edge moldings
- Chrome grille
- Dual beam Jewel-effect headlamps
- Pickup box/cargo lights
- Under hood service light
- Power telescoping trailer low mirrors w/manual glass
- Solar tinted glass
- Flip out rear quarter windows
- Interval windshield wipers
- Dual rear access door s
- Front/rear license plate brackets
- Black door handles
- Removable locking tailgate w /black handle & Tailgate assist

INTERIOR:

- HD Lt gray leather or vinyl 40/20/40 split bench seat - center armrest, cup holder,
- Black vinyl full-floor covering
- Color-keyed scuff plates
- Tilt/telescoping steering column
- Multi-function switch message center -Inc: ice blue lighting, 3-button message control on steering wheel, outside temp display
- Oil minder system
- 3-blink lane change signal
- (4) Air registers w/positive shut-off
- (2) Aux power outlets in instrument panel
- Dash-top tray
- Glove box
- Instrument panel mounted storage
- Color-keyed molded door trim panel-inc• hard armrest, grab handle, reflector
- Overhead console Inc: storage bins for garage door opener & sunglasses
- Color-keyed cloth headliner
- Front passenger Side roof ride handle
- Driver & front passenger grab handles
- Dual color-keyed vinyl sun visors-inc: driver-side pocket, passenger-side mirror insert
- Front door operated dome lamp w/time delay off & IP switch
- Front map lamps
- Dual color-keyed coat hooks

MECHANICAL:

- Stationary elevated engine Idle control (SEIC)
- Manual transfer case & hubs
- 4-wheel drive
- HD alternator
- Trailer tow pkg-inc 7 -wire harness w/relays. 7/4 pin combination connector
- 12.5K trailer hitch receiver -Inc 2" hitch
- 8' pickup box- inc: (4) tie-down hooks, partitionable & stackable storage
- (2) Front tow hooks
- Mono-beam front axle w/coil l spring suspension
- HD gas shock absorber s
- Front stabilizer bar
- Power steering w/steering damper
- 2-ton mechanical jack

SAFETY:

- Power 4-wheel disc anti-lock braking system (ABS)
- Advance Trac w/ roll stability control (RSC)
- Hill start assist control
- Trailer sway control
- Safety Canopy system
- Driver & front passenger side air bags w/passenger-side deactivation switch
- Driver & front passenger side air bag/curtain
- SOS post-crash alert system
- Color -keyed safety belts w/front seat out board height adjustable D rings
- Front center seat integrated restraints (SI R)
- Belt Minder seatbelt-no t-buckled chime & flashing warning light
- Child seat tethers on all rear passenger seats
- Tire pressure monitoring system
- MyKey system - top speed limiter, audio volume limiter, early low fuel warning, programmable sound chimes, Belt Minder with audio mute

MINIMUM WARRANTY REQUIREMENT:

- Basic: 3 Years/36,000 Miles
- Drivetrain: Gas Engine: 5 Years/60,000 Miles
- Corrosion: 5 Years/Unlimited Miles
- Emissions: 5 Years/ 50,000 Miles
- Roadside Assistance: 5 Years/60,000 Miles
- List all extended warranty options & pricing

TRUCK EQUIPMENT:

PLOW:

FISHER 8' HD, Insta act electric NO FLEET FLEX. Joy stick controller, plow cutting edge holes drilled out to 5/8", FISHER rubber deflector. All FISHER COMPONENTS.

5/8" X 6" Cutting edge to be supplied and installed with Grade 8 or higher nuts and bolts.

Plow lights to be fisher part number 8435, Intensifier lights not acceptable.

Plow joy stick control should be hard mounted to dash (in an area as not to obstruct the safe operation of the vehicle). Attaching the joy stick to the face of the dashboard with Velcro is not acceptable.

LIGHTING:

Front: (2) WHELEN Vertex Clear LED hideaways. (2) WHELEN Vertex Amber LED hideaways.

Rear of vehicle: (2) WHELEN Vertex Clear LED hideaways & (2) Vertex Red LED hideaways.

Roof mounted Liberty light bar with amber LED flashers.

(1) Hard Wired remote control Go-Light. (Center roof mounted in front of the light bar)

Spot light (Housing color must be Black.)

HEADACHE RACK TO PROTECT REAR GLASS.

HYDRAULICS:

JC MADIGAN, central hydraulics to operate the sander. The system shall consist of a belt driven hydraulic pump activated via lighted in cab switch, hydraulic tank to be mounted under the truck bed, with gate valve shut off and 10 micron filter. All SALT MIZER controls, the valves mounted under the vehicle. The valve bank shall include the necessary flow restrictors and power beyond for sander operation. The operator shall have control of the sander from inside the cab. NO HYDRAULIC LINES RUN INTO THE CAB.

SANDER:

AIRFLO Model: PSV8H, the unit shall be 96" long (inside), 54" wide and 32" high with a capacity of 2.0 cubic yard entirely. It shall be constructed of 304 stainless steel. The conveyor width shall be 11.25" wide. There shall be two gussets per side for durability. The rear spinner assembly shall be 304 stainless steel. One piece heavy duty top screen. The unit shall be driven by a single hydraulic motor. Rear receiver mounted integral crash guard. Custom stainless steel, bolt on, spill shield shall be mounted on the front of the spreader. Rubber skirting shall be supplied on the sides of the spreader. Stainless steel flat stock shall be welded to the top outside edge of the spreader. Heavy duty rubber 3/16" x 48" x length of spreader shall be bolted to the flat stock and lay over the outside of the vehicle's body.

Vehicle up-fitting, installation of aftermarket accessories or modifications must first be approved by the City of Somerville. Said work shall only be completed by an authorized factory dealer for specified equipment. For example: Regarding the Plow, and Emergency lighting, it is recommended that you use the factory authorized dealer "J.C. Madigan."

All electrical wiring shall be continuous with no splices to insure a reliable installation. The wiring and connections will also be weather resistant and neatly tied in place to protect them from abrasion, corrosion and other damage. All warning / emergency lighting shall be on separate circuit breakers supplied by wiring capable of handling at least 125% of the total load that each unit will draw.

The City may reject bids from vendors that are (in the city's opinion and best interest) not located within a reasonable travelling distance of our facility. The City may also require onsite service or flatbed towing to and from the vendors location (at the vendors expense) for any defects, repairs, service of aftermarket accessories during the warranty period.

Factory authorized Vendor must provide safety, operation and maintenance training at time of delivery. Vendor must also include operator's manuals, service manuals, including but not limited to wiring diagrams and schematics for all aftermarket equipment and or custom fabrications.

INSTALLATION: Entire assembly shall be fully operational when delivered to the city. Any item not specifically mentioned but necessary for a complete assembly shall be included. Plow joy stick controls should be fastened in an area as not to obstruct the safe operation of the vehicle. Attaching the joy stick to the face of the dashboard with Velcro is not acceptable.

THIS PAGE HAS BEEN INSERTED

TO SEPARATE EACH VEHICLE IN THE BID PACKAGE

The City of Somerville DPW invites bids on the following trucks:

(1) 2013 or Newer - Ford Super Duty F-350 SRW 4WD Super Cab 8ft Box 158" XL (With Plow and Sander)

As a condition of this bid, all eligible bidders must provide a trade in allowance and accept in trade Truck# H-11 which is a 1994 Chevy 2500 Pickup Truck VIN: 1GCGK24KXRE302816.

EMISSIONS: 50 STATE EMISSIONS

ENGINE: 6 2L SOHC 16-VALVE EFI NA V8 FLEX-FUEL ENGINE

TRANSMISSION – AUTOMATIC: TORQSHIFT 6-SPEED SELECTSHIFT AUTOMATIC TRANSMISSION
W/OD -Inc: tow/haul mode, MANUAL TRANSFER CASE & HUBS (STD)

TIRES: (5) LT245/75R 17 E ALL-SEASON BSW TIRES

PRIMARY PAINT: GEM GREEN W-6 PAINT SCHEME. FACTORY PAINT ONLY.

AIR CONDITIONING: MANUAL AIR CONDITIONING

TRIM & ADDITIONAL EQUIPMENT:

XL VALUE PACKAGE SERIES... XL DÉCOR PACKAGE ...

Front & Rear Chrome Bumpers.....

Factory or Dealer installed Ford OEM Chrome Grille assembly and surround.

WHEEL WELL LINERS

SNOW PLOW PREP PKG -Inc: pre-selected springs

HD ALTERNATOR

TRAILER BRAKE CONTROLLER: intended for use only w/trailers having electric brakes

SWITCHES: (4) UPFI TTER INTEGRAL SWITCHES

Factory Spray in bed liner (aftermarket not acceptable)

Factory installed running boards (aftermarket not acceptable)

Factory or Dealer installed Molded Mud Guards

Factory or Dealer installed Window Vent Shades (Window Deflectors).

RADIO: Minimum of AM/FM stereo -Inc: digital clock, (2) speakers WITH STEERING WHEEL
MOUNTED AUDIO CONTROLS. (Upgrade to Sync may be required.)

PWR EQUIPMENT GROUP -Inc: accessory delay, power door locks, remote keyless entry,
perimeter anti-theft alarm, power windows w/driver side on e-touch down. Power telescoping
trailer tow mirrors w/power heated glass, heated convex spotter mirror, integrated clearance
lights & turn signals & two-way fold, door trim panel upgrade. Rear Window Defroster,

EXTERIOR:

- (4) 17" argent painted steel wheels - painted hub covers & chrome center ornaments
- Full-size spare tire w/lock & carrier
- Front fender vents
- Box-rail & tailgate top-edge moldings
- Chrome grille
- Dual beam Jewel-effect headlamps
- Pickup box/cargo lights
- Under hood service light
- Power telescoping trailer low mirrors w/manual glass
- Solar tinted glass
- Flip out rear quarter windows
- Interval windshield wipers
- Dual rear access door s
- Front/rear license plate brackets
- Black door handles
- Removable locking tailgate w /black handle & Tailgate assist

INTERIOR:

- HD Lt gray leather or vinyl 40/20/40 split bench seat - center armrest, cup holder,
- Black vinyl full-floor covering
- Color-keyed scuff plates
- Tilt/telescoping steering column
- Multi-function switch message center -Inc: ice blue lighting, 3-button message control on steering wheel, outside temp display
- Oil minder system
- 3-blink lane change signal
- (4) Air registers w/positive shut-off
- (2) Aux power outlets in instrument panel
- Dash-top tray
- Glove box
- Instrument panel mounted storage
- Color -keyed molded door trim panel-inc• hard armrest, grab handle, reflector
- Overhead console Inc: storage bins for garage door opener & sunglasses
- Color -keyed cloth headliner
- Front passenger Side roof ride handle
- Driver & front passenger grab handles
- Dual color-keyed vinyl sun visors-inc: driver -side pocket, passenger-side mirror insert
- Front door operated dome lamp w/time delay off & IP switch
- Front map lamps
- Dual color-keyed coat hooks

MECHANICAL:

- Stationary elevated engine Idle control (SEIC)
- Manual transfer case & hubs
- 4-wheel drive
- HD alternator
- Trailer tow pkg-inc 7 -wire harness w/relays. 7/4 pin combination connector
- 12.5K trailer hitch receiver -Inc 2" hitch
- 8' pickup box- inc: (4) tie-down hooks, partitionable & stackable storage
- (2) Front tow hooks
- Mono-beam front axle w/coil I spring suspension
- HD gas shock absorber s
- Front stabilizer bar
- Power steering w/steering damper
- 2-ton mechanical jack

SAFETY:

- Power 4-wheel disc anti-lock braking system (ABS)
- Advance Trac w/ roll stability control (RSC)
- Hill start assist control
- Trailer sway control
- Safety Canopy system
- Driver & front passenger side air bags w/passenger-side deactivation switch
- Driver & front passenger side air bag/curtain
- SOS post-crash alert system
- Color -keyed safety belts w/front seat out board height adjustable D rings
- Front center seat integrated restraints (SI R)
- Belt Minder seatbelt-no t-buckled chime & flashing warning light
- Child seat tethers on all rear passenger seats
- Tire pressure monitoring system
- MyKey system - top speed limiter, audio volume limiter, early low fuel warning, programmable sound chimes, Belt Minder with audio mute

MINIMUM WARRANTY REQUIREMENT:

- Basic: 3 Years/36,000 Miles
- Drivetrain: Gas Engine: 5 Years/60,000 Miles
- Corrosion: 5 Years/Unlimited Miles
- Emissions: 5 Years/ 50,000 Miles
- Roadside Assistance: 5 Years/60,000 Miles
- List all extended warranty options & pricing

TRUCK EQUIPMENT:

PLOW:

FISHER 8' HD, Insta act electric NO FLEET FLEX. Joy stick controller, plow cutting edge holes drilled out to 5/8", FISHER rubber deflector. All FISHER COMPONENTS.

5/8" X 6" Cutting edge to be supplied and installed with Grade 8 or higher nuts and bolts.

Plow lights to be fisher part number 8435, Intensifier lights not acceptable.

Plow joy stick control should be hard mounted to dash (in an area as not to obstruct the safe operation of the vehicle). Attaching the joy stick to the face of the dashboard with Velcro is not acceptable.

LIGHTING:

Front: (2) WHELEN Vertex Clear LED hideaways. (2) WHELEN Vertex Amber LED hideaways.

Rear of vehicle: (2) WHELEN Vertex Clear LED hideaways & (2) Vertex Red LED hideaways.

Roof mounted Liberty light bar with amber LED flashers.

(1) Hard Wired remote control Go-Light. (Center roof mounted in front of the light bar)

Spot light (Housing color must be Black.)

HEADACHE RACK TO PROTECT REAR GLASS.

HYDRAULICS:

JC MADIGAN, central hydraulics to operate the sander. The system shall consist of a belt driven hydraulic pump activated via lighted in cab switch, hydraulic tank to be mounted under the truck bed, with gate valve shut off and 10 micron filter. All SALT MIZER controls, the valves mounted under the vehicle. The valve bank shall include the necessary flow restrictors and power beyond for sander operation. The operator shall have control of the sander from inside the cab. NO HYDRAULIC LINES RUN INTO THE CAB.

SANDER:

AIRFLO Model: PSV8H, the unit shall be 96" long (inside), 54" wide and 32" high with a capacity of 2.0 cubic yard entirely. It shall be constructed of 304 stainless steel. The conveyor width shall be 11.25" wide. There shall be two gussets per side for durability. The rear spinner assembly shall be 304 stainless steel. One piece heavy duty top screen. The unit shall be driven by a single hydraulic motor. Rear receiver mounted integral crash guard. Custom stainless steel, bolt on, spill shield shall be mounted on the front of the spreader. Rubber skirting shall be supplied on the sides of the spreader. Stainless steel flat stock shall be welded to the top outside edge of the spreader. Heavy duty rubber 3/16" x 48" x length of spreader shall be bolted to the flat stock and lay over the outside of the vehicle's body.

Vehicle up-fitting, installation of aftermarket accessories or modifications must first be approved by the City of Somerville. Said work shall only be completed by an authorized factory dealer for specified equipment. For example: Regarding the Plow, and Emergency lighting, it is recommended that you use the factory authorized dealer "J.C. Madigan."

All electrical wiring shall be continuous with no splices to insure a reliable installation. The wiring and connections will also be weather resistant and neatly tied in place to protect them from abrasion, corrosion and other damage. All warning / emergency lighting shall be on separate circuit breakers supplied by wiring capable of handling at least 125% of the total load that each unit will draw.

The City may reject bids from vendors that are (in the city's opinion and best interest) not located within a reasonable travelling distance of our facility. The City may also require onsite service or flatbed towing to and from the vendors location (at the vendors expense) for any defects, repairs, service of aftermarket accessories during the warranty period.

Factory authorized Vendor must provide safety, operation and maintenance training at time of delivery. Vendor must also include operator's manuals, service manuals, including but not limited to wiring diagrams and schematics for all aftermarket equipment and or custom fabrications.

INSTALLATION: Entire assembly shall be fully operational when delivered to the city. Any item not specifically mentioned but necessary for a complete assembly shall be included. Plow joy stick controls should be fastened in an area as not to obstruct the safe operation of the vehicle. Attaching the joy stick to the face of the dashboard with Velcro is not acceptable.

THIS PAGE HAS BEEN INSERTED

TO SEPARATE EACH VEHICLE IN THE BID PACKAGE

The City of Somerville DPW invites bids on the following trucks:

(1) 2013 or Newer - Ford Super Duty F-350 SRW 4WD Super Cab 8ft Box 158" XL (With Fisher Plow and Power Tailgate)

As a condition of this bid, all eligible bidders must provide a trade in allowance and accept in trade Truck # H-1 which is a 2002 Chevy 2500HD VIN: 1GCHK24UX2E132436 Pickup truck.

EMISSIONS: 50 STATE EMISSIONS

ENGINE: 6 2L SOHC 16-VALVE EFI NA V8 FLEX-FUEL ENGINE

TRANSMISSION – AUTOMATIC: TORQSHIFT 6-SPEED SELECTSHIFT AUTOMATIC TRANSMISSION
W/OD -Inc: tow/haul mode, MANUAL TRANSFER CASE & HUBS (STD)

TIRES: (5) LT245/75R 17 E ALL-SEASON BSW TIRES

PRIMARY PAINT: GEM GREEN W-6 PAINT SCHEME. FACTORY PAINT ONLY.

AIR CONDITIONING: MANUAL AIR CONDITIONING

TRIM & ADDITIONAL EQUIPMENT:

XL VALUE PACKAGE SERIES... XL DÉCOR PACKAGE ...

Front & Rear Chrome Bumpers.....

Factory or Dealer installed Ford OEM Chrome Grille assembly and surround.

WHEEL WELL LINERS

SNOW PLOW PREP PKG -Inc: pre-selected springs

HD ALTERNATOR

TRAILER BRAKE CONTROLLER: intended for use only w/trailers having electric brakes

SWITCHES: (4) UPFI TTER INTEGRAL SWITCHES

Factory Spray in bed liner (aftermarket not acceptable)

Factory installed running boards (aftermarket not acceptable)

Factory or Dealer installed Molded Mud Guards

Factory or Dealer installed Window Vent Shades (Window Deflectors).

RADIO: Minimum of AM/FM stereo -Inc: digital clock, (2) speakers WITH STEERING WHEEL
MOUNTED AUDIO CONTROLS. (Upgrade to Sync may be required.)

PWR EQUIPMENT GROUP -Inc: accessory delay, power door locks, remote keyless entry,
perimeter anti-theft alarm, power windows w/driver side on e-touch down. Power telescoping
trailer tow mirrors w/power heated glass, heated convex spotter mirror, integrated clearance
lights & turn signals & two-way fold, door trim panel upgrade. Rear Window Defroster,

EXTERIOR:

- (4) 17" argent painted steel wheels - painted hub covers & chrome center ornaments
- Full-size spare tire w/lock & carrier
- Front fender vents
- Box-rail & tailgate top-edge moldings
- Chrome grille
- Dual beam Jewel-effect headlamps
- Pickup box/cargo lights
- Under hood service light
- Manual telescoping trailer low mirrors w/manual glass
- Solar tinted glass
- Flip out rear quarter windows
- Interval windshield wipers
- Dual rear access door s
- Front/rear license plate brackets
- Black door handles
- Removable locking tailgate w /black handle & Tailgate assist

INTERIOR:

- HD Lt gray leather or vinyl 40/20/40 split bench seat - center armrest, cup holder,
- Black vinyl full-floor covering
- Color-keyed scuff plates
- Tilt/telescoping steering column
- Multi-function switch message center -Inc: ice blue lighting, 3-button message control on steering wheel, outside temp display
- Oil minder system
- 3-blink lane change signal
- (4) Air registers w/positive shut-off
- (2) Aux power outlets in instrument panel
- Dash-top tray
- Glove box
- Instrument panel mounted storage
- Color -keyed molded door trim panel-inc• hard armrest, grab handle, reflector
- Overhead console Inc: storage bins for garage door opener & sunglasses
- Color -keyed cloth headliner
- Front passenger Side roof ride handle
- Driver & front passenger grab handles
- Dual color-keyed vinyl sun visors-inc: driver -side pocket, passenger-side mirror insert
- Front door operated dome lamp w/time delay off & IP switch
- Front map lamps
- Dual color-keyed coat hooks

MECHANICAL:

- Stationary elevated engine Idle control (SEIC)
- Manual transfer case & hubs
- 4-wheel drive
- HD alternator
- Trailer tow pkg-inc 7 -wire harness w/relays. 7/4 pin combination connector
- 12.5K trailer hitch receiver -inc 2" hitch
- 8' pickup box- inc: (4) tie-down hooks, partitionable & stackable storage
- (2) Front tow hooks
- Mono-beam front axle w/coil l spring suspension
- HD gas shock absorber s
- Front stabilizer bar
- Power steering w/steering damper
- 2-ton mechanical jack

SAFETY:

- Power 4-wheel disc anti-lock braking system (ABS)
- Advance Trac w/ roll stability control (RSC)
- Hill start assist control
- Trailer sway control
- Safety Canopy system
- Driver & front passenger side air bags w/passenger-side deactivation switch
- Driver & front passenger side air bag/curtain
- SOS post-crash alert system
- Color -keyed safety belts w/front seat out board height adjustable D rings
- Front center seat integrated restraints (SI R)
- Belt Minder seatbelt-no t-buckled chime & flashing warning light
- Child seat tethers on all rear passenger seats
- Tire pressure monitoring system
- MyKey system - top speed limiter, audio volume limiter, early low fuel warning, programmable sound chimes, Belt Minder with audio mute

MINIMUM WARRANTY REQUIREMENT:

- Basic: 3 Years/36,000 Miles
- Drivetrain: Gas Engine: 5 Years/60,000 Miles
- Corrosion: 5 Years/Unlimited Miles
- Emissions: 5 Years/ 50,000 Miles
- Roadside Assistance: 5 Years/60,000 Miles
- List all extended warranty options

TRUCK EQUIPMENT:

PLOW:

FISHER 8' HD, Insta act electric NO FLEET FLEX. Joy stick controller, plow cutting edge holes drilled out to 5/8", FISHER rubber deflector. All FISHER COMPONENTS.

5/8" X 6" Cutting edge to be supplied and installed with Grade 8 or higher nuts and bolts.

Plow lights to be fisher part number 8435, Intensifier lights not acceptable.

Plow joy stick control should be hard mounted to dash (in an area as not to obstruct the safe operation of the vehicle). Attaching the joy stick to the face of the dashboard with Velcro is not acceptable.

LIGHTING:

Front: (2) WHELEN Vertex Clear LED hideaways. (2) WHELEN Vertex Amber LED hideaways.

Rear of vehicle: (2) WHELEN Vertex Clear LED hideaways & (2) Vertex Red LED hideaways.

Roof mounted Liberty light bar with amber LED flashers.

(1) Hard Wired remote control Go-Light. (Center roof mounted in front of the light bar)

Spot light (Housing color must be Black.)

(1)MAG28899331B HEADACHE RACK TO PROTECT REAR GLASS.

LED Arrow Stick (Whelen Part# TA1652H) to be installed on rear face of Headache Rack.

Headache Rack & Arrow Stick must be lower than cab as not to obstruct roof mounted strobe light.

LIFTGATE:

TOMMYGATE lift gate, G2 series, 1,300lb capacity installed with a 150amp circuit breaker.

Standard controller with security system

Vehicle up-fitting, installation of aftermarket accessories or modifications must first be approved by the City of Somerville. Said work shall only be completed by an authorized factory dealer for specified equipment. For example: Regarding the Plow, and Emergency lighting, it is recommended that you use the factory authorized dealer "J.C. Madigan."

All electrical wiring shall be continuous with no splices to insure a reliable installation. The wiring and connections will also be weather resistant and neatly tied in place to protect them from abrasion, corrosion and other damage. All warning / emergency lighting shall be on separate circuit breakers supplied by wiring capable of handling at least 125% of the total load that each unit will draw.

The City may reject bids from vendors that are (in the city's opinion and best interest) not located within a reasonable travelling distance of our facility. The City may also require onsite service or flatbed towing to and from the vendors location (at the vendors expense) for any defects, repairs, service of aftermarket accessories during the warranty period.

Factory authorized Vendor must provide safety, operation and maintenance training at time of delivery. Vendor must also include operator's manuals, service manuals, including but not limited to wiring diagrams and schematics for all aftermarket equipment and or custom fabrications.

INSTALLATION: Entire assembly shall be fully operational when delivered to the city. Any item not specifically mentioned but necessary for a complete assembly shall be included. Plow joy stick controls should be fastened in an area as not to obstruct the safe operation of the vehicle. Attaching the joy stick to the face of the dashboard with Velcro is not acceptable.

THIS PAGE HAS BEEN INSERTED

TO SEPARATE EACH VEHICLE IN THE BID PACKAGE

The City of Somerville DPW invites bids on the following truck:

**(1) 2013 or Newer - Ford Super Duty F-550 DRW 4WD Regular Cab 141"
WB 60" CA XL**

As a condition of this bid, all eligible bidders must provide a trade in allowance and accept in trade Truck# P-6 which is a 1994 Chevy 2500 Pickup Truck.. VIN: 1GCGK24K1RE299658

EMISSIONS: 50 STATE EMISSIONS

ENGINE – 6.8L 3-VALVE SOHC V10 EFI ENGINE

TRANSMISSION – AUTOMATIC: TORQSHIFT 6-SPEED SELECTSHIFT AUTOMATIC TRANSMISSION
W/OD -Inc: tow/haul mode, MANUAL TRANSFER CASE & HUBS (STD)

AXLE: 4.10 AXLE RATIO

TRIM & ADDITIONAL EQUIPMENT:

XL VALUE PACKAGE SERIES... XL DÉCOR PACKAGE

Front Chrome Bumper

Factory or Dealer installed Ford OEM Chrome Grille assembly and surround.

HD ALTERNATOR

TRAILER BRAKE CONTROLLER: intended for use only w/trailers having electric brakes

SWITCHES: (4) UPFI TTER INTEGRAL SWITCHES

Factory installed running boards (aftermarket not acceptable)

Factory or Dealer installed Window Vent Shades (Window Deflectors).

PWR EQUIPMENT GROUP: accessory delay, power door locks, remote keyless entry, perimeter anti-theft alarm, power windows w/driver side on e-touch down. manual telescoping trailer tow mirrors w/power heated glass, heated convex spotter mirror , integrated clearance lights & turn signals & two-way fold, door trim panel upgrade.

TIRES: 225/70R19.5G BSW TIRES -Inc (2) front all-season & (4) rear all-season tires (STD), FULL SIZE SPARE TIRE/WHEEL (STD)

PRIMARY PAINT: GEM GREEN W-6 PAINT SCHEME, FACTORY PAINT ONLY.

AIR CONDITIONING: MANUAL AIR CONDITIONING (STD)

SNOW PLOW PREP PKG -Inc: pre-selected springs, HD alternator

TRAILER BRAKE CONTROLLER: intended for use only w/trailers having electric brakes

RADIO: Minimum of AM/FM stereo -Inc: digital clock. (2) Speakers

EXTERIOR

Front fender vents, chrome grille
Dual beam jewel headlights, 3-blink lane change signal, Roof clearance lights
Manual telescoping trailer tow mirrors w/manual glass & 2-way fold
Solar tinted glass, fixed rear window, Variable intermittent windshield Wipers
Front license plate bracket, Black door handles, under hood service light

INTERIOR

HD Lt gray leather or vinyl 40/20/40 split bench seat - center armrest, cup holder, storage Manual driver lumbar support, Black vinyl full floor covering, and Color-coordinated scuff plates
Tilt & telescoping steering wheel/column, Black vinyl steering wheel
Instrumentation -Inc: multifunction switch message center w/ice blue lighting
Oil minder system, inside hood release, Dash-top tray
Color-coordinated instrument panel -Inc: glove box. (4) Air registers w/positive shutoff, power point & (4) up fitter switches
Auxiliary power point, Dual front grab handles
Front passenger roof ride handles
Color-coordinated molded cloth headliner
11.5" day /night rearview mirror
Color-coordinated door trim panel -Inc: armrest. Grab handle, reflector
Color-coordinated vinyl sun visors -Inc: LH pocket. RH Insert
Door activated dome lamp w/delay, 1/P switch operation
Dual map lights, Dual color-coordinated coat hooks

MECHANICAL

Manual: transfer case & hubs
Four wheel drive
HD alternator
7-wire trailer tow harness w/relays. Blunt cut & labeled
(2) Front tow hooks, 141" wheelbase
Mono-beam front axle w/coil spring suspension
Rear auxiliary springs, HD gas shock absorbers
Front/rear stabilizer bars, Dual rear wheels
Power steering w/ steering damper, Power 4-wheel disc brakes w/ hydro boost
(40) gallon aft axle fuel tank, Engine only traction control, Anti-lock braking system (ABS)

SAFETY

Driver/front passenger frontal Side & curtain airbags
Passenger side 3irbag deactivation sw1: chi
Color-coordinated 3 point safety belts w/front outboard height adjustment
Child tethers on all passenger seat:
SOS post crash alert system
Dual-note electric horn

WARRANTY MINIMUM

Basic: 3 Years/36,000 Miles

Drivetrain: Diesel Engine: 5 Years/100,000 Miles

Corrosion: 5 Years/Unlimited Miles

Emissions: 5 Years/ 50,000 Miles

Roadside Assistance: 5 Years/60,000 Miles

MUST List all extended warranty options AND AVAILABLE PRICING

TRUCK EQUIPMENT

BODY:

Easterner, heavy duty 9 foot 4 inch, 3 to 4 yard dump body, 13" side and a 19" tailgate, full 10 gauge construction, boxed top rail, double panel side walls, intermediate side posts, sloped six panel double acting tailgate, tailgate to have "snap latch" to allow slam action close, direct lift 519 cylinder (scissors not acceptable), 24" cab shield without screen window, recessed lights, dump and back up alarm, front and rear flaps. LED body lights. Body to be painted to match cab of truck.

LIGHTING:

Front: (2) WHELEN Vertex clear LED hideaways. (2) Vertex Amber LED'S mounted in cab shield / bulkhead.

Rear of vehicle: (2) WHELEN Vertex clear LED hideaways & (2) Vertex Amber LED's.

Roof mounted Liberty light bar with amber LED flashers.

(1) (Center roof mounted in front of the light bar) "HARD WIRED DASH MOUNTED" REMOTE CONTROL Go-Light. (Spot light). Spot light (Housing color must be Black)

HYDRAULICS:

JC MADIGAN, central hydraulics to operate the dump body and sander. The system shall consist of a belt driven hydraulic pump activated via lighted in cab switch, hydraulic tank to be mounted between the sub frame, with gate valve shut off and 10 micron filter. All SALTMIZER controls the valves bank mounted between the sub frames. The valve bank shall include the necessary flow restrictors and power beyond for sander operation. The operator shall have independent control of the spinner and the conveyor as well as shutting the unit off. NO HYDRAULIC LINES RUN INTO THE CAB.

PLOW:

FISHER 8' HD, Insta act electric NO FLEET FLEX. Joy stick controller, plow cutting edge holes drilled out to 5/8", FISHER rubber deflector. All FISHER COMPONENTS.

Plow lights to be fisher part number 8435, Intensifier lights not acceptable.

Plow joy stick control should be hard mounted to dash (in an area as not to obstruct the safe operation of the vehicle). Attaching the joy stick to the face of the dashboard with Velcro is not acceptable.

SANDER:

HIWAY Model Super P-9, the unit shall be 108" long (inside), 59.5" wide and 38" high with a capacity of 3 cubic yard entirely. It shall be constructed of 12 GA 304 stainless steel. The conveyor width shall be 16.5" wide. There shall be three gussets per side for durability. The rear spinner assembly shall be 304 stainless steel. For longevity purposes, both the floor and chain shields are to be replaceable. One piece heavy duty top screen. The unit shall be driven by dual hydraulic motors (one to operate conveyor and one to operate spinner). Rear tailgate bar with integral crash guard. Custom stainless steel, bolt on, spill shield shall be mounted on the front of the spreader. Rubber skirting shall be supplied on the sides of the spreader. Stainless steel flat stock shall be welded to the top outside edge of the spreader. Heavy duty rubber 3/16" x Gap x length of spreader shall be bolted to the flat stock and lay over the outside of the vehicle's body.

INCLUDED OPTIONS:

A manual roll up tarp shall be mounted on the headboard. The Pintle assembly shall consist of a ½" plate, receiver tube, two D rings, and a 7 prong RV plug. Recessed oval LED stop and tail lights. Center mounted coal door. Warning lights consisting of SIX WHELEN Vertex, two in cab shield, two in snap latch housing and two clear hideaways in front corners.

Vehicle up-fitting, installation of aftermarket accessories or modifications must first be approved by the City of Somerville. Said work shall only be completed by an authorized factory dealer for specified equipment. For example: Regarding the Dump Body, Plow, and Emergency lighting, it is recommended that you use the factory authorized dealer "J.C. Madigan."

All electrical wiring shall be continuous with no splices to insure a reliable installation. The wiring and connections will also be weather resistant and neatly tied in place to protect them from abrasion, corrosion and other damage. All warning / emergency lighting shall be on separate circuit breakers supplied by wiring capable of handling at least 125% of the total load that each unit will draw.

The City may reject bids from vendors that are (in the city's opinion and best interest) not located within a reasonable travelling distance of our facility. The City may also require onsite service or flatbed towing to and from the vendors location (at the vendors expense) for any defects, repairs, service of aftermarket accessories during the warranty period.

Factory authorized Vendor must provide safety, operation and maintenance training at time of delivery. Vendor must also include operator's manuals, service manuals, including but not limited to wiring diagrams and schematics for all aftermarket equipment and or custom fabrications.

INSTALLATION: Entire assembly including plow and dump body shall be fully operational when delivered to the City. Any item not specifically mentioned but necessary for a complete assembly shall be included.

THIS PAGE HAS BEEN INSERTED

TO SEPARATE EACH VEHICLE IN THE BID PACKAGE

The City of Somerville DPW invites bids on the following truck:

**(1) 2013 or Newer - Ford Super Duty F-550 DRW 2WD Regular Cab &
Chassis 141" WB 60" CA XL (Signalier ATR 41 I)**

As a condition of this bid, all eligible bidders must provide a trade in allowance and accept in trade Truck# L-126 which is a 1995 Ford F-350 Aerial Bucket Truck VIN: 1FDKF38G4SNB55842

EMISSIONS: 50 STATE EMISSIONS

ENGINE – 6.8L 3-VALVE SOHC V10 EFI ENGINE

TRANSMISSION – AUTOMATIC: TORQSHIFT 5-SPEED SELECTSHIFT AUTOMATIC TRANSMISSION
W/OD -Inc: tow/haul mode, W/Rear Differential Locking System.

AXLE: 4.10 AXLE RATIO

TRIM & ADDITIONAL EQUIPMENT:

XL VALUE PACKAGE SERIES

XL DÉCOR PACKAGE

Stainless Steel or Chrome Wheel Covers

Front Chrome Bumper

Factory or Dealer installed Ford OEM Chrome Grille assembly and surround.

HD ALTERNATOR

TRAILER BRAKE CONTROLLER: intended for use only w/trailers having electric brakes

SWITCHES: (4) UPFI TTER INTEGRAL SWITCHES

Factory installed running boards (aftermarket not acceptable)

Factory or Dealer installed Window Vent Shades (Window Deflectors).

PWR EQUIPMENT GROUP -Inc: accessory delay, power door locks, remote keyless entry, perimeter anti-theft alarm, power windows w/driver side on e-touch down. manual telescoping trailer tow mirrors w/power heated glass, heated convex spotter mirror , integrated clearance lights & turn signals & two-way fold, door trim panel upgrade.

TIRES: Tires to meet the rate weight of the vehicle fully loaded. Standard tread tubeless steel belted radials. 225/70R19.5G BSW TIRES -Inc (2) front all-season & (4) rear all-season tires (STD), FULL SIZE SPARE TIRE/WHEEL (STD)

PRIMARY PAINT: GEM GREEN W-6 PAINT SCHEME, FACTORY PAINT ONLY.

AIR CONDITIONING: MANUAL AIR CONDITIONING (STD)

RADIO: AM/FM stereo -Inc: digital clock. (2) Speakers

EXTERIOR

Front fender vents, chrome grille
Dual beam jewel headlights, 3-blink lane change signal, Roof clearance lights
Manual telescoping trailer tow mirrors w/manual glass & 2-way fold
Solar tinted glass, fixed rear window, Variable intermittent windshield Wipers
Front license plate bracket, Black door handles, under hood service light

INTERIOR

HD Lt gray leather or vinyl 40/20/40 split bench seat - center armrest, cup holder, storage Manual driver lumbar support, Black vinyl full floor covering, Color-coordinated scuff plates Tilt & telescoping steering wheel/column, Black vinyl steering wheel
Instrumentation -Inc: multifunction switch message center w/ice blue lighting
Oil minder system, inside hood release, Dash-top tray
Color-coordinated instrument panel -Inc: glove box. (4) Air registers w/positive shutoff, power point & (4) up fitter switches
Auxiliary power point, Dual front grab handles
Front passenger roof ride handles
Color-coordinated molded cloth headliner
11.5" day /night rearview mirror
Color-coordinated door trim panel -Inc: armrest. Grab handle, reflector
Color-coordinated vinyl sun visors -Inc: LH pocket. RH Insert
Door activated dome lamp w/delay, 1/P switch operation
Dual map lights, Dual color-coordinated coat hooks

MECHANICAL

Stationary elevated idle control
Rear Differential Locking System
HD alternator
7-wire trailer tow harness w/relays. Blunt cut & labeled
(2) Front tow hooks, 141" wheelbase
Mono-beam front axle w/coil spring suspension
Rear auxiliary springs, HD gas shock absorbers
Front/rear stabilizer bars, Dual rear wheels
Power steering w/ steering damper, Power 4-wheel disc brakes w/ hydro boost
(40) gallon aft axle fuel tank, Engine only traction control, Anti-lock braking system (ABS)

SAFETY

Driver/front passenger frontal Side & curtain airbags
Passenger side 3irbag deactivation sw1: chi
Color-coordinated 3 point safety belts w/front outboard height adjustment
Child tethers on all passenger seat:
SOS post crash alert system
Dual-note electric horn

SUSPENSION MINIMUM

- 7,000 capacity rating front axle (4x4)
- Heavy-duty double acting shock absorbers
- Rear Axle & Suspension Limited slip rear axle with a minimum 13,500 capacity rating.
- 13,500 rated leaf spring type suspension with auxiliary
- Dual rear wheels
- Gross Vehicle Weight Rating 19,000
- Rear Differential Locking System

WARRANTY MINIMUM

- Basic: 3 Years/36,000 Miles
- Drivetrain: Diesel Engine: 5 Years/100,000 Miles
- Corrosion: 5 Years/Unlimited Miles
- Emissions: 5 Years/ 50,000 Miles
- Roadside Assistance: 5 Years/60,000 Miles
- MUST List all extended warranty options and available pricing

Signalier ATR 41 I Specifications

GENERAL SPECIFICATIONS

ATR –41–I SIGNALIER

This section describes each of the ATR-41-I major (standard) components.

PLATFORM – 42" X 66" Aluminum Platform with 24" door. Constructed of 1 ½" aluminum pipe schedule 40 bent at 6" radius for corner strength. Floor is aluminum diamond plate 3/16" with 4" kick plate. Mounting Plate to Rotation Motor using 12 Bolts Grade 8 with Torque Strips. Mounting Plate to be made of Core Ten 1/2" thick. Wide Bracket Mounting on Platform offset mounting on Platform for Stability in operations, 2 Braces on side of Boom Tip Pin to support side movement of Platform. Continuous upper rails on Platform, 30" door for access to Platform. Rubber Bumper mounted to Platform.

PERSONNEL RESTRAINT SYSTEM – (2) safety belts or harnesses and lanyards are provided. The anchors for the lanyards are attached to the upper platform support.

INDIVIDUAL LOWER CONTROLS – Individual full-pressured controls at the turret actuate all boom functions. An emergency stop and a tool selector control are located at the upper controls. The lower control station is equipped with a selector valve to override the upper controls. Lower controls are internally mounted in turret for protection.

SINGLE STICK UPPER CONTROL – The full-pressure single-stick upper control includes a safety trigger to prevent inadvertent operation. The lift movements correspond with control handle movements.

HYDRAULIC PLATFORM ROTATOR – A hydraulic platform rotator model HELAC L10-5.5-E-RF180S10H, operated by a control lever, rotates the platform 180 degrees from one side of the outer/inner boom assembly, across the end-hung position, to the other side of the outer/inner boom assembly.

HYDRAULIC PLATFORM LEVELING – All leveling arms must be internal of Boom/NOT OUTSIDE. A master and slave cylinder controls platform leveling. The leveling system can be operated from the upper controls to adjust platform leveling, tilt the platform.

OUTER/INNER BOOM ASSEMBLY – Compensation links must be located inside the boom for protection. The outer/inner boom assembly includes an outer boom, telescopic inner boom, extension system, and hose assemblies. The outer boom consists of an 8 in. x 10 in. (203 mm x 254 mm) rectangular steel section and a 9 in. x 11 in. (229 mm x 279 mm) fiberglass section (Electrogard) to maintain a 38 in. (0.97 m) insulation gap with the inner boom is fully retracted. The 6-7/8 in. x 8-7/8 in. (165 mm x 216 mm) rectangular fiberglass inner boom is housed within the outer boom. The inner boom can be easily removed and disassembled for service and inspection. The extension system consists of a hydraulic cylinder, two integral holding valves, and dual #50 roller chains housed entirely within the boom assembly. The hoses routed through the outer/inner boom assembly are fully contained within the boom assembly. Main boom strapped for extra strength to prevent bell mouth in long term use with 1/2" x 2" weld to boom. The outer/inner boom assembly articulates from 25 degrees below horizontal to 85 degrees above horizontal. Actuated by a double acting cylinder that has two, integral holding valves, the outer/inner boom assembly is offset to one side to provide easy access to the platform. A boom support cradle and a boom tie down strap are included.

LOWER BOOM – Compensation links must be located inside the boom for protection. Each end of a high strength fiberglass insert (chassis insulating system) is installed over a rectangular 8 in. x 10 in. (203 mm x 254 mm) high strength steel section. The steel maintains the 12 in. (305 mm) insulation gap in all the boom positions. The double acting cylinder, with an integral holding valve, allows the lower boom to articulate from horizontal to 80 degrees above horizontal. The lower boom encloses a parallelogram linkage to maintain the knuckle at a constant angle to the turret.

CYLINDERS – Both the upper and lower cylinders are a threaded head-cap design. The upper cylinder is equipped with two integral holding valves that prevent down creep and to lock the booms in position in the event of hose failure. The lower cylinder is equipped with one integral holding valve.

TURRET – The turret wings are designed for strength and rigidity. The bearing cover is continuously welded to seal out moisture and prevent foreign materials from obstructing the turret rotation. The turret plate is machined to provide a flat surface to support the rotation bearing.

CONTINUOUS ROTATION – Unrestricted rotation is accomplished by a hydraulically driven worm and spur gear with a shear ball rotation bearing. The critical bolts holding the lift to the rotation bearing and the rotation bearing to the pedestal are hex head cap screws. These critical bolts are torque seal marked to provide a quick means of detecting any turning of the bolt upon inspection. The eccentric ring backlash adjustment (gearbox pinion adjustment) is described in the "Adjustment" Section of the Service Manual. Also refer to drawing in the "Adjustment" section to set gear backlash.

LUBRICATION – Non-lube bearings are used at most points of motion. The rotation bearing and extension chain require periodic lubrication.

PEDESTAL – The pedestal is tubular with reinforced mounting plate. The top plate of the pedestal is 1-1/4 in. (32 mm) thick and machined flat to support the rotation bearing.

HYDRAULIC OIL RESERVOIR – A 17 gallon (64.41) hydraulic oil reservoir is built integral to the pedestal. The reservoir includes anti-splash baffles and two sight gauges for quick hydraulic fluid level checks.

HYDRAULIC SYSTEM – The open-center hydraulic operates at 2700 psi (176 kg/cm²) at 6 gpm (22.7 lpm). A 10-micron return line filter, mounted above the hydraulic oil level and inside the pedestal, can be easily changed without draining the reservoir. The 100 mesh (149 micron) suction strainer in the reservoir can be removed for cleaning. A gate valve, located below the reservoir, prevents oil loss when the pump is serviced. A magnetic drain plug attracts metal particles from the oil.

PAINT – The complete unit is primed and painted TO MATCH (GEM GREEN) CAB COLOR prior to assembly.

HOSES AND FITTINGS – The hoses routed through the booms are high pressure and nonconductive with swaged hose end fittings. Retainers separate the hoses inside the booms to prevent chafing and nylon sleeves are installed over hoses at points of movement. Reusable fittings can be installed if a hose is damaged.

MASTER CONTROL – The master control energizes the upper and lower control circuits, including engine start/stop and optional two-speed throttle control.

ENGINE START/STOP – The start/stop circuit has been designed so the lift cannot be operated unless the truck ignition switch is in the “RUN” position and the master control is activated. This feature makes it difficult for unauthorized individuals to operate the lift when the truck is locked. An air cylinder at the upper controls and a toggle switch at the pedestal energize this system.

HYDRAULIC TOOL CIRCUIT AT THE PLATFORM – This system uses open center hydraulic tools. The tool circuit provides 6 gpm at 2700 psi.

ELECTRICAL INSULATION SPECIFICATIONS – The outer/inner boom assembly is tested and certified for electrical work at 46 KV and below in accordance with ANSI A92.2 – 1990 requirements. The outer/inner boom assembly is fully insulated even in a retracted position. The chassis insulating system (lower boom insert) is also tested according to ANSI A92.2 – 1990.

MANUALS – Two operator's manuals and two service manuals are included with each aerial lift.

INDEPENDENT OUTRIGGERS – A-frame outriggers are shear-plate mounted to the frame and are equipped with pilot operated check valves, internal thermal relief valves, and separate controls. At maximum extension, the outriggers furnish 96-in. (3.05 m) of spread and 9 in. (229 mm) of penetration. They have 17 in. (432 mm) of ground clearance based on 36-in. (0.91 m) or 31 in. (0.79 m) frame height.

PIVOTING OUTRIGGER FEET – Pivoting outrigger feet swivel 12 degree angle about a horizontal centerline.

OUTRIGGER/BOOM INTERLOCK SYSTEM (optional) – The outrigger/boom interlock system prevents lift operation until the outriggers contact the ground and outrigger retraction before the aerial lift is properly stored.

EMERGENCY POWER (standard) – The emergency hydraulic pump is driven by a DC motor, which is powered by the truck-engine battery. The system is connected in parallel with the main pump and is designed for non-continuous operation. An air cylinder at the upper controls and a toggle switch at the pedestal are used to energize the system.

SET OF TOOL POWER PORTS (standard) – A set of power ports are installed at the platform to accommodate an open center tool.

TOOL POWER AT THE GROUND CONTROLS (optional) – The hydraulic tools must be open-center and operate satisfactorily at 2500 psi (176 kg/cm²) and 6 gpm (22.7 lpm).

LEVELING CONTROL AT THE TURRET – A valve section is added to the lower control station for platform leveling. In addition to the control at the platform, the leveling control at the turret can be activated to tilt the platform for cleanout or to ease the removal of an injured operator.

BODY – PAINTED TO MATCH CAB.....Standard recommended 9’ service body with a 4’ rear floor extension. Aluminum (NON SLIP) tread plate on top of compartments, standard shelving AND LIGHTED COMPARTMENTS. (NON SLIP) Access step at rear. A non slip, Gator Hide type of surface coating added to the two side walls, front wall & floor surface of the body, top of tail shelf (4’rear floor extension), access step at rear and top of utility compartments that have a non slip aluminum tread plate.

2) Minimum 6 year rust thru warranty on the body.

DIMENSIONAL SPECIFICATIONS

GENERAL SPECIFICATIONS - Based on 36 in (0.91 m) Frame Height

Horizontal Reach.....32 ft.

Standard Platform Capacity.....600 lbs.

Standard Pedestal

Height to Bottom of Platform.....36 ft

Working Height.....41 ft

Stowed Travel Height.....under 9 ft 10 in (3.00m)

Weight of Lift.....3,500 lbs. (1590 kg)

Hydraulic System

Operating Pressure.....2700 psi

Flow Rate.....6 gpm

Filtration.....10 micron Return

.....100 mesh Suction

System Type.....Open Center

Power Source.....PTO Pump or Clutch Pump

ATR-41-I SIGNALIER

VEHICLE SPECIFICATIONS

Recommended Cab to Rear Axle Dimension.....60 in.(1.52 m)
Frame Section Modulus.....10.1 in³ (166 cm)
Frame Resisting Bending Moment.....727,200 in-lbs.(82165N/m)

With Outriggers:

Axle Ratings Recommended Minimum

GVWR.....19,000 lbs.
GAWR (Front).....7,000 lbs.
GAWR (Rear).....13,500 lbs.
Approximate Weight for Stability..... 11,500 lbs.

Notes: Actual GVWR and GAWR's should be based on the weight and weight distribution of the chassis, body, lift, ballast (if required), accessories, and the desired payload.

Curb weight of the unit will vary based on rated platform capacity, mounting configuration, frame stiffness, and stability test requirements.

**Platform lift must have been in use for at least 2 years -- No prototypes accepted.

Trailer Hitch Receiver/Pindole hook combo type, removable with two inch ball. Two safety chain D ring hooks.

EMERGENCY LIGHTING

IN ORDER TO ENSURE HIGH VISIBILITY AND A SAFE ENVIRONMENT FOR THE USER'S, BIDDERS WILL DISCUSS ALL EMERGENCY LIGHTING OPTIONS WITH CITY OF SOMERVILLE FLEET MANAGER PRIOR TO BIDDING AND PRIOR TO INSTALLATION.

EMERGENCY LIGHTING WILL INCLUDE BUT IS NOT LIMITED TO:

(Center roof mounted in front of the light bar) "HARD WIRED DASH MOUNTED"
REMOTE CONTROL Go-Light. Spot light (Housing color must be Black)
360 DEGREE HIGH VISIBILITY LED STROBE LIGHTING PACKAGE
BI-DIRECTIONAL LED ARROW STICK

After the first year of operation of the aerial lift, Vendor must provide a free one year inspection at the Somerville DPW Facility.

Vehicle up-fitting, installation of aftermarket accessories or modifications must first be approved by the City of Somerville. Said work shall only be completed by an authorized factory dealer for specified equipment. It is recommended that you use the factory authorized dealer Consolidated Utility Equipment Service "CUES."

All electrical wiring shall be continuous with no splices to insure a reliable installation. The wiring and connections will also be weather resistant and neatly tied in place to protect them from abrasion, corrosion and other damage. All warning / emergency lighting shall be on separate circuit breakers supplied by wiring capable of handling at least 125% of the total load that each unit will draw.

The City may reject bids from vendors that are (in the city's opinion and best interest) not located within a reasonable travelling distance of our facility. The City may also require onsite service or flatbed towing to and from the vendors location (at the vendors expense) for any defects, repairs, service of aftermarket accessories during the warranty period.

INSTALLATION: Entire assembly including aerial device shall be fully operational when delivered to the City. Any item not specifically mentioned but necessary for a complete assembly shall be included.

Factory authorized Vendor must provide safety, operation and maintenance training at time of delivery. Vendor must also include operator's manuals, service manuals, including but not limited to wiring diagrams and schematics for all aftermarket equipment and or custom fabrications.

Appendix B
Sample Contract

CONTRACT
BY AND BETWEEN
THE CITY OF SOMERVILLE ACTING THROUGH
THE PURCHASING DEPARTMENT
AND
VENDOR NAME

Contract No.: _____

Contract Amount: \$ _____

P.O. No.:

P.O. Amount: \$ _____

Bid No.:

Contract Period: Start date to End Date

Contract For: Goods and/or Supplies Furnished

Vendor: Vendor Name
Address
City, State, Zip Code
Phone #

ACCORDING TO THE SPECIFICATIONS CONTAINED HEREIN.

**SUPPLY AND SERVICES CONTRACT
BY AND BETWEEN
THE CITY OF SOMERVILLE
AND
VENDOR NAME
ADDRESS
CITY, STATE, ZIP CODE
PHONE #**

This Contract made this 21st day of May 25, 2004, by the City of Somerville, acting through its Purchasing Department (hereinafter, the "City") and Vendor Name (hereinafter, the "Vendor").

WHEREAS, the City seeks the following supplies/services: _____;
(hereinafter, the "supplies/services"): and

WHEREAS, the City has followed an formal sealed bid procedure to solicit competition pursuant to G.L. c. 30B, §5, (See Appendix A – Notice to Bidders/Copy of Ad attached and made a part hereto); and

WHEREAS, the Vendor was found to be the lowest responsive and responsible Vendor (See Appendix B – Proposal Page attached and made a part hereto); and

NOW THEREFORE, the City and the Vendor in consideration of mutual covenants herein contained and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, agree as follows:

ARTICLE I. VENDOR'S SERVICES/SUPPLIES

The Vendor shall provide the Services and/or Supplies described in **Appendix C**, Scope of Services/Specifications, attached and made part hereof.

ARTICLE II. TERM AND/OR DELIVERY

A. Term.

1. The term of this Contract shall commence on the day and year first written above.
2. The Vendor shall complete the Services and/or furnish the supplies, by _____ (the "Completion Date"). If this Contract is for Supplies, the Vendor agrees to deliver the Supplies upon receipt of an approved Purchase Order.
3. The term of this Contract may be extended at the sole discretion of the City, through written notice to the Vendor.

B. Delivery (Applicable to Supplies Only).

1. The Supplies are to be delivered F.O.B. to:
2. If this Contract is for Supplies, the City may at its sole discretion amend this Contract for a maximum of twenty five percent (25%) of the original Contract amount in the event that the awarding authority finds that it is in the best interests of the City. Any additional Supplies must be billed at the same unit price as the original proposal. (Quoted or Non-Exempt Sole Source Agreements may not exceed \$24,999, including amendments and extensions).

ARTICLE III. PRICE AND/OR COMPENSATION

A. Price (Applicable To Supplies Only).

1. In case of an error in extension prices quoted herein, the unit price will govern.
2. The Supplies and the unit price for the Supplies are listed in **Appendix B**, attached and made a part hereto.

B. Payments.

1. During the initial term of this Contract, the City agrees to pay the Vendor a total not to exceed \$_____ for Services rendered and/or Supplies received as specified in **Appendix C**.

2. The City reserves the right to increase the quantity of Services and or Supplies in accordance with G.L. c. 30B.
3. The City shall make no payment for a Supply or Service prior to the execution of this Contract.
4. Payments to the Vendor will be made within sixty (60) days from receipt of a detailed invoice.

C. Invoicing.

1. Final invoices from the Vendor are due no later than ninety (90) days from the Completion Date. Any invoice received past the ninety (90) day date will not be paid.
2. If this Contract is extended, invoices related to the extension period are due no later than ninety (90) days from the Extended Completion Date. (Quoted or Sole Source Contracts may not exceed \$24,999, including any amendments or extensions.)

ARTICLE IV. DEFAULT; TERMINATION; REMEDIES

A. Events of Default.

The following shall constitute events of default under this Contract:

1. The Vendor has made any material misrepresentation to the City; or
2. A judgment or decree is entered against the Vendor approving a petition for an arrangement, liquidation, dissolution or similar relief relating to bankruptcy or insolvency; or
3. The Vendor files a voluntary petition in bankruptcy or any petition or answer seeking any arrangement, liquidation or dissolution relating to bankruptcy, insolvency or other relief for debtors; or
4. The Vendor seeks or consents or acquiesces in the appointment of any trustee or receiver, or is the subject of any other proceeding under which a court assumes custody or control over the Vendor or of any of the Vendor's property; or
5. The Vendor becomes the defendant in a levy of an attachment or execution, or a debtor in an assignment for the benefit of creditors; or

6. The Vendor is involved in a winding up or dissolution of its corporate structure; or
7. Any failure by the Vendor to perform any of its obligations under this Contract, including, but not limited to, the following:
 - (i) failure to commence performance of this Contract at the time specified in this Contract due to a reason or circumstance within the Vendor's reasonable control,
 - (ii) failure to perform this Contract with sufficient personnel and equipment or with sufficient material to ensure the completion of this Contract within the specified time due to a reason or circumstance within the Vendor's reasonable control,
 - (iii) failure to perform this Contract in a manner reasonably satisfactory to the City,
 - (iv) failure to promptly re-perform within reasonable time the Services or Supplies that were properly rejected by the City as erroneous or unsatisfactory,
 - (v) discontinuance of the Services or Supplies for reasons not beyond the Vendor's reasonable control,
 - (vi) failure to comply with a material term of this Contract, including, but not limited to, the provision of insurance and nondiscrimination; or
8. Any other acts specifically and expressly stated in this Contract as constituting a basis for termination of this Contract.

B. Termination Upon Default.

In the event of a default by the Vendor, the City, acting through its Chief Procurement Officer, may, at its option, terminate this Contract immediately by written notice of termination. Notwithstanding the above, in the event of a default by the Vendor, the City, acting through its Chief Procurement Officer, may give notice in writing of a default, which notice shall set forth the nature of the default and shall set a date, by which the Vendor shall cure the default. If the Vendor fails to cure the default within the time as may be required by the notice, the City,

acting through its Chief Procurement Officer, may, at its option terminate the Contract.

C. Termination For Convenience.

1. Notwithstanding any language to the contrary within the body of this Contract, the City may terminate this Contract, without cause at any time, effective upon the termination date stated in the notice of termination.
2. If the Contract is terminated under this subsection, the Vendor shall be entitled to be paid for Supplies and/or Services delivered and accepted prior to notice of termination at the prices stated in the Contract or bid documents. Any Supplies and/or Services delivered after notification of termination but prior to the effective termination date must be approved in writing in advance by the City in order to be eligible for payment. In no event shall the Vendor be entitled to be paid for any Supplies and/or Services delivered after the effective date of termination.

D. Obligations Upon Termination.

Upon termination of this Contract with or without cause, the Vendor shall immediately, unless otherwise directed by the City:

1. Cease performance upon the stated termination date;
2. Surrender to the City the Vendor's work product, which is deliverable under the Contract, whatever its state of completion; and
3. Return all tools, equipment, documents, correspondence, drawings, plans, models, or any other items whatsoever belonging to or supplied by the City;

E. Rights and Remedies.

1. The City shall have the right to:
 - a) disallow all or any part of the Vendor's invoices not in material compliance with this Contract; and
 - b) temporarily withhold payment pending correction by the Vendor of any deficiency; and
 - c) sue for specific performance or money damages or both, including reasonable attorneys' fees incurred in enforcing any Vendor

obligations hereunder; and

- d) pursue remedies under any bond provided; and
- e) pursue such other local, state and federal actions and remedies as may be available to the City.

2. Any termination shall not effect or terminate any of the rights or remedies of the City as against the Vendor then existing, or which may accrue because of any default.

3. No remedy referred to in this subsection is intended to be exclusive, but shall be cumulative, and in addition to any other remedy referred to above or otherwise available to the City or Vendor at law or in equity.

4. The Vendor shall not gain nor assert any right, title or interest in any product produced by the Vendor under this Contract.

ARTICLE V. INSURANCE

The Vendor shall deposit with the City certificates of insurance issued by companies qualified to do business in the Commonwealth of Massachusetts in form and substance satisfactory to the City, with limits equal to or greater than those set forth in **Appendix D** attached hereto and made a part of this Contract. Such certificates shall name the City of Somerville as an additional insured and shall contain an endorsement requiring ninety (90) calendar days written notice to the City and the City's approval prior to cancellation or change in amounts, types or scope of coverage. The Vendor shall deliver to the City new certificates of insurance at least ten (10) calendar days prior to expiration of the prior insurance and shall furnish the City with the name, business address and telephone number of the insurance agent. Vendors who are sole proprietors and who do not carry workers' compensation coverage shall certify in writing that they do not have any employees.

ARTICLE VI. GENERAL PROVISIONS

- A. Governing Law.** This Contract shall be governed by the laws of the Commonwealth of Massachusetts.
- B. Complete Agreement.** This Contract supersedes all prior agreements and understandings between the parties and may not be changed unless mutually agreed upon in writing by both parties.
- C. Condition of Enforceability Against the City.** This Contract is only binding upon, and enforceable against, the City if: (1) the Contract is signed by the Mayor; (2) endorsed with approval by the City Auditor as to appropriation or availability of funds; (3) endorsed with approval by the City Solicitor as to form; and (4) funding is appropriated for this Contract or otherwise made available to the City.
- D. Taxes.** Purchases incurred by the City are exempt from Federal Excise Taxes and Massachusetts Sales Tax, and prices must exclude any such taxes. Tax Exemption Certificates will be furnished upon request. The City of Somerville's Massachusetts Tax Exempt Number is: **MO46 001 414**.
- E. Indemnification.** The Vendor agrees to take all reasonably necessary precautions to prevent injury to any persons or damage to property during the term of this Contract and shall indemnify and save the City harmless against all damages, loss or expense, including judgments, costs, attorneys' fees and interest resulting in any way, from any negligent or willful act or omission on the part of the Vendor, its agents, employees or sub-contractors or resulting directly or indirectly from the Vendor's performance under this Contract.
- F. Independent Contractor.** The Vendor is an independent contractor and is not an employee, agent or representative of the City.
- G. Assignment.** The Vendor shall not assign this Contract or any interest herein, without the prior written consent of the City.
- H. Sub-Contractors.** The Vendor shall not engage any other company, sub-contractor or individual to perform any obligation hereunder, without the prior written consent of the City.

- with a copy to:

Notice shall be effective on the earlier of (i) the day of actual receipt, or (ii) one day after tender of delivery.

L. Captions. The captions of the sections in this Contract are for convenience and reference only and in no way define, limit or affect the scope or substance of any section of this Contract.

M. Additional Provisions. Other conditions governing this Contract are set forth in the following appendices:

Appendix A – Notice to Proposers/Copy of Advertisement

Appendix B – Price Proposal Page

Appendix C – Scope of Services

Appendix D – Insurance

Appendix E – Additional Terms & Conditions

Appendix F – Somerville Living Wage Ordinance

The above-described appendices are, by this clause, made an integral part of this Contract.

The Contract documents are to be read collectively and complementary to one another; any requirement under one shall be as binding as if required by all. In the event of any conflict or inconsistency between the provisions of this Contract and any of this Contract's documents, the provisions of this Contract shall prevail. In the event of any conflict or inconsistency between this Contract, the Contract's documents and any applicable state law, the applicable state law shall prevail.

ARTICLE VII. REPRESENTATIONS AND CERTIFICATIONS OF THE VENDOR

The Vendor hereby represents and certifies under the penalties of perjury:

A. Organization. The Vendor is a duly organized and validly existing corporation/partnership/trust/sole proprietorship, other: Corporation, (select one) and is qualified to do business and is in good standing in the Commonwealth of Massachusetts, with full power and authority to consummate the transactions contemplated hereby.

- B. Authority.** (Not applicable to Sole Proprietorship). This Contract has been duly executed and delivered on behalf of the Vendor by its president/ treasurer/ general partner/trustee/other: President (select one) to and in full compliance with the authority granted by its organizational documents and its votes or resolutions, which authority has not been amended, modified or rescinded as of the date hereof.
- C. Non-Collusion.** This Contract was made without collusion or fraud with any other person and was in all respects bona fide and fair. As used in this paragraph, the word, "person," shall mean any natural person, joint venture, partnership, corporation, or other business or legal entity.
- D. Tax and Contributions Compliance.** The Vendor is in full compliance with all laws of the Commonwealth of Massachusetts relating to taxes and to contributions and payments in lieu of taxes. The Vendor's federal tax identification number is: # . The vendor certifies that it has provided the City with an accurate tax identification number (TIN). In the event that the City is fined by the IRS for an incorrect TIN provided by the vendor, the vendor agrees to reimburse the City for the amount of the fine.
- E. Municipal Taxes and Liens.** The Vendor has paid all outstanding real estate, personal property or excise tax, water charges, fines and or any other municipal lien charges due to the City of Somerville.
- F. Conflict of Interest.** The Vendor certifies that no official or employee of the City has a financial interest in this Contract or in the expected profits to arise therefrom, unless there has been compliance with the provisions of G. L. c. 43, § 27 (Interest in Public Contracts by Public Employees), and G. L. c. 268A, § 20 (Conflict of Interest).
- G. Licenses and Permits:** The Vendor shall be in possession of all required licenses and permits for any activity which may occur from the Vendor's operations under this Contract. The Vendor shall submit copies of such licenses and/or permits upon request.

- H. **Debarment or Suspension.** The Vendor certifies that it has not been debarred or suspended under G. L. c. 29, § 29F, nor will it contract with a debarred or suspended subcontractor on any public contract.

ARTICLE VIII. WARRANTIES (APPLICABLE TO SUPPLIES ONLY)

- A. The Vendor warrants that (1) the Supplies sold are merchantable, (2) that they are fit for the purpose for which they are being purchased, (3) that they are absent any latent defects and (4) that they are in conformity with any sample which may have been presented to the City.
- B. The Vendor guarantees that upon inspection, any defective or inferior Supplies shall be replaced without additional cost to the City. The Vendor will assume any additional cost accrued by the City due to the defective or inferior Supplies.
- C. The Vendor guarantees all Supplies for a period of one (1) year, or as otherwise specified in Appendix _____.

ARTICLE IX. LIVING WAGE (APPLICABLE TO SERVICES ONLY)

If this Contract is for Services in the amount of ten thousand dollars (\$10,000.00) or more, the Vendor must execute a "Living Wage Ordinance Compliance Form" (**Appendix E**) and hereby represents and certifies under the penalties of perjury that it complies with the provisions of the Somerville Living Wage Ordinance.

IN WITNESS WHEREOF, the City and the Vendor have executed this Contract as a sealed instrument as of the date first written above.

CITY OF SOMERVILLE

I hereby certify that the total contract amount is \$_____, and that an unencumbered balance of \$_____ is available for the first fiscal year of this contract. I further certify that a sum of \$_____ is hereby encumbered against the appropriate account for the purposes of this contract. Further, I certify that as funds become available, I will encumber additional sums as are required under this contract.

Edward Bean
City Auditor

Joseph A. Curtatone
Mayor

Angela M. Allen
Purchasing Director

Stanley M. Koty
Commissioner, DPW

APPROVED AS TO FORM:

Francis X. Wright, Jr.
City Solicitor

VENDOR

Vendor Name

X_____
Signature of Authorized Agent

Printed Name of Authorized Agent of

Title of Authorized Agent of Vendor

Street Address of Vendor

City, State and Zip

Tax ID #

FOR CORPORATIONS ONLY:

I certify that the individual signing on behalf of the corporation has the authority to bind the corporation.

Clerk's Signature

Print or Type Clerk's Name