

INVITATION FOR BIDS

(IFB # 15-04)

Capuano Field Lights - Construction

Bid Opening: 11:00 AM, Tuesday, August 5, 2014



CITY OF SOMERVILLE, MASSACHUSETTS

Joseph A. Curtatone, Mayor

Purchasing Department
Angela M. Allen, Purchasing Director

Arn Franzen
Office Strategic Planning & Community Development.
City of Somerville
93 Highland Avenue
Somerville, MA 02143
PH: 617-625-6600 x2545
FX: 617-625-0722

Capuano Field Lights

00020 - 1

Capuano Schoolyard Sports Lighting – Site Improvements

TABLE OF CONTENTS

Invitation for Bid Documents

PART 1: BID INVITATION

Section 1:	Pages:
00020 Invitation to Bid	1
Section 2:	
00200 Instructions to Bidders	1-8
Section 3: Bid Submission Documents:	
00300 Form for General Bid	2-4
00310 Bid form for Alternates	1
00315 Unit Price Form	1-4
00320 Somerville Living Wage Form	1-3
00330 Acknowledgement of Notice to Bidders	1-2
00335 Quality Requirements Form	1
00340 Certificate of Non-Collusion & Tax Compliance Statement	1
00350 Certificate of Signature Authority	1
00360 Signature Form	1
00370 Reference Form	1
00380 Bid Bond	1
Section 4: Other Bid Documents	
00410 Division of Labor and Industries Prevailing Wage Rates	
00420 Division of Labor and Industries Statement of Compliance	
00430 General Term and Conditions	

PART 2: SAMPLE CONSTRUCTION CONTRACT

- a. Sample Contract
 - Appendix A – Scope of Work (including Technical Specifications)*
 - Appendix B – Contractor’s Bid Price; Form for General Bid ,
Bid Form for Alternates (From Bid Book)
 - Appendix C – General Terms and Conditions*
 - Appendix D – Insurance Requirements
 - Appendix E – Wage Rates and Living Wage (From Bid Book)
 - Appendix F – Certificate of Good Standing (for corporations)
 - Appendix G – Procurement documentation (Advertisements and Notice to Bidders)
 - Appendix H – Statement of Management
 - Appendix I – Performance Bond and Payment Bond, if contract over \$2000

*Appendix to be included in contract by reference

PART 3: TECHNICAL SPECIFICATIONS
DOCUMENT TITLE

SECTION - PAGES

DIVISION 1 - General Requirements

01 22 00	Unit Prices	01 22 00	1-4
01 23 00	Alternates	01 23 00	1-2
01 33 00	Submittals	01 33 00	1-1
01 41 00	Permits	01 41 00	1-2
01 55 00	Vehicular Access and Parking	01 55 00	1-1
01 56 00	Temporary Barriers and Enclosures	01 56 00	1-4
01 57 00	Environmental Protection	01 57 00	1-6
01 57 16	Rodent Control	01 57 16	1-2
01 71 00	Construction Layout	01 71 00	1-2
01 78 00	Closeout Documentation	01 78 00	1-x

DIVISIONS 2 through 33 - Site Work

02 41 00	Demolition and Removals	02 41 00	1-4
	Removals		
	Protection of Existing Features		
	Cleanup		
03 30 00	Concrete	03 30 00	1-11
	Cast-In-Place Concrete		
	Precast Concrete		
	Reinforcements		
	Related Materials		
10 14 00	Project Signage	10 14 00	1-2
	Temporary Construction Signage		
11 68 33	Athletic Field Equipment	11 68 33	1-4
	Ball Safety Netting System		
	Storm Protection Measures		
26 56 68	Exterior Athletic Lighting	26 56 68	1-6
	Installation of Sports Lighting purchased by Owner		
31 00 00	Earthwork	31 00 00	1-9
	Grades and Elevations		
	Excavation		
	Subgrade Preparation		
	Protections of Earthwork		
	Fill and Compaction		
	Grading		
31 13 00	Tree Pruning and Removals	31 13 00	1-7
	Crown Cleaning		
	Crown Raising		
	Crown Reduction		
	Crown Thinning		
	Crown Training		
	Tree Removal		

32 10 00	Bases, Ballasts, Paving, and Edging Fill Materials Bituminous Concrete Paving Cast-in-Place Concrete Pad	32 10 00	1-4
32 92 00	Turf and Grasses Topsoil (loam borrow), fine grading and loaming; Soil additives; Seeded Lawn; Wood Cellulose Fiber Mulch; Water; Maintenance, watering, and protection of plantings until final acceptance.	32 9300	1-9
33 05 23	Trenchless Utility Installation Directional Drilling Equipment Construction Practices Personnel Requirements Drilling Procedure	33 05 23	1-8
33 70 00	Electrical Utilities General Electrical System Specifications Embedment Materials and Duct Banks Raceways Wire, Cable, Connectors, and Devices Boxes Wiring Devices Warning Tape Wiring Electric Handholes Procedures for Installation	33 70 00	1-10
Appendix A	Soil Boring Logs Soil Boring Logs prepared by Bronson Drilling	Appx. A	1-4

PART 4: CONSTRUCTION DOCUMENT DRAWING LIST

<u>Drawing Number</u>	<u>Drawing Title</u>
L-1	Demolition and Removals Plan
L-2	Materials and Layout Plan
L-3	Site Details
E-1	Electrical Plan
E-2	Electrical Details
C-1	Pole and Foundation Details
C-2	Pole and Foundation Details

All of the requirements of Parts 3 and 4 shall be in conformance with the Commonwealth of Massachusetts Highway Department “Standard Specifications for Highway and Bridges (1998)” as amended by the Supplemental Specifications dated December 23, 1998 hereinafter referred to as the Standard Specifications and as modified by the following sections in these Technical Specifications.

NOTE: Bidders shall check the attached documents with the above list to verify all parts are included before submitting a bid.

**PART 1 SECTION 00020:
CITY OF SOMERVILLE MASSACHUSETTS
INVITATION TO BID
CAPUANO FIELD LIGHTS – CONSTRUCTION
Bid No. 15-04**

**Enclosed you will find an invitation to bid for:
CAPUANO FIELD LIGHTS – CONSTRUCTION
150 Glen Street in Somerville, MA.**

Plans and specifications will be available from 8:30 AM to 4:30 PM, Monday through Wednesday, 8:30 AM to 7:30 PM on Thursday, and 8:30 AM to 12:00 Noon, Fridays, at the Purchasing Department, 1st Floor, City Hall, 93 Highland Avenue, Somerville, MA 02143 from **Thursday, July 17, 2014** upon deposit of \$ 50.00 for each set in the form of a check made payable to the City of Somerville. **The deposit will be non-refundable.** Any person requesting additional sets will be required to pay a nonrefundable fee for each additional set in the amount of \$ 50.00, per set.

An *Optional* Pre-Bid Conference and optional site visit, will be held on Wednesday, July 23, 2014 at 11:30 AM, Somerville City Hall, 1st Floor, Purchasing Department, 93 Highland Avenue, Somerville, MA 02143.

When submitting bid, please identify the bid item and number clearly. All bids must be sealed and delivered to Purchasing Department, City of Somerville, 93 Highland Ave., Somerville, MA 02143, **no later than 11:00AM, on Tuesday, August 5, 2014.** Please mark the outside of all bid envelopes with the following: **“Bid #15-05, Capuano Field Lights”** on the bid envelope.

BIDS SUBMITTED MUST BE AN ORIGINAL.

The completion of the following forms is necessary for consideration of a potential contract award. When submitting bid documents, please retain the order of documents as provided below:

- 1) Form for General Bid
- 2) Bid Form for Alternates
- 3) Unit Price Form
- 4) Somerville Living Wage Form
- 5) Acknowledgement of Notice to Bidders
- 6) Quality Requirements Form
- 7) Certificate of Non-Collusion & Tax Compliance
- 8) Certificate of Signature Authority
- 9) Signature Form complete when submitting your bid.
- 10) Reference Form
- 11) 5% Bid Deposit
- 12) Prevailing and Davis Bacon Wages, Statement of Compliance Form

NOTE: If Vendor is incorporated an updated “CERTIFICATE OF GOOD STANDING” from the Commonwealth of Massachusetts will be needed for the awarded vendor only.

CITY HALL HOURS HAVE BEEN CHANGED. WE ARE OPEN UNTIL 7:30 P.M. ON THURSDAYS AND CLOSE ON FRIDAYS AT 12:30 P.M.

Please review and return with your sealed bids as sent. Also, ensure that all forms are completed and that your bid response is submitted as requested.

Your cooperation is greatly appreciated.

PART 1, SECTION 2:

INSTRUCTIONS TO BIDDERS

(Chapter 30:39M or 30B:5 – Construction- Competitive Sealed Bids)

1. NAME OF PROJECT

Capuano Field Lights– Construction

2. AWARDING AUTHORITY

The City of Somerville (City), acting by and through the Purchasing Department, invites sealed bids for the Capuano Field Lights, in accordance with contract documents.

OSPCD Contact:

Arn Franzen
Office of Strategic Planning & Community Development
City of Somerville
93 Highland Avenue
Somerville, MA 02143
Phone (617) 625-6600 x2545
Fax: (617) 625-0722

3. LANDSCAPE ARCHITECT:

CBA Landscape Architects

**Address: 24 Thorndike Street
Cambridge, MA 02141**

**Contact: D.J. Chagnon
Phone: 617-945-9760
dj@cbaland.com**

4. LOCATION OF PROJECT

150 Glen Street in Somerville

5. BRIEF DESCRIPTION OF WORK MORE PARTICULARLY DESCRIBED IN THE PLANS AND SPECIFICATIONS INCLUDED AS PART OF THIS BID PACKAGE.

Construction documents for this project have been prepared by CBA Landscape Architecture who will act as the agent of the City, overseeing construction to ensure conformity to construction drawings, specifications, and standards. The City's Office of Strategic Planning and Community Development (OSPCD) is responsible for project management, and will also interact with the General Contractor during construction.

James McCarthy Soccer Field Lighting and Sport Netting:

The scope of work is to install four new Musco Brand (or equal) light poles and footings, and with the inclusion of alternate number one, new sport netting poles, cables and nets. ***The purchase of lights, poles and footings are not included in this bid.*** The City will provide this equipment to selected vendor for installation. The vendor shall be responsible for the purchase of all other items. Work is intended to extend the hours of play at this very popular field and to protect the adjacent school building from soccer balls. The lighting scope of work will also include all excavation, trenching, and landscape repairs, and all electric service connections and wiring as necessary from an electric panel within the school to a new electric utility box to be installed outside of the school. With the inclusion of Alternate Number One, the scope of work will also include the purchase and installation of sport netting, cables and poles to be installed between the soccer field and the school.

Contractor will be responsible for providing as-built drawings and a maintenance manual at final completion. The City will not assume maintenance of the new lights or netting system until final completion of all work including a final inspection by the Department of Inspectional services and a park walk-through/review meeting with the Somerville Department of Public Works at which all systems and maintenance plans will be reviewed and approved. After this approval, the contractor will submit the maintenance manual and as-built drawings to the City and the final check will be issued.

6. ESTIMATED CONSTRUCTION COST OF THE PROJECT

The estimated cost for the project is \$ 80,000.00

7. PROJECT SCHEDULE:

Estimated Construction Start: September 15, 2014

Date of Substantial Completion: October 15, 2014

Date of Final Completion: November 15, 2014*
100% completion of all work.

*Assuming that all project equipment that will be procured directly by the City is made available to the vendor on time.

Bidders are instructed to note the firmness of the dates of: Substantial Completion, and Final Completion. For the purpose of meeting these deadlines, the City may be prepared to authorize extended work hours beyond those prescribed by City ordinance, to include work on Sundays with the prior permission of the City.

Contractor submission of all paperwork required for the Construction Contract, including but not limited to insurance certificates, performance and payment bonds, a certificate of good standing from the Secretary of Corporations, and signature pages shall be submitted to the Purchasing Director no later than 5 working days from award of the contract.

The successful bidder shall be required to submit a preliminary construction schedule within 10 days of the established date of award of the Contract and a more detailed Gantt-type construction schedule within 15 days of the established award of the contract, which shows the dates of substantial and final completion.

While the work is not scheduled to start until September 15, 2014, the City is requesting that the Contractor be mobilized on that date and any materials should be ordered as soon as possible, after contract execution, to prevent delays. However, the City cannot pay for any work prior to September 15, 2014.

8. GOVERNING LAW

Massachusetts General Laws, c. 30, §39M.

9. SALES TAX EXEMPTION

Materials, equipment, and supplies for this project are exempt from sales tax in accordance with M.G.L. Chapter 64H, Section 6 (d). The city will furnish the successful bidder with its sales tax exemption number.

10. PERMIT FEES(Contractor responsible obtaining permits/City of Somerville permit fees waived)

DPW permits to obstruct or excavate the public streets and/or sidewalks; ISD building code permits; and Traffic and Parking permits; are waived by the City of Somerville. However, license fees are not waived by the City of Somerville. The Contractor shall pay all license fees (e.g., drain layer's license fee). The City of Somerville Traffic and Parking Department must be contacted directly for all required permits.

If water usage is required in the commitment of this project, the Contractor needs to contact the DPW Water Dept., and make arrangements for a water meter. There will be a charge for the water meter and the water usage.

The Contractor is responsible for obtaining NSTAR work orders and for all costs and fees associated with NSTAR.

Permits to excavate the public way cannot be issued until the applicant has notified the appropriate utility companies, as required by Massachusetts General Laws, Chapter 370 of the

Acts of 1963. The applicant must either: 1) obtain written receipts from the affected utilities, and provide copies of same to the owner; or 2) utilize the Dig-Safe System for the required notifications, and also submit written notifications for those utilities not participating in the Dig-Safe System. Written notifications must state that utility companies have been notified and the contractor cleared to begin work.

The following utility companies must be notified in writing:

M.B.T.A. Engineering and Maintenance Division 617-722-5454
Attn: Mr. William Bregoli, Chief Engineer
500 Arborway
Jamaica Plain, MA 02130

M.W.R.A. Sewer Division 617-242-6000
100 First Avenue
Charlestown Navy Yard
Boston, MA 02129

M.W.R.A. Water Division 617-242-6000
100 First Avenue
Charlestown Navy Yard
Boston, MA 02129

The following utility companies must be notified in writing or through Dig-Safe;

Algonquin Gas Transmission Corp. 617-254-4050
Attn: Mr. James Grasso
Manager of Land and Public Relations
1284 Soldiers Field Road
Brighton, MA 02135

Verizon 781-290-5154
Attn: Mr. Jim Warren
460 Totten Pond Road
Waltham, MA 02154

Boston Edison 617-541-5730
Attn: Mr. William Lemos
Right of Way
1165 Massachusetts Avenue
Dorchester, MA 02125

Boston Gas Company 617-323-9210
Attn: Mr. Dennis Peri
201 Rivermoor Street
West Roxbury, MA 02132

N-Star Electric 617-497-1236, x4195
Attn: Mr. Wendell Berthelson
46 Blackstone Street
Somerville, MA 02139

N-Star Steam 617-225-4568
Attn: Mr. Thomas Connelly
Supervisor of Maintenance
265 First Street
Somerville, MA 02142

N-Star Gas 617-369-5591
Attn: Mr. Steve Richmond
303 Third Street
Somerville, MA 02142

A T & T Broadband 981-658-0400, x2210
Attn: Mr. Rich Ferrucci
760 Main Street
Malden, MA 01887

Somerville Public Works Department 617-625-6600, x5200
One Franey Road
Somerville, MA 02145

Somerville Fire Department 617-625-6600, x8100
266 Broadway
Somerville, MA 02143

Dig-Safe 1-800-322-4844

The contractor shall have all utilities marked out along the course of this work by such means as the Engineer shall approve and shall preserve such marked locations until the work has progressed to the point where the encountered utility is fully exposed and protected as required. It shall be the contractor's responsibility to notify utilities at least 48 hours prior to the start of any excavation.

The contractor is responsible for contacting any other utilities that are not listed herein.

11. MINIMUM BID CRITERIA

- All bidders must have been conducting business, in this specified field, for a minimum of five (5) years.
- All bidders must have successfully constructed a minimum of three (3) municipal park projects similar in magnitude within the last six (6) years.

12. PRE-BID CONFERENCE QUESTIONS AND INFORMATION

An *Optional Pre-Bid Conference*, will be held on **Wednesday, July 23, 2014 at 11:00 AM**, Somerville City Hall, 1st Floor, Purchasing Department, 93 Highland Avenue, Somerville, MA 02143.

All questions regarding the project and this Invitation to Bid should be in writing, submitted to Alex Nosnik, Asst. Purchasing Director, Purchasing Department, Somerville City Hall, First Floor, 93 Highland Avenue, Somerville, Massachusetts, 02143. Questions may be submitted either by mail or email to anosnik@somervillema.gov. Questions must be submitted in writing **by 12:30 pm, Friday, July 25, 2014**; they will be answered in writing (via addendum) to all holders of the bid proposals. Bidders must submit e-mail address (preferred) or a fax number with their inquiries. If any bidders contact any other person or department outside of Purchasing with inquiries, they may be disqualified from the bidding process.

Key Dates

<i>Optional</i> Pre-bid Conference (and site visit)	11:30 AM	Wednesday, July 23, 2014
Deadline for Questions	12:30 PM	Friday, July 25, 2014
Proposals Due and Bids Opened	11:00 AM	Tuesday, August 5, 2014
Evaluation of Bid Documentation Begins		Tuesday, August 5, 2014
Anticipated Contract Award		August 2014
Anticipated Notice to Proceed		August 2014
Commencement of Work		September 15, 2014

13. BID SUBMISSION TIME AND PLACE OF BID OPENING

Sealed bids (clearly identified as a bid and endorsed with the name and address of the bidder) must be received at the Purchasing Department, First floor, City Hall, 93 Highland Avenue, Somerville, MA, 02143 on or before **11:00 AM, Tuesday, August 5, 2014**, at which time they will be publicly opened and read aloud. In the event City Hall is closed, the deadline shall be 11:00 a.m. on the next day City Hall is open for business.

ADDITIONAL REQUIREMENTS: PLEASE READ CAREFULLY, FAILURE TO MEET THESE REQUIREMENTS COULD RESULT IN REJECTION OF A BID.

14. BID SUBMISSION REQUIREMENTS

Bid Signature

A bid must be signed as follows: 1) if the bidder is an individual, by her/him personally; 2) if the bidder is a partnership, by the name of the partnership, followed by the signature of each general partner; and 3) if the bidder is a corporation, by the authorized officer, whose signature must be a person named on the Corporate Secretary's Certificate of Authority.

Changes and Addenda

If any changes are made to this IFB, an addendum will be issued. Addenda will be emailed to all bidders on record as having picked up the IFB. No changes may be made to the bid documents, except as authorized in an addendum from the Purchasing Department.

Modification or Withdrawal of Bids, Mistakes, and Minor Informalities

A bidder may correct, modify, or withdraw a bid by written notice received by the City of Somerville prior to the time and date set for the bid opening. Bid modifications must be submitted in a sealed envelope clearly labeled "Modification No.____" to the address listed in part one of this section. Each modification must be numbered in sequence, and must reference the original IFB.

After the bid opening, a bidder may not change any provision of the bid in a manner prejudicial to the interests of the City or fair competition. Minor informalities will be waived or the bidder will be allowed to correct them. If a mistake and the intended correct bid are clearly evident on the face of the bid document, the mistake will be corrected to reflect the intended correct bid, and the bidder will be notified in writing; the bidder may not withdraw the bid. A bidder may withdraw a bid if a mistake is clearly evident on the face of the bid document, but the intended correct bid is not similarly evident.

Right to Cancel/Reject Bids

The City of Somerville may cancel this IFB, or reject any and all bids, if the City determines that cancellation serves the best interests of the City; or that such rejection of bids is in the public interest.

Bid Prices to Remain Firm

All bid prices submitted in response to this IFB must remain firm for 60 days following the bid opening.

Unbalanced Bids

The City reserves the right to reject unbalanced, front loaded, and conditional bids.

Documents to be Submitted as part of Bid

The following documents must be submitted with the complete signed bid package:

Form for General Bid (Section 00300)

Bid Form for Alternates (Section 00310)

Unit Price Form (Section 00315)

Somerville Living Wage Form (Section 00320)

Acknowledgement of Notice to Bidders (Section 00330)

Quality Requirements Form (Section 00335)

Certificate of Non-Collusion and Tax Compliance (Section 00340)

Certificate of Signature Authority (Section 00350)

Signature Form (Section 00360)

Reference Form (Section 00370)

Bid bond (Section 00380)

Wage Compliance Form (Section 00385)

Schedule of Values. Bidders do NOT need to include a Schedule of Values with their bid package. The successful bidder will be required to submit a refined and detailed schedule of values for review and approval by the design professional prior to signing the construction contract.

5% Statutory Bid Guaranty. All bids shall be accompanied by a bid bond or bank certified check or bank treasurer's check in the amount of 5% of the bid price, which shall become the property of the City of Somerville if the bid is accepted and the bidder neglects or refuses to comply with the terms of the bid.

For successful bidder: Certificate of Good Standing: If the bidder is a corporation, a Certificate of Good Standing should accompany the signed contract. Certificate available online at: http://corp.sec.state.ma.us/corp/Certificates/Certificate_Request.asp or call Tel: (617) 727-9640 for more information.

15. PREVAILING WAGE RATE REQUIREMENTS *(or Davis Bacon, if Federal funding is obtained, whichever is higher)*

The contractor shall pay Mass. Prevailing Wage Rates (*or Davis Bacon, if Federal funding is obtained, whichever is higher*). The applicable prevailing and Davis Bacon wage rates are attached as part of this bid package and will be included as Appendix J in the contract. A signed Compliance Form must be included with the bid package, Form included.

(a) The Contractor shall pay wages no less than Mass. Prevailing Wage Rates (*or Davis Bacon, if Federal funding is obtained, whichever is higher*) set forth in Appendix J. Notwithstanding anything to the contrary, the City may, in its sole discretion withhold payment unless the City has in its possession payroll records that are complete, accurate, and current as of the date of said application for payment.

(b) The Contractor shall:

- (1) Pay wages at least once a week;
- (2) Submit payroll information on a weekly basis in a format approved by the City, numbered in numerical sequence and signed by the Contractor (including forms for weeks when the Contractor is not on the Project Site, in which case there shall be a notation to the effect "no work this payroll period" and a date anticipated for resuming work).

(c) The Contractor shall submit to the City within the first week of construction:

- (1) A list of apprenticeship programs with which the Contractor is affiliated;
- (2) The number of apprentices that will be employed by the Contractor on the Project;
- (3) A list of the Contractor's employee fringe benefits;
- (4) A copy of each project schedule, including the anticipated commencement date for each Subcontractor; and
- (5) A list of each Subcontractor's suppliers and material men.

(d) The Contractor shall include language similar to the above in all subcontracts.

16. SAMPLE CONSTRUCTION CONTRACT

The successful bidder shall execute with the City of Somerville a Public Works Contract ("Contract") in substantially the same form as the sample contract included in this bid package. In addition to the items submitted with the bid, the contract includes certain other documents which may be executed by the Bidder selected as contractor and which are included as Appendices to the Sample Construction Contract (see Part 2) include:

Appendix F: Certificate of Authority (for corporations if the contract is signed by anyone other than the President, there must be a current Certificate of Vote signed by the corporate clerk or secretary stating who is authorized to sign contracts on the Corporations behalf)

Appendix D: Insurance Certificates— evidencing minimum coverage as follows:
General Liability - \$2,000,000 per occurrence, \$2,000,000 aggregate
Automobile Liability: \$1,000,000 per occurrence, \$1,000,000 aggregate
Workman's Compensation: statutory coverage

Certificates must stipulate “City of Somerville” as a certificate holder and as an additional insured for general liability.

Appendix F: Certificate of Good Standing: Certificate available online at http://corp.sec.state.ma.us/corp/Certificates/Certificate_Request.asp or call Tel: (617) 727-9640 for more information.

Appendix H: Statement of Management (for contracts over \$100,000.00)

Appendix I: Performance and Payment Bonds for 100% of the contract sum

All paperwork required for the contract shall be completed and delivered to the Purchasing Department no later than five (5) working days after the Award of the Contract.

ITEMS OF SPECIAL CONSIDERATION

The Contractor’s attention is specifically drawn to the following items of special consideration relative to this project, most of which are also addressed in the Technical Specifications.

- a. The Contractor must provide police details at the Contractor's expense.
- b. All new Handicapped Accessible ramps must meet the most current state ADA and City of Somerville standards.
- c. The Contractor must obtain all street and sidewalk permits as necessary.

19. RESERVATION OF RIGHTS

The City reserves the right to extend the deadline for submission of bids, to waive minor informalities, and to reject any and all bids, if in its sole judgment, the best interests of the City of Somerville would be served by doing so.

20. RULE FOR AWARD

A contract will be awarded to the lowest responsible and eligible bidder. All required bid documents must be provided to be deemed responsible and eligible.

21. MAINTENANCE MANUAL AND AS-BUILT DRAWING REQUIREMENTS

Upon Final Completion of all park construction, the contractor shall submit: two complete copies of a park maintenance manual, and two copies of an as-built drawing set, with two compact disc (CD) copies of the as-built drawings.

The City will not issue the final check for park retainage until the submittal and approval of the maintenance manual and as-built drawings.

- 1) The Maintenance Manual shall be in the form of a three ring binder, organized and tabbed into appropriate sections, and shall include the following items:

- A complete landscape maintenance plan with recommended maintenance schedules and procedures for all park systems including: watering, fertilization, spring start up procedures, fall clean-up, irrigation and water systems shut-down procedures, and park winterization procedures;
 - A letter from the contractor stating the period of warranty for all parts, materials, and workmanship, from the date of Final Completion;
 - A letter from the contractor stating the period of warranty for the irrigation system;
 - All product information, product directions, and warranties;
 - List of all plant material, and sizes of plant containers;
 - Copies of City permits with signatures of inspectors;
 - Contact information for all subcontractors including email addresses; and,
 - A record of all submittals and dates of approvals.
- 2) As-Built drawing shall be a complete and accurate record that incorporate any and all changes to the construction plan set issued at the time of contract initiation. As-built drawings shall be clearly marked and annotated and shall include but not be limited to: all field changes, change orders, and supplemental drawing provided by the landscape architect.
- 3) The Compact Discs shall include an electronic copy of all as-built drawings.

PART 1 SECTION 3

Capuano Field Lights

(IFB # 15-04)

BID SUBMISSION DOCUMENTS

BIDDERS NAME: _____

This Bid Submission includes the following:

- _____ Form for General Bid
- _____ Bid Form for Alternates
- _____ Unit Price Form
- _____ Somerville Living Wage Form
- _____ Acknowledgement of Notice to Bidders
- _____ Quality Requirements
- _____ Certificate of Non-Collusion and Tax Compliance
- _____ Certificate of Signature Authority
- _____ Signature Form
- _____ Reference Form
- _____ 5% Statutory Bid Bond or Guaranty
- _____ Wage Rate Compliance Forms

**Part 1 Section 00300: FORM FOR GENERAL BID
FOR CONSTRUCTION CONTRACT**

To the Awarding Authority:

- A. The undersigned proposes to furnish all labor and materials required for:

Capuano Field Lights

in accordance with the accompanying plans and specifications prepared by

**CBA Landscape Architects LLC
24 Thorndike Street
Cambridge, MA 02141
617-945-9760**

Contact: D.J. Chagnon
Phone: 617-945-9760
Email: dj@cbaland.com

specified below, subject to additions and deductions according to the terms of the specifications.

- B. This bid includes addenda #1_____, #2 _____, #3 _____, #4 _____.

- C. The proposed contract price is:

\$_____.
(total bid in figures)

_____DOLLARS
(total bid in words)

- D. While the proposed contract price does not include the items listed on the attached "Bid Form for Alternates," the bidder understands that the project construction cost estimate provided by the city is inclusive of all the work described in this form.
- E. The Undersigned Bidder agrees that, if it is selected as general contractor, it will within five working days, Saturdays, Sundays and legal holidays excluded, after presentation thereof by the Awarding Authority, execute a contract in accordance with the terms of this bid, including furnishing a 100% performance bond and a 100% labor and materials or payment bond, each of a surety company qualified to do business under the laws of the Commonwealth of Massachusetts and

satisfactory to the Awarding Authority and each in the sum of the contract price, the premiums for which are to be paid by the general contractor and are included in the contract price; and, in addition, furnishing a certificate of good standing and insurance certificates as required by the bid documents.

- F. The Undersigned Bidder hereby certifies that it is able to furnish labor that can work in harmony with all other elements of labor employed or to be employed on the Project and that it will comply fully with all laws and regulations applicable to this Award, including applicable provisions of MGL Chapter 30, ss. 39M et seq.
- G. The Undersigned Bidder further certifies under the penalties of perjury that this bid is in all respects bona fide, fair and made without collusion or fraud with any other person. As used in this certification, the word "person" shall mean any natural person, business, partnership, corporation, union, committee, club, or other organization, entity, or group of individuals.
- H. The Undersigned Bidder certifies under the penalties of perjury that:
- (1) Pursuant to M.G.L. c. 62C, §49A, to the best of the signatories knowledge and belief, that the Undersigned Bidder is in compliance with all laws of the Commonwealth relating to taxes, reporting of employees and contractors, and withholding and remitting child support, as well as paid all contributions and payments in lieu of contributions pursuant to MGL 151A, §19A(b), and
- (2) the Federal Employer Identification Number (EIN) of the Bidder is # _____, and that it is in compliance with all federal, state, and local laws regarding taxation.
- I. The Undersigned Bidder certifies under penalties of perjury that the Bidder is not presently debarred from doing federal or state public construction work, that the Bidder has not had its low bid rejected by any municipality in the previous two years, except
- _____
- in which case the reasons for rejection were as follows:
- _____
- J. The Undersigned Bidder has submitted the information on the Reference Form:
- (00370-1), requesting three references for municipal park projects completed during the previous six (6) years. The Undersigned Bidder understands that the contractor and subcontractors will be required to pay prevailing wages (*or Davis Bacon, if Federal funding is obtained, whichever is higher*) to laborers and mechanics, and that if the Undersigned's bid is significantly below the average bid, the Awarding Authority may require the Bidder to substantiate that the bid is based on payment of wages at prevailing rates (*or Davis Bacon, if Federal funding is obtained, whichever is higher*).

M. The Undersigned Bidder certifies that it can achieve substantial completion by: _____ and achieve Final Completion by: _____.

N. Unit Price Form

1. Should certain additional work be required, or should the quantities of certain classes of work be increased or decreased from those required by the Contract Documents, by authorization of the City, unit prices listed on the attached "Unit Price Form" shall at the option of the City be the basis of payment to the Contractor or credit to the City, for such increase or decrease in the work. The unit prices shall represent the exact net amount per unit to be paid the Contractor (in the case of addition or increase) or to be refunded the City (in the case of decrease). Contractually noted adjustments will be allowed for overhead, profit, insurance or other direct or indirect expenses of the Contractor or Subcontractors.
2. The unit prices shall include cost of fuel, all labor, materials, equipment, overhead, profit, insurance, etc. to cover the finished work of the several kinds called for. Changes shall be processed in accordance with the provisions of the General Conditions governing changes in the work.

Executed this _ day of _2014.

On behalf of :

(Undersigned Bidder Business Name)

(Business Address) and (Telephone)

By:

(Name and Address of Person Signing Bid)

(Title of Person Signing bid)

THIS PAGE INTENTIONALLY
LEFT BLANK

FORM 00 43 22
BID FORM FOR UNIT PRICES

See Specifications Section 01 22 00, Unit Prices, for instructions.

PLEASE PRINT CLEARLY

The Unit Prices set forth herein shall, at the option of the City, be used to determine any equitable adjustment of the Contract Price in connection with the changes or extra work performed under this Contract as directed by the City.

It is mutually understood and agreed that such Unit Prices include all items of costs, equipment, taxes and insurance of every kind, overhead, and profit for the Contractor and they shall be used uniformly, without modification for addition and deductions. Prices listed under ADDITIONS and DEDUCTIONS are to be the complete total price billed to and paid by the City therefor. There can be no more than fifteen (15) percent difference in price between the additions and deductions.

UNIT PRICES FORM

(Note that items marked with * are not included in the base scope of work or the proposed alternates, and are included in the unit price list in case of field changes.)

ITEM DESCRIPTION (All references to items shall correspond to work as described in the relevant portions of the Construction Documents.)	UNIT	ADDITIONS	DEDUCTIONS	Owner Approval
1 Trenching for utilities, no pavement	C.Y.	\$	\$	
2 Saw Cut bituminous concrete pavement	L.F.			
3 Removal and disposal of bituminous concrete pavement (assume 3½" depth)	S.F.	\$	\$	
4 Bituminous concrete: removal by grinding, top course only	S.F.	\$	\$	
5 Ordinary gravel borrow/clean fill, complete in place	C.Y.	\$	\$	
6 Dense Graded Gravel, complete in place	C.Y.	\$	\$	
7 ¾" Crushed Stone/Drainage Stone, complete in place	C.Y.	\$	\$	
8 Clean screened loam, complete in place	C.Y.	\$	\$	
9 Planting Medium, complete in place	C.Y.	\$	\$	
10 Bituminous concrete paving, complete in place including base and subbase preparation	S.F.	\$	\$	
11 Bituminous concrete top course over existing base course	S.F.	\$	\$	
12 Cast-In-Place Concrete footing, 4000 PSI, without reinforcements, complete in place	C.F.	\$	\$	
13 Additional 16' High 3.5" Nom. Dia. Sched. 40 Aluminum Pole, for Sports Net, complete in place incl. footing and all connections	Ea.	\$	\$	
14 Additional 15' High Sports Netting	L.F.	\$	\$	
15 Electrical connection (exterior), incl. conduit & sand embedment	L.F.	\$	\$	
16 Shredded Pine Bark Mulch	C.Y.	\$	\$	
17 Seeded lawn, installed and maintained	S.Y.	\$	\$	
18 Tree Removal, less than 5" caliper (none in base scope)	Ea.	\$	\$	
19 Tree Removal, 5" to 10" caliper (none in base scope)	Ea.	\$	\$	
20 Tree Removal, greater than 10" caliper (none in base scope)	Ea.	\$	\$	

END OF FORM

THIS PAGE INTENTIONALLY
LEFT BLANK

FORM 00 43 23
BID FORM FOR ALTERNATES

See Specifications Section 01 23 00, Alternates, for instructions.

PLEASE PRINT CLEARLY

The following are ALTERNATES which, if adopted by the City, shall either increase or decrease the Contractor's base bid contract price and lump sum bid. The City reserves the right to determine the lowest eligible bidder on the basis of the base bid or the adoption of the ALTERNATES, selected in order, and in combination with the base bid. (For example: Base Bid, Base Bid + Alternate 1)

Alternate Number	Change	Description	Price Change
1	ADD	ADD the furnishing and installation, including all required excavation and footings, of Sports Protective Netting and Netting Storm Protection Measures, as shown on the Drawings and specified in 11 68 33.	ADD \$ _____

END OF FORM

THIS PAGE INTENTIONALLY
LEFT BLANK



SOMERVILLE LIVING WAGE ORDINANCE CERTIFICATION FORM
CITY OF SOMERVILLE CODE OF ORDINANCES SECTION 2-397 et seq.*

Instructions: This form shall be included in all Invitations for Bids and Requests for Proposals which involve the furnishing of labor, time or effort (with no end product other than reports) by vendors contracting or subcontracting with the City of Somerville, where the contract price meets or exceeds the following dollar threshold: \$10,000. If the undersigned is selected, this form will be attached to the contract or subcontract and the certifications made herein shall be incorporated as part of such contract or subcontract. **Complete this form and sign and date where indicated below on page 2.**

Purpose: The purpose of this form is to ensure that such vendors pay a "Living Wage" (defined below) to all covered employees (i.e., all employees except individuals in a city, state or federally funded youth program). In the case of bids, the City will award the contract to the lowest responsive and responsible bidder paying a Living Wage. In the case of RFP's, the City will select the most advantageous proposal from a responsive and responsible offeror paying a Living Wage. In neither case, however, shall the City be under any obligation to select a bid or proposal that exceeds the funds available for the contract.

Definition of "Living Wage": For this contract or subcontract, as of 7/1/2014 "Living Wage" shall be deemed to be an hourly wage of no less than \$12.05 per hour. From time to time, the Living Wage may be upwardly adjusted and amendments, if any, to the contract or subcontract may require the payment of a higher hourly rate if a higher rate is then in effect.

CERTIFICATIONS

1. The undersigned shall pay no less than the Living Wage to all covered employees who directly expend their time on the contract or subcontract with the City of Somerville.
2. The undersigned shall post a notice, (copy enclosed), to be furnished by the contracting City Department, informing covered employees of the protections and obligations provided for in the Somerville Living Wage Ordinance, and that for assistance and information, including copies of the Ordinance, employees should contact the contracting City Department. Such notice shall be posted in each location where services are performed by covered employees, in a conspicuous place where notices to employees are customarily posted.
3. The undersigned shall maintain payrolls for all covered employees and basic records relating hereto and shall preserve them for a period of three years. The records shall contain the name and address of each employee, the number of hours worked, the gross wages, a copy of the social

* Copies of the Ordinance are available upon request to the Purchasing Department.

Form:_____
Contract Number:_____

CITY OF SOMERVILLE

Rev. 06/10/14

security returns, and evidence of payment thereof and such other data as may be required by the contracting City Department from time to time.

4. The undersigned shall submit payroll records to the City upon request and, if the City receives information of possible noncompliance with the provisions the Somerville Living Wage Ordinance, the undersigned shall permit City representatives to observe work being performed at the work site, to interview employees, and to examine the books and records relating to the payrolls being investigated to determine payment of wages.

5. The undersigned shall not fund wage increases required by the Somerville Living Wage Ordinance by reducing the health insurance benefits of any of its employees.

6. The undersigned agrees that the penalties and relief set forth in the Somerville Living Wage Ordinance shall be in addition to the rights and remedies set forth in the contract and/or subcontract.

CERTIFIED BY:

Signature: _____
(Duly Authorized Representative of Vendor)

Title: _____

Name of Vendor: _____

Date: _____

INSTRUCTIONS: PLEASE POST

**NOTICE TO ALL EMPLOYEES
REGARDING PAYMENT OF LIVING WAGE**

Under the Somerville, Massachusetts' Living Wage Ordinance (Ordinance No. 1999-1), any person or entity who has entered into a contract with the City of Somerville is required to pay its employees who are involved in providing services to the City of Somerville no less than a "Living Wage".

The Living Wage as of **7/1/2014** is **\$12.05** per hour. The only employees who are not covered by the Living Wage Ordinance are individuals in a Youth Program. "Youth Program" as defined in the Ordinance, "means any city, state or federally funded program which employs youth, as defined by city, state or federal guidelines, during the summer, or as part of a school to work program, or in any other related seasonal or part-time program."

For assistance and information regarding the protections and obligations provided for in the Living Wage Ordinance and/or a copy of the Living Wage Ordinance, all employees should contact the City of Somerville's Purchasing Department directly.

Part 1 Section 3: BID SUBMISSION DOCUMENTS

NOTICE TO BIDDERS BID #15-04

All bids must be in accordance with terms and conditions set forth herein as stated.

SECTION A. Sealed bids for: **Capuano Field Lights**. The bids will be received at the office of the Purchasing Director, Somerville City Hall, 93 Highland Avenue, Somerville, MA. 02143 no later than **Tuesday, August 5, 2014 at 11:00 A.M.** at which time and place they will be publicly opened and read.

An Optional Pre-Bid Conference will be held on Wednesday, July 23, 2014 at 11:30 AM, Somerville City Hall 1st Floor, Purchasing Department, 93 Highland Avenue, Somerville, MA 02143.

SECTION B. Forms of price bid, specifications and terms of contract can be obtained at the Purchasing Department office on or after **Thursday, July 17, 2014.**

SECTION C. Bid envelopes shall be clearly marked as follows: **"Bid No: 15-04, Bid for Capuano Field Lights"**.

SECTION D. If **awarded** vendor is a Corporation, vendor must comply with request for "Certificate of Good Standing". See attached instructions.

SECTION E. **INSURANCE: Awarded Vendor** must comply with insurance requirements as stated in the bid package.

SECTION F. Living Wage - see Somerville Living Wage Form (00320)
Prevailing and Davis Bacon Wage Rates – and Compliance Form

SECTION G. The requirements in Section **E or F** will be waived if the words "Non-Applicable" (**N/A**) are inserted in the space designated.

SECTION H. The copy of the bid deposited with the City will be accompanied by a bid guarantee in the amount of 5% of the proposed bid amount. A Bid bond, Certified Check, Treasurer's Check, or Cashier's Check made payable to the City must be submitted with each bid. Said bid guarantee will become the property of the City of Somerville if the proposal is accepted and the bidder either neglects or refuses to comply with the terms of the proposal. Bid guarantee will be returned within 30 days to all unsuccessful bidders.

SECTION I. A Performance Bond and a Payment Bond in the amount of 100% of the total contract price will be required by the City.

Part 1 Section 3: BID SUBMISSION DOCUMENTS

- SECTION J. The Purchasing Director reserves the right to accept or reject any or all bids, to waive any minor informalities, if in her sole judgment, the best interest of the City of Somerville would be served by so doing.
- SECTION K. The City reserves the right to cancel a contract, if awarded bidder does not respond to all necessary documents and required signature forms within ten (10) working days of receipt of contract.
- SECTION L. The Vendor must certify that all employees to be provided have successfully completed at least ten (10) hours of OSHA approved training in Construction Safety and Health.

Signature: _____

Company: _____

By: _____ Title: _____

Date: __ Tel. No: _____ Fax: _____

Applicable to Corporations:

I hereby attest that the signatory to this bid has the authority to sign and submit bids for the Corporation.

ATTEST: _____
Secretary

Part 1, Section 3: BID SUBMISSION DOCUMENTS

QUALITY REQUIREMENTS

Please respond to the following questions. A negative response to any of the first four questions will automatically disqualify the Bidder. A negative response to the fifth question about SOMWBA will not disqualify the Bidder.

	Yes	No
Has the contractor been established in this specified field for at least 5 years?		
Has the contractor successfully completed a minimum of three (3) similar Municipal Park projects within the past six (6) years?		
Has the Contractor included a Health and Safety Plan Form with their bid documents?		
Can the contractor certify that all employees to be provided, have successfully completed at least 10 hours of OSHA approved training in Construction Safety and Health?		
Optional: Vendor: Are you a State Office for Minority and Women Owned Business Assistance (SOMWBA) certified minority- or woman-owned business?		

Form:_____
Contract Number:_____

CITY OF SOMERVILLE

Rev. 08/01/12



Non-Collusion Form and Tax Compliance Certification

Instructions: Complete each part of this two-part form and sign and date where indicated below.

A. NON-COLLUSION FORM

I, the undersigned, hereby certify under penalties of perjury that this bid or proposal has been made and submitted in good faith and without collusion or fraud with any other person.

As used in this certification, the word "person" shall mean any natural person, business, partnership, corporation, union, committee, club, or other organization, entity, or group of individuals.

Signature: _____
(Individual Submitted Bid or Proposal)
Duly Authorized

Name of Business or Entity: _____

Date: _____

B. TAX COMPLIANCE CERTIFICATION

Pursuant to M.G.L. c. 62C, §49A, I certify under the penalties of perjury that, to the best of my knowledge and belief, I am in compliance with all laws of the Commonwealth relating to taxes, reporting of employees and contractors, and withholding and remitting child support, as well as paid all contributions and payments in lieu of contributions pursuant to MGL 151A, §19A(b).

Signature: _____
(Duly Authorized Representative of Vendor)

Name of Business or Entity: _____

Social Security Number or Federal Tax ID#: _____

Date: _____



Certificate of Authority (Corporations Only)

Instructions: Complete this form and sign and date where indicated below.

1. I hereby certify that I, the undersigned, am the duly elected Clerk/Secretary of

(Insert Full Name of Corporation)

2. I hereby certify that the following individual _____
(Insert the Name of Officer who Signed the Contract and Bonds)

is the duly elected _____ of said Corporation.
(Insert the Title of the Officer in Line 2)

3. I hereby certify that on _____
(Insert Date: Must be on or before Date Officer Signed Contract/Bonds)

at a duly authorized meeting of the Board of Directors of said corporation, at which a quorum was present, it was voted that

(Insert Name of Officer from Line 2) (Insert Title of Officer from Line 2)

of this corporation be and hereby is authorized to make, enter into, execute, and deliver contracts and bonds in the name and on behalf of said corporation, and affix its Corporate Seal thereto, and such execution of any contract of obligation in this corporation's name and on its behalf, with or without the Corporate Seal, shall be valid and binding upon this corporation; and that the above vote has not been amended or rescinded and remains in full force and effect as of the date set forth below.

4. **ATTEST:**

Signature: _____
(Clerk or Secretary)

AFFIX CORPORATE SEAL HERE

Printed Name: _____

Printed Title: _____

Date: _____
(Date Must Be on or after Date Officer Signed Contract/Bonds)



Certificate of Authority (Limited Liability Companies Only)

Instructions: Complete this form and sign and date where indicated below.

1. I, the undersigned, being a member or manager of

_____,
(Complete Name of Limited Liability Company)

a limited liability company (LLC) hereby certify as to the contents of this form for the purpose of contracting with the City of Somerville.

2. The LLC is organized under the laws of the state of: _____.
3. The LLC is managed by (**check one**) a Manager or by its Members.
4. I hereby certify that each of the following individual(s) is:
- a member/manager of the LLC;
 - duly authorized to execute and deliver this contract, agreement, and/or other legally binding documents relating to any contract and/or agreement on behalf of the LLC;
 - duly authorized to do and perform all acts and things necessary or appropriate to carry out the terms of this contract or agreement on behalf of the LLC; and
 - that no resolution, vote, or other document or action is necessary to establish such authority.

<u>Name</u>	<u>Title</u>

5. **Signature:**_____

Printed Name: _____

Printed Title:_____

Date: _____

Part 1, Section 3: BID SUBMISSION DOCUMENTS

CITY OF SOMERVILLE

SIGNATURE FORM

NAME OF COMPANY: _____

ADDRESS: _____

TELEPHONE #: _____ FAX #: _____

DATE: _____ EMAIL: _____

SIGNATURE OF AUTHORIZED CONTRACTING OFFICIAL:

TITLE: _____

RESIDENCE: _____

IF COMPANY IS A PARTNERSHIP:

FULL NAME AND RESIDENCE OF EACH PARTNER:

IF COMPANY IS A CORPORATION:

THE CORPORATE NAME IS: _____

THE CORPORATION IS ORGANIZED UNDER THE LAWS OF: _____

THE PRESIDENT IS: _____

THE TREASURER IS: _____

THE CLERK/SECRETARY OR ASSISTANT CLERK/SECRETARY WHO WILL EXECUTE THE
CONTRACT AND SIGN THE CERTIFICATE OF AUTHORITY IS:

NAME OF CORPORATION THAT WILL APPEAR ON A POTENTIAL CONTRACTUAL
AGREEMENT IF DIFFERENT FROM ABOVE: _____.

NAME AND TITLE OF PERSON WHO WILL BE THE PRINCIPAL SIGNATORY ON THE
CONTRACT IF OTHER THAN THE PRESIDENT:

NAME: _____ TITLE: _____

Part 1, Section 3: BID SUBMISSION DOCUMENTS

REFERENCE FORM

Bidder: _____

IFB Title: **IFB# 15-04 Capuano Field Lights**

Bidder must provide references from three municipalities for similar municipal park projects completed during the previous six (6) years.

Reference: _____ Contact: _____

Address: _____ Phone: _____

_____ Fax: _____

Description and date(s) of supplies or services provided: _____

Reference: _____ Contact: _____

Address: _____ Phone: _____

_____ Fax: _____

Description and date(s) of supplies or services provided: _____

Reference: _____ Contact: _____

Address: _____ Phone: _____

_____ Fax: _____

Description and date(s) of supplies or services provided: _____

BID BOND OR GUARANTY

BIDDER TO INSERT HERE

Prevailing and Davis Bacon Wage Rates
Payroll Submission Forms
HUD Form 4010



DEVAL L. PATRICK
Governor

THE COMMONWEALTH OF MASSACHUSETTS
EXECUTIVE OFFICE OF LABOR AND WORKFORCE DEVELOPMENT
DEPARTMENT OF LABOR STANDARDS

Prevailing Wage Rates

**As determined by the Director under the provisions of the
Massachusetts General Laws, Chapter 149, Sections 26 to 27H**

RACHEL KAPRIELIAN
Secretary
HEATHER E. ROWE
Director

Awarding Authority: City of Somerville
Contract Number: IFB 15-04 **City/Town:** SOMERVILLE
Description of Work: Improvements to City Sports Field and Installation of Field Lights.
Job Location: 150 Glen Street Somerville, MA

Information about Prevailing Wage Schedules for Awarding Authorities and Contractors

- This wage schedule applies only to the specific project referenced at the top of this page and uniquely identified by the "Wage Request Number" on all pages of this schedule.
- An Awarding Authority must request an updated wage schedule from the Department of Labor Standards ("DLS") if it has not opened bids or selected a contractor within 90 days of the date of issuance of the wage schedule. For CM AT RISK projects (bid pursuant to G.L. c.149A), the earlier of: (a) the execution date of the GMP Amendment, or (b) the bid for the first construction scope of work must be within 90-days of the wage schedule issuance date.
- The wage schedule shall be incorporated in any advertisement or call for bids for the project as required by M.G.L. c. 149, § 27. The wage schedule shall be made a part of the contract awarded for the project. The wage schedule must be posted in a conspicuous place at the work site for the life of the project in accordance with M.G.L. c. 149 § 27. The wages listed on the wage schedule must be paid to employees performing construction work on the project whether they are employed by the prime contractor, a filed sub-bidder, or any sub-contractor.
- All apprentices working on the project are required to be registered with the Massachusetts Division of Apprentice Standards (DAS). Apprentice must keep his/her apprentice identification card on his/her person during all work hours on the project. An apprentice registered with DAS may be paid the lower apprentice wage rate at the applicable step as provided on the prevailing wage schedule. **If an apprentice rate is not listed on the prevailing wage schedule for the trade in which an apprentice is registered with the DAS, the apprentice must be paid the journeyworker's rate for the trade.**
- The wage rates will remain in effect for the duration of the project, except in the case of multi-year public construction projects. For construction projects lasting longer than one year, awarding authorities must request an updated wage schedule. Awarding authorities are required to request these updates no later than two weeks before the anniversary of the date the contract was executed by the awarding authority and the general contractor. For multi-year CM AT RISK projects, awarding authority must request an annual update no later than two weeks before the anniversary date, determined as the earlier of: (a) the execution date of the GMP Amendment, or (b) the execution date of the first amendment to permit procurement of construction services. Contractors are required to obtain the wage schedules from awarding authorities, and to pay no less than these rates to covered workers. The annual update requirement is not applicable to 27F "rental of equipment" contracts.
- Every contractor or subcontractor which performs construction work on the project is required to submit weekly payroll reports and a Statement of Compliance directly to the awarding authority by mail or email and keep them on file for three years. Each weekly payroll report must contain: the employee's name, address, occupational classification, hours worked, and wages paid. Do not submit weekly payroll reports to DLS. A sample of a payroll reporting form may be obtained at <http://www.mass.gov/dols/pw>.
- Contractors with questions about the wage rates or classifications included on the wage schedule have an affirmative obligation to inquire with DLS at (617) 626-6953.
- Employees not receiving the prevailing wage rate set forth on the wage schedule may report the violation to the Fair Labor Division of the office of the Attorney General at (617) 727-3465.
- Failure of a contractor or subcontractor to pay the prevailing wage rates listed on the wage schedule to all employees who perform construction work on the project is a violation of the law and subjects the contractor or subcontractor to civil and criminal penalties.

Classification	Effective Date	Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
Construction						
(2 AXLE) DRIVER - EQUIPMENT <i>TEAMSTERS JOINT COUNCIL NO. 10 ZONE A</i>	06/01/2014	\$32.40	\$9.41	\$8.80	\$0.00	\$50.61
	08/01/2014	\$32.40	\$9.91	\$8.80	\$0.00	\$51.11
	12/01/2014	\$32.40	\$9.91	\$9.33	\$0.00	\$51.64
	06/01/2015	\$32.75	\$9.91	\$9.33	\$0.00	\$51.99
	08/01/2015	\$32.75	\$10.41	\$9.33	\$0.00	\$52.49
	12/01/2015	\$32.75	\$10.41	\$10.08	\$0.00	\$53.24
	06/01/2016	\$33.25	\$10.41	\$10.08	\$0.00	\$53.74
	08/01/2016	\$33.25	\$10.91	\$10.08	\$0.00	\$54.24
	12/01/2016	\$33.25	\$10.91	\$10.89	\$0.00	\$55.05
(3 AXLE) DRIVER - EQUIPMENT <i>TEAMSTERS JOINT COUNCIL NO. 10 ZONE A</i>	06/01/2014	\$32.47	\$9.41	\$8.80	\$0.00	\$50.68
	08/01/2014	\$32.47	\$9.91	\$8.80	\$0.00	\$51.18
	12/01/2014	\$32.47	\$9.91	\$9.33	\$0.00	\$51.71
	06/01/2015	\$32.82	\$9.91	\$9.33	\$0.00	\$52.06
	08/01/2015	\$32.82	\$10.41	\$9.33	\$0.00	\$52.56
	12/01/2015	\$32.82	\$10.41	\$10.08	\$0.00	\$53.31
	06/01/2016	\$33.32	\$10.41	\$10.08	\$0.00	\$53.81
	08/01/2016	\$33.32	\$10.91	\$10.08	\$0.00	\$54.31
	12/01/2016	\$33.32	\$10.91	\$10.89	\$0.00	\$55.12
(4 & 5 AXLE) DRIVER - EQUIPMENT <i>TEAMSTERS JOINT COUNCIL NO. 10 ZONE A</i>	06/01/2014	\$32.59	\$9.41	\$8.80	\$0.00	\$50.80
	08/01/2014	\$32.59	\$9.91	\$8.80	\$0.00	\$51.30
	12/01/2014	\$32.59	\$9.91	\$9.33	\$0.00	\$51.83
	06/01/2015	\$32.94	\$9.91	\$9.33	\$0.00	\$52.18
	08/01/2015	\$32.94	\$10.41	\$9.33	\$0.00	\$52.68
	12/01/2015	\$32.94	\$10.41	\$10.08	\$0.00	\$53.43
	06/01/2016	\$33.44	\$10.41	\$10.08	\$0.00	\$53.93
	08/01/2016	\$33.44	\$10.91	\$10.08	\$0.00	\$54.43
	12/01/2016	\$33.44	\$10.91	\$10.89	\$0.00	\$55.24
ADS/SUBMERSIBLE PILOT <i>PILE DRIVER LOCAL 56 (ZONE 1)</i>	08/01/2013	\$84.21	\$9.80	\$18.17	\$0.00	\$112.18
	08/01/2014	\$87.36	\$9.80	\$18.17	\$0.00	\$115.33
	08/01/2015	\$90.51	\$9.80	\$18.17	\$0.00	\$118.48
AIR TRACK OPERATOR <i>LABORERS - ZONE 1</i>	06/01/2014	\$34.85	\$7.30	\$12.70	\$0.00	\$54.85
	12/01/2014	\$35.60	\$7.30	\$12.70	\$0.00	\$55.60
	06/01/2015	\$36.35	\$7.30	\$12.70	\$0.00	\$56.35
	12/01/2015	\$37.10	\$7.30	\$12.70	\$0.00	\$57.10
	06/01/2016	\$37.85	\$7.30	\$12.70	\$0.00	\$57.85
	12/01/2016	\$38.85	\$7.30	\$12.70	\$0.00	\$58.85
For apprentice rates see "Apprentice- LABORER"						
ASBESTOS REMOVER - PIPE / MECH. EQUIPT. <i>HEAT & FROST INSULATORS LOCAL 6 (BOSTON)</i>	06/01/2014	\$31.58	\$10.40	\$5.95	\$0.00	\$47.93
	12/01/2014	\$32.48	\$10.40	\$5.95	\$0.00	\$48.83
	06/01/2015	\$33.43	\$10.40	\$5.95	\$0.00	\$49.78
	12/01/2015	\$34.38	\$10.40	\$5.95	\$0.00	\$50.73

Classification	Effective Date	Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
ASPHALT RAKER <i>LABORERS - ZONE 1</i>	06/01/2014	\$34.35	\$7.30	\$12.70	\$0.00	\$54.35
	12/01/2014	\$35.10	\$7.30	\$12.70	\$0.00	\$55.10
	06/01/2015	\$35.85	\$7.30	\$12.70	\$0.00	\$55.85
	12/01/2015	\$36.60	\$7.30	\$12.70	\$0.00	\$56.60
	06/01/2016	\$37.35	\$7.30	\$12.70	\$0.00	\$57.35
	12/01/2016	\$38.35	\$7.30	\$12.70	\$0.00	\$58.35
For apprentice rates see "Apprentice- LABORER"						
ASPHALT/CONCRETE/CRUSHER PLANT-ON SITE <i>OPERATING ENGINEERS LOCAL 4</i>	12/01/2013	\$40.49	\$10.00	\$14.18	\$0.00	\$64.67
For apprentice rates see "Apprentice- OPERATING ENGINEERS"						
BACKHOE/FRONT-END LOADER <i>OPERATING ENGINEERS LOCAL 4</i>	12/01/2013	\$40.49	\$10.00	\$14.18	\$0.00	\$64.67
For apprentice rates see "Apprentice- OPERATING ENGINEERS"						
BARCO-TYPE JUMPING TAMPER <i>LABORERS - ZONE 1</i>	06/01/2014	\$34.35	\$7.30	\$12.70	\$0.00	\$54.35
	12/01/2014	\$35.10	\$7.30	\$12.70	\$0.00	\$55.10
	06/01/2015	\$35.85	\$7.30	\$12.70	\$0.00	\$55.85
	12/01/2015	\$36.60	\$7.30	\$12.70	\$0.00	\$56.60
	06/01/2016	\$37.35	\$7.30	\$12.70	\$0.00	\$57.35
	12/01/2016	\$38.35	\$7.30	\$12.70	\$0.00	\$58.35
For apprentice rates see "Apprentice- LABORER"						
BLOCK PAVER, RAMMER / CURB SETTER <i>LABORERS - ZONE 1</i>	06/01/2014	\$34.85	\$7.30	\$12.70	\$0.00	\$54.85
	12/01/2014	\$35.60	\$7.30	\$12.70	\$0.00	\$55.60
	06/01/2015	\$36.35	\$7.30	\$12.70	\$0.00	\$56.35
	12/01/2015	\$37.10	\$7.30	\$12.70	\$0.00	\$57.10
	06/01/2016	\$37.85	\$7.30	\$12.70	\$0.00	\$57.85
	12/01/2016	\$38.85	\$7.30	\$12.70	\$0.00	\$58.85
For apprentice rates see "Apprentice- LABORER"						
BOILER MAKER <i>BOILERMAKERS LOCAL 29</i>	01/01/2010	\$37.70	\$6.97	\$11.18	\$0.00	\$55.85

Apprentice - BOILERMAKER - Local 29

Effective Date - 01/01/2010

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	65	\$24.51	\$6.97	\$11.18	\$0.00	\$42.66
2	65	\$24.51	\$6.97	\$11.18	\$0.00	\$42.66
3	70	\$26.39	\$6.97	\$11.18	\$0.00	\$44.54
4	75	\$28.28	\$6.97	\$11.18	\$0.00	\$46.43
5	80	\$30.16	\$6.97	\$11.18	\$0.00	\$48.31
6	85	\$32.05	\$6.97	\$11.18	\$0.00	\$50.20
7	90	\$33.93	\$6.97	\$11.18	\$0.00	\$52.08
8	95	\$35.82	\$6.97	\$11.18	\$0.00	\$53.97

Notes:

Apprentice to Journeyworker Ratio:1:5

Classification	Effective Date	Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
BRICK/STONE/ARTIFICIAL MASONRY (INCL. MASONRY WATERPROOFING) <i>BRICKLAYERS LOCAL 3 (BOSTON)</i>	02/01/2014	\$48.06	\$10.18	\$18.15	\$0.00	\$76.39
	08/01/2014	\$48.96	\$10.18	\$18.22	\$0.00	\$77.36
	02/01/2015	\$49.52	\$10.18	\$18.22	\$0.00	\$77.92
	08/01/2015	\$50.42	\$10.18	\$18.29	\$0.00	\$78.89
	02/01/2016	\$50.99	\$10.18	\$18.29	\$0.00	\$79.46
	08/01/2016	\$51.89	\$10.18	\$18.37	\$0.00	\$80.44
	02/01/2017	\$52.46	\$10.18	\$18.37	\$0.00	\$81.01

Apprentice - BRICK/PLASTER/CEMENT MASON - Local 3 Boston

Effective Date - 02/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$24.03	\$10.18	\$18.15	\$0.00	\$52.36
2	60	\$28.84	\$10.18	\$18.15	\$0.00	\$57.17
3	70	\$33.64	\$10.18	\$18.15	\$0.00	\$61.97
4	80	\$38.45	\$10.18	\$18.15	\$0.00	\$66.78
5	90	\$43.25	\$10.18	\$18.15	\$0.00	\$71.58

Effective Date - 08/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$24.48	\$10.18	\$18.22	\$0.00	\$52.88
2	60	\$29.38	\$10.18	\$18.22	\$0.00	\$57.78
3	70	\$34.27	\$10.18	\$18.22	\$0.00	\$62.67
4	80	\$39.17	\$10.18	\$18.22	\$0.00	\$67.57
5	90	\$44.06	\$10.18	\$18.22	\$0.00	\$72.46

Notes:

Apprentice to Journeyworker Ratio:1:5

BULLDOZER/GRADER/SCRAPER <i>OPERATING ENGINEERS LOCAL 4</i>	12/01/2013	\$40.11	\$10.00	\$14.18	\$0.00	\$64.29
--	------------	---------	---------	---------	--------	---------

For apprentice rates see "Apprentice- OPERATING ENGINEERS"

CAISSON & UNDERPINNING BOTTOM MAN <i>LABORERS - FOUNDATION AND MARINE</i>	06/01/2014	\$35.20	\$7.30	\$12.90	\$0.00	\$55.40
	12/01/2014	\$35.95	\$7.30	\$12.90	\$0.00	\$56.15
	06/01/2015	\$36.70	\$7.30	\$12.90	\$0.00	\$56.90
	12/01/2015	\$37.45	\$7.30	\$12.90	\$0.00	\$57.65
	06/01/2016	\$38.20	\$7.30	\$12.90	\$0.00	\$58.40
	12/01/2016	\$39.20	\$7.30	\$12.90	\$0.00	\$59.40

For apprentice rates see "Apprentice- LABORER"

CAISSON & UNDERPINNING LABORER <i>LABORERS - FOUNDATION AND MARINE</i>	06/01/2014	\$34.05	\$7.30	\$12.90	\$0.00	\$54.25
	12/01/2014	\$34.80	\$7.30	\$12.90	\$0.00	\$55.00
	06/01/2015	\$35.55	\$7.30	\$12.90	\$0.00	\$55.75
	12/01/2015	\$36.30	\$7.30	\$12.90	\$0.00	\$56.50
	06/01/2016	\$37.05	\$7.30	\$12.90	\$0.00	\$57.25
	12/01/2016	\$38.05	\$7.30	\$12.90	\$0.00	\$58.25

For apprentice rates see "Apprentice- LABORER"

Classification	Effective Date	Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
CAISSON & UNDERPINNING TOP MAN <i>LABORERS - FOUNDATION AND MARINE</i>	06/01/2014	\$34.05	\$7.30	\$12.90	\$0.00	\$54.25
	12/01/2014	\$34.80	\$7.30	\$12.90	\$0.00	\$55.00
	06/01/2015	\$35.55	\$7.30	\$12.90	\$0.00	\$55.75
	12/01/2015	\$36.30	\$7.30	\$12.90	\$0.00	\$56.50
	06/01/2016	\$37.05	\$7.30	\$12.90	\$0.00	\$57.25
	12/01/2016	\$38.05	\$7.30	\$12.90	\$0.00	\$58.25
For apprentice rates see "Apprentice- LABORER"						
CARBIDE CORE DRILL OPERATOR <i>LABORERS - ZONE 1</i>	06/01/2014	\$34.35	\$7.30	\$12.70	\$0.00	\$54.35
	12/01/2014	\$35.10	\$7.30	\$12.70	\$0.00	\$55.10
	06/01/2015	\$35.85	\$7.30	\$12.70	\$0.00	\$55.85
	12/01/2015	\$36.60	\$7.30	\$12.70	\$0.00	\$56.60
	06/01/2016	\$37.35	\$7.30	\$12.70	\$0.00	\$57.35
	12/01/2016	\$38.35	\$7.30	\$12.70	\$0.00	\$58.35
For apprentice rates see "Apprentice- LABORER"						
CARPENTER <i>CARPENTERS -ZONE 1 (Metro Boston)</i>	03/01/2014	\$40.83	\$9.80	\$15.91	\$0.00	\$66.54
	09/01/2014	\$41.85	\$9.80	\$15.91	\$0.00	\$67.56
	03/01/2015	\$42.87	\$9.80	\$15.91	\$0.00	\$68.58

Apprentice - CARPENTER - Zone 1 Metro Boston

Effective Date - 03/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$20.42	\$9.80	\$1.57	\$0.00	\$31.79
2	60	\$24.50	\$9.80	\$1.57	\$0.00	\$35.87
3	70	\$28.58	\$9.80	\$11.20	\$0.00	\$49.58
4	75	\$30.62	\$9.80	\$11.20	\$0.00	\$51.62
5	80	\$32.66	\$9.80	\$12.77	\$0.00	\$55.23
6	80	\$32.66	\$9.80	\$12.77	\$0.00	\$55.23
7	90	\$36.75	\$9.80	\$14.34	\$0.00	\$60.89
8	90	\$36.75	\$9.80	\$14.34	\$0.00	\$60.89

Effective Date - 09/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$20.93	\$9.80	\$1.57	\$0.00	\$32.30
2	60	\$25.11	\$9.80	\$1.57	\$0.00	\$36.48
3	70	\$29.30	\$9.80	\$11.20	\$0.00	\$50.30
4	75	\$31.39	\$9.80	\$11.20	\$0.00	\$52.39
5	80	\$33.48	\$9.80	\$12.77	\$0.00	\$56.05
6	80	\$33.48	\$9.80	\$12.77	\$0.00	\$56.05
7	90	\$37.67	\$9.80	\$14.34	\$0.00	\$61.81
8	90	\$37.67	\$9.80	\$14.34	\$0.00	\$61.81

Notes:

Apprentice to Journeyworker Ratio:1:5

Classification	Effective Date	Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
CEMENT MASONRY/PLASTERING <i>BRICKLAYERS LOCAL 3 (BOSTON)</i>	07/01/2014	\$43.77	\$10.90	\$18.71	\$1.30	\$74.68
	01/01/2015	\$44.69	\$10.90	\$18.71	\$1.30	\$75.60
	07/01/2015	\$45.29	\$10.90	\$18.71	\$1.30	\$76.20
	01/01/2016	\$46.21	\$10.90	\$18.71	\$1.30	\$77.12

Apprentice - CEMENT MASONRY/PLASTERING - Eastern Mass (Boston)

Effective Date - 07/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$21.89	\$10.90	\$12.21	\$1.30	\$46.30
2	60	\$26.26	\$10.90	\$13.71	\$1.30	\$52.17
3	65	\$28.45	\$10.90	\$14.71	\$1.30	\$55.36
4	70	\$30.64	\$10.90	\$15.71	\$1.30	\$58.55
5	75	\$32.83	\$10.90	\$16.71	\$1.30	\$61.74
6	80	\$35.02	\$10.90	\$17.71	\$1.30	\$64.93
7	90	\$39.39	\$10.90	\$18.71	\$1.30	\$70.30

Effective Date - 01/01/2015

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$22.35	\$10.90	\$12.21	\$1.30	\$46.76
2	60	\$26.81	\$10.90	\$13.71	\$1.30	\$52.72
3	65	\$29.05	\$10.90	\$14.71	\$1.30	\$55.96
4	70	\$31.28	\$10.90	\$15.71	\$1.30	\$59.19
5	75	\$33.52	\$10.90	\$16.71	\$1.30	\$62.43
6	80	\$35.75	\$10.90	\$17.71	\$1.30	\$65.66
7	90	\$40.22	\$10.90	\$18.71	\$1.30	\$71.13

Notes:

Steps 3,4 are 500 hrs. All other steps are 1,000 hrs.

Apprentice to Journeyworker Ratio:1:3

CHAIN SAW OPERATOR <i>LABORERS - ZONE 1</i>	06/01/2014	\$34.35	\$7.30	\$12.70	\$0.00	\$54.35
	12/01/2014	\$35.10	\$7.30	\$12.70	\$0.00	\$55.10
	06/01/2015	\$35.85	\$7.30	\$12.70	\$0.00	\$55.85
	12/01/2015	\$36.60	\$7.30	\$12.70	\$0.00	\$56.60
	06/01/2016	\$37.35	\$7.30	\$12.70	\$0.00	\$57.35
	12/01/2016	\$38.35	\$7.30	\$12.70	\$0.00	\$58.35

For apprentice rates see "Apprentice- LABORER"

CLAM SHELLS/SLURRY BUCKETS/HEADING MACHINES <i>OPERATING ENGINEERS LOCAL 4</i>	12/01/2013	\$41.49	\$10.00	\$14.18	\$0.00	\$65.67
---	------------	---------	---------	---------	--------	---------

For apprentice rates see "Apprentice- OPERATING ENGINEERS"

COMPRESSOR OPERATOR <i>OPERATING ENGINEERS LOCAL 4</i>	12/01/2013	\$28.11	\$10.00	\$14.18	\$0.00	\$52.29
---	------------	---------	---------	---------	--------	---------

For apprentice rates see "Apprentice- OPERATING ENGINEERS"

Classification	Effective Date	Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
DELEADER (BRIDGE) <i>PAINTERS LOCAL 35 - ZONE 1</i>	07/01/2014	\$46.76	\$7.85	\$16.10	\$0.00	\$70.71
	01/01/2015	\$47.66	\$7.85	\$16.10	\$0.00	\$71.61
	07/01/2015	\$48.56	\$7.85	\$16.10	\$0.00	\$72.51
	01/01/2016	\$49.51	\$7.85	\$16.10	\$0.00	\$73.46
	07/01/2016	\$50.46	\$7.85	\$16.10	\$0.00	\$74.41
	01/01/2017	\$51.41	\$7.85	\$16.10	\$0.00	\$75.36

Apprentice - PAINTER Local 35 - BRIDGES/TANKS

Effective Date - 07/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$23.38	\$7.85	\$0.00	\$0.00	\$31.23
2	55	\$25.72	\$7.85	\$3.66	\$0.00	\$37.23
3	60	\$28.06	\$7.85	\$3.99	\$0.00	\$39.90
4	65	\$30.39	\$7.85	\$4.32	\$0.00	\$42.56
5	70	\$32.73	\$7.85	\$14.11	\$0.00	\$54.69
6	75	\$35.07	\$7.85	\$14.44	\$0.00	\$57.36
7	80	\$37.41	\$7.85	\$14.77	\$0.00	\$60.03
8	90	\$42.08	\$7.85	\$15.44	\$0.00	\$65.37

Effective Date - 01/01/2015

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$23.83	\$7.85	\$0.00	\$0.00	\$31.68
2	55	\$26.21	\$7.85	\$3.66	\$0.00	\$37.72
3	60	\$28.60	\$7.85	\$3.99	\$0.00	\$40.44
4	65	\$30.98	\$7.85	\$4.32	\$0.00	\$43.15
5	70	\$33.36	\$7.85	\$14.11	\$0.00	\$55.32
6	75	\$35.75	\$7.85	\$14.44	\$0.00	\$58.04
7	80	\$38.13	\$7.85	\$14.77	\$0.00	\$60.75
8	90	\$42.89	\$7.85	\$15.44	\$0.00	\$66.18

Notes:

Steps are 750 hrs.

Apprentice to Journeyworker Ratio:1:1

DEMO: ADZEMAN <i>LABORERS - ZONE 1</i>	06/01/2014	\$34.25	\$7.30	\$12.70	\$0.00	\$54.25
	12/01/2014	\$35.00	\$7.30	\$12.70	\$0.00	\$55.00
	06/01/2015	\$35.75	\$7.30	\$12.70	\$0.00	\$55.75
	12/01/2015	\$36.50	\$7.30	\$12.70	\$0.00	\$56.50

For apprentice rates see "Apprentice- LABORER"

DEMO: BACKHOE/LOADER/HAMMER OPERATOR <i>LABORERS - ZONE 1</i>	06/01/2014	\$35.25	\$7.30	\$12.70	\$0.00	\$55.25
	12/01/2014	\$36.00	\$7.30	\$12.70	\$0.00	\$56.00
	06/01/2015	\$36.75	\$7.30	\$12.70	\$0.00	\$56.75
	12/01/2015	\$37.50	\$7.30	\$12.70	\$0.00	\$57.50

For apprentice rates see "Apprentice- LABORER"

Classification	Effective Date	Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
DEMO: BURNERS <i>LABORERS - ZONE 1</i>	06/01/2014	\$35.00	\$7.30	\$12.70	\$0.00	\$55.00
	12/01/2014	\$35.75	\$7.30	\$12.70	\$0.00	\$55.75
	06/01/2015	\$36.50	\$7.30	\$12.70	\$0.00	\$56.50
	12/01/2015	\$37.25	\$7.30	\$12.70	\$0.00	\$57.25
For apprentice rates see "Apprentice- LABORER"						
DEMO: CONCRETE CUTTER/SAWYER <i>LABORERS - ZONE 1</i>	06/01/2014	\$35.25	\$7.30	\$12.70	\$0.00	\$55.25
	12/01/2014	\$36.00	\$7.30	\$12.70	\$0.00	\$56.00
	06/01/2015	\$36.75	\$7.30	\$12.70	\$0.00	\$56.75
	12/01/2015	\$37.50	\$7.30	\$12.70	\$0.00	\$57.50
For apprentice rates see "Apprentice- LABORER"						
DEMO: JACKHAMMER OPERATOR <i>LABORERS - ZONE 1</i>	06/01/2014	\$35.00	\$7.30	\$12.70	\$0.00	\$55.00
	12/01/2014	\$35.75	\$7.30	\$12.70	\$0.00	\$55.75
	06/01/2015	\$36.50	\$7.30	\$12.70	\$0.00	\$56.50
	12/01/2015	\$37.25	\$7.30	\$12.70	\$0.00	\$57.25
For apprentice rates see "Apprentice- LABORER"						
DEMO: WRECKING LABORER <i>LABORERS - ZONE 1</i>	06/01/2014	\$34.25	\$7.30	\$12.70	\$0.00	\$54.25
	12/01/2014	\$35.00	\$7.30	\$12.70	\$0.00	\$55.00
	06/01/2015	\$35.75	\$7.30	\$12.70	\$0.00	\$55.75
	12/01/2015	\$36.50	\$7.30	\$12.70	\$0.00	\$56.50
For apprentice rates see "Apprentice- LABORER"						
DIRECTIONAL DRILL MACHINE OPERATOR <i>OPERATING ENGINEERS LOCAL 4</i>	12/01/2013	\$40.11	\$10.00	\$14.18	\$0.00	\$64.29
For apprentice rates see "Apprentice- OPERATING ENGINEERS"						
DIVER <i>PILE DRIVER LOCAL 56 (ZONE 1)</i>	08/01/2013	\$56.14	\$9.80	\$18.17	\$0.00	\$84.11
	08/01/2014	\$58.24	\$9.80	\$18.17	\$0.00	\$86.21
	08/01/2015	\$60.34	\$9.80	\$18.17	\$0.00	\$88.31
DIVER TENDER <i>PILE DRIVER LOCAL 56 (ZONE 1)</i>	08/01/2013	\$40.10	\$9.80	\$18.17	\$0.00	\$68.07
	08/01/2014	\$41.60	\$9.80	\$18.17	\$0.00	\$69.57
	08/01/2015	\$43.10	\$9.80	\$18.17	\$0.00	\$71.07
DIVER TENDER (EFFLUENT) <i>PILE DRIVER LOCAL 56 (ZONE 1)</i>	08/01/2013	\$60.15	\$9.80	\$18.17	\$0.00	\$88.12
	08/01/2014	\$62.40	\$9.80	\$18.17	\$0.00	\$90.37
	08/01/2015	\$64.65	\$9.80	\$18.17	\$0.00	\$92.62
DIVER/SLURRY (EFFLUENT) <i>PILE DRIVER LOCAL 56 (ZONE 1)</i>	08/01/2013	\$84.21	\$9.80	\$18.17	\$0.00	\$112.18
	08/01/2014	\$87.36	\$9.80	\$18.17	\$0.00	\$115.33
	08/01/2015	\$90.51	\$9.80	\$18.17	\$0.00	\$118.48
DRAWBRIDGE OPERATOR (Construction) <i>ELECTRICIANS LOCAL 103</i>	03/01/2014	\$44.45	\$13.00	\$14.68	\$0.00	\$72.13
	09/01/2014	\$45.12	\$13.00	\$14.70	\$0.00	\$72.82
	03/01/2015	\$45.84	\$13.00	\$14.72	\$0.00	\$73.56
	09/01/2015	\$46.80	\$13.00	\$14.75	\$0.00	\$74.55
	03/01/2016	\$47.75	\$13.00	\$14.78	\$0.00	\$75.53
For apprentice rates see "Apprentice- ELECTRICIAN"						
ELECTRICIAN <i>ELECTRICIANS LOCAL 103</i>	03/01/2014	\$44.45	\$13.00	\$14.68	\$0.00	\$72.13
	09/01/2014	\$45.12	\$13.00	\$14.70	\$0.00	\$72.82
	03/01/2015	\$45.84	\$13.00	\$14.72	\$0.00	\$73.56
	09/01/2015	\$46.80	\$13.00	\$14.75	\$0.00	\$74.55
	03/01/2016	\$47.75	\$13.00	\$14.78	\$0.00	\$75.53

Classification

Effective Date Base Wage Health Pension Supplemental
Unemployment Total Rate

Apprentice - ELECTRICIAN - Local 103
Effective Date - 03/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	40	\$17.78	\$13.00	\$0.53	\$0.00	\$31.31
2	40	\$17.78	\$13.00	\$0.53	\$0.00	\$31.31
3	45	\$20.00	\$13.00	\$11.04	\$0.00	\$44.04
4	45	\$20.00	\$13.00	\$11.04	\$0.00	\$44.04
5	50	\$22.23	\$13.00	\$11.37	\$0.00	\$46.60
6	55	\$24.45	\$13.00	\$11.70	\$0.00	\$49.15
7	60	\$26.67	\$13.00	\$12.03	\$0.00	\$51.70
8	65	\$28.89	\$13.00	\$12.37	\$0.00	\$54.26
9	70	\$31.12	\$13.00	\$12.69	\$0.00	\$56.81
10	75	\$33.34	\$13.00	\$13.03	\$0.00	\$59.37

Effective Date - 09/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	40	\$18.05	\$13.00	\$0.54	\$0.00	\$31.59
2	40	\$18.05	\$13.00	\$0.54	\$0.00	\$31.59
3	45	\$20.30	\$13.00	\$11.05	\$0.00	\$44.35
4	45	\$20.30	\$13.00	\$11.05	\$0.00	\$44.35
5	50	\$22.56	\$13.00	\$11.38	\$0.00	\$46.94
6	55	\$24.82	\$13.00	\$11.71	\$0.00	\$49.53
7	60	\$27.07	\$13.00	\$12.04	\$0.00	\$52.11
8	65	\$29.33	\$13.00	\$12.38	\$0.00	\$54.71
9	70	\$31.58	\$13.00	\$12.71	\$0.00	\$57.29
10	75	\$33.84	\$13.00	\$13.05	\$0.00	\$59.89

Notes: :

App Prior 1/1/03; 30/35/40/45/50/55/65/70/75/80

Apprentice to Journeyworker Ratio:2:3***

ELEVATOR CONSTRUCTOR	01/01/2012	\$52.45	\$8.78	\$6.96	\$0.00	\$68.19
ELEVATOR CONSTRUCTORS LOCAL 4						

Classification	Effective Date	Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
----------------	----------------	-----------	--------	---------	------------------------------	------------

Apprentice - ELEVATOR CONSTRUCTOR - Local 4

Effective Date - 01/01/2012

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$26.23	\$8.78	\$0.00	\$0.00	\$35.01
2	55	\$28.85	\$8.78	\$6.96	\$0.00	\$44.59
3	65	\$34.09	\$8.78	\$6.96	\$0.00	\$49.83
4	70	\$36.72	\$8.78	\$6.96	\$0.00	\$52.46
5	80	\$41.96	\$8.78	\$6.96	\$0.00	\$57.70

Notes:

Steps 1-2 are 6 mos.; Steps 3-5 are 1 year

Apprentice to Journeyworker Ratio:1:1

ELEVATOR CONSTRUCTOR HELPER <i>ELEVATOR CONSTRUCTORS LOCAL 4</i>	01/01/2012	\$38.59	\$8.78	\$6.96	\$0.00	\$54.33
For apprentice rates see "Apprentice - ELEVATOR CONSTRUCTOR"						
FENCE & GUARD RAIL ERECTOR <i>LABORERS - ZONE 1</i>	06/01/2014	\$34.35	\$7.30	\$12.70	\$0.00	\$54.35
	12/01/2014	\$35.10	\$7.30	\$12.70	\$0.00	\$55.10
	06/01/2015	\$35.85	\$7.30	\$12.70	\$0.00	\$55.85
	12/01/2015	\$36.60	\$7.30	\$12.70	\$0.00	\$56.60
	06/01/2016	\$37.35	\$7.30	\$12.70	\$0.00	\$57.35
	12/01/2016	\$38.35	\$7.30	\$12.70	\$0.00	\$58.35
For apprentice rates see "Apprentice- LABORER"						
FIELD ENG.INST.PERSON-BLDG,SITE,HVY/HWY <i>OPERATING ENGINEERS LOCAL 4</i>	05/01/2014	\$38.87	\$10.00	\$14.18	\$0.00	\$63.05
For apprentice rates see "Apprentice- OPERATING ENGINEERS"						
FIELD ENG.PARTY CHIEF-BLDG,SITE,HVY/HWY <i>OPERATING ENGINEERS LOCAL 4</i>	05/01/2014	\$40.29	\$10.00	\$14.18	\$0.00	\$64.47
For apprentice rates see "Apprentice- OPERATING ENGINEERS"						
FIELD ENG.ROD PERSON-BLDG,SITE,HVY/HWY <i>OPERATING ENGINEERS LOCAL 4</i>	05/01/2014	\$20.92	\$10.00	\$14.18	\$0.00	\$45.10
For apprentice rates see "Apprentice- OPERATING ENGINEERS"						
FIRE ALARM INSTALLER <i>ELECTRICIANS LOCAL 103</i>	03/01/2014	\$44.45	\$13.00	\$14.68	\$0.00	\$72.13
	09/01/2014	\$45.12	\$13.00	\$14.70	\$0.00	\$72.82
	03/01/2015	\$45.84	\$13.00	\$14.72	\$0.00	\$73.56
	09/01/2015	\$46.80	\$13.00	\$14.75	\$0.00	\$74.55
	03/01/2016	\$47.75	\$13.00	\$14.78	\$0.00	\$75.53
For apprentice rates see "Apprentice- ELECTRICIAN"						
FIRE ALARM REPAIR / MAINTENANCE / COMMISSIONING <i>ELECTRICIANS LOCAL 103</i>	03/01/2014	\$33.44	\$13.00	\$13.03	\$0.00	\$59.47
	09/01/2014	\$33.84	\$13.00	\$13.05	\$0.00	\$59.89
	03/01/2015	\$34.38	\$13.00	\$13.06	\$0.00	\$60.44
	09/01/2015	\$35.10	\$13.00	\$13.08	\$0.00	\$61.18
	03/01/2016	\$35.81	\$13.00	\$13.10	\$0.00	\$61.91
For apprentice rates see "Apprentice- TELECOMMUNICATIONS TECHNICIAN"						
FIREMAN (ASST. ENGINEER) <i>OPERATING ENGINEERS LOCAL 4</i>	12/01/2013	\$33.76	\$10.00	\$14.18	\$0.00	\$57.94
For apprentice rates see "Apprentice- OPERATING ENGINEERS"						

Classification	Effective Date	Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
FLAGGER & SIGNALER <i>LABORERS - ZONE I</i>	06/01/2014	\$20.50	\$7.30	\$12.70	\$0.00	\$40.50
	12/01/2014	\$20.50	\$7.30	\$12.70	\$0.00	\$40.50
	06/01/2015	\$20.50	\$7.30	\$12.70	\$0.00	\$40.50
	12/01/2015	\$20.50	\$7.30	\$12.70	\$0.00	\$40.50
	06/01/2016	\$20.50	\$7.30	\$12.70	\$0.00	\$40.50
	12/01/2016	\$20.50	\$7.30	\$12.70	\$0.00	\$40.50

For apprentice rates see "Apprentice- LABORER"

FLOORCOVERER <i>FLOORCOVERERS LOCAL 2168 ZONE I</i>	03/01/2014	\$39.87	\$9.80	\$16.96	\$0.00	\$66.63
--	------------	---------	--------	---------	--------	---------

Apprentice - FLOORCOVERER - Local 2168 Zone I

Effective Date - 03/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$19.94	\$9.80	\$1.79	\$0.00	\$31.53
2	55	\$21.93	\$9.80	\$1.79	\$0.00	\$33.52
3	60	\$23.92	\$9.80	\$11.59	\$0.00	\$45.31
4	65	\$25.92	\$9.80	\$11.59	\$0.00	\$47.31
5	70	\$27.91	\$9.80	\$13.38	\$0.00	\$51.09
6	75	\$29.90	\$9.80	\$13.38	\$0.00	\$53.08
7	80	\$31.90	\$9.80	\$15.17	\$0.00	\$56.87
8	85	\$33.89	\$9.80	\$15.17	\$0.00	\$58.86

Notes:

Steps are 750 hrs.

Apprentice to Journeyworker Ratio:1:1

FORK LIFT/CHERRY PICKER <i>OPERATING ENGINEERS LOCAL 4</i>	12/01/2013	\$40.49	\$10.00	\$14.18	\$0.00	\$64.67
---	------------	---------	---------	---------	--------	---------

For apprentice rates see "Apprentice- OPERATING ENGINEERS"

GENERATOR/LIGHTING PLANT/HEATERS <i>OPERATING ENGINEERS LOCAL 4</i>	12/01/2013	\$28.11	\$10.00	\$14.18	\$0.00	\$52.29
--	------------	---------	---------	---------	--------	---------

For apprentice rates see "Apprentice- OPERATING ENGINEERS"

GLAZIER (GLASS PLANK/AIR BARRIER/INTERIOR SYSTEMS) <i>GLAZIERS LOCAL 35 (ZONE I)</i>	07/01/2014	\$42.05	\$7.85	\$16.10	\$0.00	\$66.00
	01/01/2015	\$42.95	\$7.85	\$16.10	\$0.00	\$66.90
	07/01/2015	\$43.85	\$7.85	\$16.10	\$0.00	\$67.80
	01/01/2016	\$44.80	\$7.85	\$16.10	\$0.00	\$68.75
	07/01/2016	\$45.75	\$7.85	\$16.10	\$0.00	\$69.70
	01/01/2017	\$46.70	\$7.85	\$16.10	\$0.00	\$70.65

Classification
Effective Date
Base Wage
Health
Pension
**Supplemental
Unemployment**
Total Rate
Apprentice - GLAZIER - Local 35 Zone 1
Effective Date - 07/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$21.03	\$7.85	\$0.00	\$0.00	\$28.88
2	55	\$23.13	\$7.85	\$3.66	\$0.00	\$34.64
3	60	\$25.23	\$7.85	\$3.99	\$0.00	\$37.07
4	65	\$27.33	\$7.85	\$4.32	\$0.00	\$39.50
5	70	\$29.44	\$7.85	\$14.11	\$0.00	\$51.40
6	75	\$31.54	\$7.85	\$14.44	\$0.00	\$53.83
7	80	\$33.64	\$7.85	\$14.77	\$0.00	\$56.26
8	90	\$37.85	\$7.85	\$15.44	\$0.00	\$61.14

Effective Date - 01/01/2015

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$21.48	\$7.85	\$0.00	\$0.00	\$29.33
2	55	\$23.62	\$7.85	\$3.66	\$0.00	\$35.13
3	60	\$25.77	\$7.85	\$3.99	\$0.00	\$37.61
4	65	\$27.92	\$7.85	\$4.32	\$0.00	\$40.09
5	70	\$30.07	\$7.85	\$14.11	\$0.00	\$52.03
6	75	\$32.21	\$7.85	\$14.44	\$0.00	\$54.50
7	80	\$34.36	\$7.85	\$14.77	\$0.00	\$56.98
8	90	\$38.66	\$7.85	\$15.44	\$0.00	\$61.95

Notes:

Steps are 750 hrs.

Apprentice to Journeyworker Ratio:1:1

HOISTING ENGINEER/CRANES/GRADALLS

OPERATING ENGINEERS LOCAL 4

12/01/2013

\$40.49

\$10.00

\$14.18

\$0.00

\$64.67

Classification
Effective Date
Base Wage
Health
Pension
**Supplemental
Unemployment**
Total Rate
Apprentice - OPERATING ENGINEERS - Local 4
Effective Date - 12/01/2013

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	55	\$22.27	\$10.00	\$0.00	\$0.00	\$32.27
2	60	\$24.29	\$10.00	\$14.18	\$0.00	\$48.47
3	65	\$26.32	\$10.00	\$14.18	\$0.00	\$50.50
4	70	\$28.34	\$10.00	\$14.18	\$0.00	\$52.52
5	75	\$30.37	\$10.00	\$14.18	\$0.00	\$54.55
6	80	\$32.39	\$10.00	\$14.18	\$0.00	\$56.57
7	85	\$34.42	\$10.00	\$14.18	\$0.00	\$58.60
8	90	\$36.44	\$10.00	\$14.18	\$0.00	\$60.62

Notes:
Apprentice to Journeyworker Ratio:1:6

HVAC (DUCTWORK)	02/01/2014	\$42.76	\$9.82	\$19.74	\$2.17	\$74.49
<i>SHEETMETAL WORKERS LOCAL 17 - A</i>	08/01/2014	\$43.61	\$9.82	\$19.74	\$2.17	\$75.34
	02/01/2015	\$44.51	\$9.82	\$19.74	\$2.17	\$76.24
	08/01/2015	\$45.51	\$9.82	\$19.74	\$2.17	\$77.24
	02/01/2016	\$46.51	\$9.82	\$19.74	\$2.17	\$78.24
	08/01/2016	\$47.66	\$9.82	\$19.74	\$2.17	\$79.39
	02/01/2017	\$48.76	\$9.82	\$19.74	\$2.17	\$80.49
	08/01/2017	\$49.86	\$9.82	\$19.74	\$2.17	\$81.59
	02/01/2018	\$51.01	\$9.82	\$19.74	\$2.17	\$82.74

For apprentice rates see "Apprentice- SHEET METAL WORKER"

HVAC (ELECTRICAL CONTROLS)	03/01/2014	\$44.45	\$13.00	\$14.68	\$0.00	\$72.13
<i>ELECTRICIANS LOCAL 103</i>	09/01/2014	\$45.12	\$13.00	\$14.70	\$0.00	\$72.82
	03/01/2015	\$45.84	\$13.00	\$14.72	\$0.00	\$73.56
	09/01/2015	\$46.80	\$13.00	\$14.75	\$0.00	\$74.55
	03/01/2016	\$47.75	\$13.00	\$14.78	\$0.00	\$75.53

For apprentice rates see "Apprentice- ELECTRICIAN"

HVAC (TESTING AND BALANCING - AIR)	02/01/2014	\$42.76	\$9.82	\$19.74	\$2.17	\$74.49
<i>SHEETMETAL WORKERS LOCAL 17 - A</i>	08/01/2014	\$43.61	\$9.82	\$19.74	\$2.17	\$75.34
	02/01/2015	\$44.51	\$9.82	\$19.74	\$2.17	\$76.24
	08/01/2015	\$45.51	\$9.82	\$19.74	\$2.17	\$77.24
	02/01/2016	\$46.51	\$9.82	\$19.74	\$2.17	\$78.24
	08/01/2016	\$47.66	\$9.82	\$19.74	\$2.17	\$79.39
	02/01/2017	\$48.76	\$9.82	\$19.74	\$2.17	\$80.49
	08/01/2017	\$49.86	\$9.82	\$19.74	\$2.17	\$81.59
	02/01/2018	\$51.01	\$9.82	\$19.74	\$2.17	\$82.74

For apprentice rates see "Apprentice- SHEET METAL WORKER"

Classification	Effective Date	Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
HVAC (TESTING AND BALANCING -WATER) <i>PIPEFITTERS LOCAL 537</i>	03/01/2014	\$48.19	\$9.20	\$16.14	\$0.00	\$73.53
	09/01/2014	\$49.19	\$9.20	\$16.14	\$0.00	\$74.53
	03/01/2015	\$50.19	\$9.20	\$16.14	\$0.00	\$75.53
	09/01/2015	\$51.19	\$9.20	\$16.14	\$0.00	\$76.53
	03/01/2016	\$52.19	\$9.20	\$16.14	\$0.00	\$77.53
	09/01/2016	\$53.19	\$9.20	\$16.14	\$0.00	\$78.53
	03/01/2017	\$54.19	\$9.20	\$16.14	\$0.00	\$79.53
For apprentice rates see "Apprentice- PIPEFITTER" or "PLUMBER/PIPEFITTER"						
HVAC MECHANIC <i>PIPEFITTERS LOCAL 537</i>	03/01/2014	\$48.19	\$9.20	\$16.14	\$0.00	\$73.53
	09/01/2014	\$49.19	\$9.20	\$16.14	\$0.00	\$74.53
	03/01/2015	\$50.19	\$9.20	\$16.14	\$0.00	\$75.53
	09/01/2015	\$51.19	\$9.20	\$16.14	\$0.00	\$76.53
	03/01/2016	\$52.19	\$9.20	\$16.14	\$0.00	\$77.53
	09/01/2016	\$53.19	\$9.20	\$16.14	\$0.00	\$78.53
	03/01/2017	\$54.19	\$9.20	\$16.14	\$0.00	\$79.53
For apprentice rates see "Apprentice- PIPEFITTER" or "PLUMBER/PIPEFITTER"						
HYDRAULIC DRILLS <i>LABORERS - ZONE 1</i>	06/01/2014	\$34.85	\$7.30	\$12.70	\$0.00	\$54.85
	12/01/2014	\$35.60	\$7.30	\$12.70	\$0.00	\$55.60
	06/01/2015	\$36.35	\$7.30	\$12.70	\$0.00	\$56.35
	12/01/2015	\$37.10	\$7.30	\$12.70	\$0.00	\$57.10
	06/01/2016	\$37.85	\$7.30	\$12.70	\$0.00	\$57.85
	12/01/2016	\$38.85	\$7.30	\$12.70	\$0.00	\$58.85
For apprentice rates see "Apprentice- LABORER"						
INSULATOR (PIPES & TANKS) <i>HEAT & FROST INSULATORS LOCAL 6 (BOSTON)</i>	09/01/2013	\$42.11	\$10.95	\$12.10	\$0.00	\$65.16
	09/01/2014	\$44.11	\$10.95	\$12.10	\$0.00	\$67.16

Apprentice - ASBESTOS INSULATOR (Pipes & Tanks) - Local 6 Boston

Effective Date - 09/01/2013

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$21.06	\$10.95	\$9.00	\$0.00	\$41.01
2	60	\$25.27	\$10.95	\$9.62	\$0.00	\$45.84
3	70	\$29.48	\$10.95	\$10.24	\$0.00	\$50.67
4	80	\$33.69	\$10.95	\$10.86	\$0.00	\$55.50

Effective Date - 09/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$22.06	\$10.95	\$9.00	\$0.00	\$42.01
2	60	\$26.47	\$10.95	\$9.62	\$0.00	\$47.04
3	70	\$30.88	\$10.95	\$10.24	\$0.00	\$52.07
4	80	\$35.29	\$10.95	\$10.86	\$0.00	\$57.10

Notes:

Steps are 1 year

Apprentice to Journeyworker Ratio:1:4

Classification	Effective Date	Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
IRONWORKER/WELDER <i>IRONWORKERS LOCAL 7 (BOSTON AREA)</i>	03/16/2014	\$41.19	\$7.70	\$19.25	\$0.00	\$68.14

Apprentice - IRONWORKER - Local 7 Boston

Effective Date - 03/16/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	60	\$24.71	\$7.70	\$19.25	\$0.00	\$51.66
2	70	\$28.83	\$7.70	\$19.25	\$0.00	\$55.78
3	75	\$30.89	\$7.70	\$19.25	\$0.00	\$57.84
4	80	\$32.95	\$7.70	\$19.25	\$0.00	\$59.90
5	85	\$35.01	\$7.70	\$19.25	\$0.00	\$61.96
6	90	\$37.07	\$7.70	\$19.25	\$0.00	\$64.02

Notes:

** Structural 1:6; Ornamental 1:4

Apprentice to Journeyworker Ratio:**

JACKHAMMER & PAVING BREAKER OPERATOR <i>LABORERS - ZONE 1</i>	06/01/2014	\$34.35	\$7.30	\$12.70	\$0.00	\$54.35
	12/01/2014	\$35.10	\$7.30	\$12.70	\$0.00	\$55.10
	06/01/2015	\$35.85	\$7.30	\$12.70	\$0.00	\$55.85
	12/01/2015	\$36.60	\$7.30	\$12.70	\$0.00	\$56.60
	06/01/2016	\$37.35	\$7.30	\$12.70	\$0.00	\$57.35
	12/01/2016	\$38.35	\$7.30	\$12.70	\$0.00	\$58.35

For apprentice rates see "Apprentice- LABORER"

LABORER <i>LABORERS - ZONE 1</i>	06/01/2014	\$34.10	\$7.30	\$12.70	\$0.00	\$54.10
	12/01/2014	\$34.85	\$7.30	\$12.70	\$0.00	\$54.85
	06/01/2015	\$35.60	\$7.30	\$12.70	\$0.00	\$55.60
	12/01/2015	\$36.35	\$7.30	\$12.70	\$0.00	\$56.35
	06/01/2016	\$37.10	\$7.30	\$12.70	\$0.00	\$57.10
	12/01/2016	\$38.10	\$7.30	\$12.70	\$0.00	\$58.10

Apprentice - *LABORER - Zone 1*

Effective Date - 06/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	60	\$20.46	\$7.30	\$12.70	\$0.00	\$40.46
2	70	\$23.87	\$7.30	\$12.70	\$0.00	\$43.87
3	80	\$27.28	\$7.30	\$12.70	\$0.00	\$47.28
4	90	\$30.69	\$7.30	\$12.70	\$0.00	\$50.69

Effective Date - 12/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	60	\$20.91	\$7.30	\$12.70	\$0.00	\$40.91
2	70	\$24.40	\$7.30	\$12.70	\$0.00	\$44.40
3	80	\$27.88	\$7.30	\$12.70	\$0.00	\$47.88
4	90	\$31.37	\$7.30	\$12.70	\$0.00	\$51.37

Notes:

Apprentice to Journeyworker Ratio:1:5

LABORER: CARPENTER TENDER	06/01/2014	\$34.10	\$7.30	\$12.70	\$0.00	\$54.10
<i>LABORERS - ZONE 1</i>	12/01/2014	\$34.85	\$7.30	\$12.70	\$0.00	\$54.85
	06/01/2015	\$35.60	\$7.30	\$12.70	\$0.00	\$55.60
	12/01/2015	\$36.35	\$7.30	\$12.70	\$0.00	\$56.35
	06/01/2016	\$37.10	\$7.30	\$12.70	\$0.00	\$57.10
	12/01/2016	\$38.10	\$7.30	\$12.70	\$0.00	\$58.10

For apprentice rates see "Apprentice- LABORER"

LABORER: CEMENT FINISHER TENDER	06/01/2014	\$34.10	\$7.30	\$12.70	\$0.00	\$54.10
<i>LABORERS - ZONE 1</i>	12/01/2014	\$34.85	\$7.30	\$12.70	\$0.00	\$54.85
	06/01/2015	\$35.60	\$7.30	\$12.70	\$0.00	\$55.60
	12/01/2015	\$36.35	\$7.30	\$12.70	\$0.00	\$56.35
	06/01/2016	\$37.10	\$7.30	\$12.70	\$0.00	\$57.10
	12/01/2016	\$38.10	\$7.30	\$12.70	\$0.00	\$58.10

For apprentice rates see "Apprentice- LABORER"

LABORER: HAZARDOUS WASTE/ASBESTOS REMOVER	06/01/2014	\$34.25	\$7.30	\$12.70	\$0.00	\$54.25
<i>LABORERS - ZONE 1</i>	12/01/2014	\$35.00	\$7.30	\$12.70	\$0.00	\$55.00
	06/01/2015	\$35.75	\$7.30	\$12.70	\$0.00	\$55.75
	12/01/2015	\$36.50	\$7.30	\$12.70	\$0.00	\$56.50

For apprentice rates see "Apprentice- LABORER"

LABORER: MASON TENDER	06/01/2014	\$34.35	\$7.30	\$12.70	\$0.00	\$54.35
<i>LABORERS - ZONE 1</i>	12/01/2014	\$35.10	\$7.30	\$12.70	\$0.00	\$55.10
	06/01/2015	\$35.85	\$7.30	\$12.70	\$0.00	\$55.85
	12/01/2015	\$36.60	\$7.30	\$12.70	\$0.00	\$56.60
	06/01/2016	\$37.35	\$7.30	\$12.70	\$0.00	\$57.35
	12/01/2016	\$38.35	\$7.30	\$12.70	\$0.00	\$58.35

For apprentice rates see "Apprentice- LABORER"

Classification	Effective Date	Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
LABORER: MULTI-TRADE TENDER <i>LABORERS - ZONE 1</i>	06/01/2014	\$34.10	\$7.30	\$12.70	\$0.00	\$54.10
	12/01/2014	\$34.85	\$7.30	\$12.70	\$0.00	\$54.85
	06/01/2015	\$35.60	\$7.30	\$12.70	\$0.00	\$55.60
	12/01/2015	\$36.35	\$7.30	\$12.70	\$0.00	\$56.35
	06/01/2016	\$37.10	\$7.30	\$12.70	\$0.00	\$57.10
	12/01/2016	\$38.10	\$7.30	\$12.70	\$0.00	\$58.10
For apprentice rates see "Apprentice- LABORER"						
LABORER: TREE REMOVER <i>LABORERS - ZONE 1</i>	06/01/2014	\$34.10	\$7.30	\$12.70	\$0.00	\$54.10
	12/01/2014	\$34.85	\$7.30	\$12.70	\$0.00	\$54.85
	06/01/2015	\$35.60	\$7.30	\$12.70	\$0.00	\$55.60
	12/01/2015	\$36.35	\$7.30	\$12.70	\$0.00	\$56.35
	06/01/2016	\$37.10	\$7.30	\$12.70	\$0.00	\$57.10
	12/01/2016	\$38.10	\$7.30	\$12.70	\$0.00	\$58.10
This classification applies to all tree work associated with the removal of standing trees, and trimming and removal of branches and limbs when the work is not done for a utility company for the purpose of operation, maintenance or repair of utility company equipment. For apprentice rates see "Apprentice- LABORER"						
LASER BEAM OPERATOR <i>LABORERS - ZONE 1</i>	06/01/2014	\$34.35	\$7.30	\$12.70	\$0.00	\$54.35
	12/01/2014	\$35.10	\$7.30	\$12.70	\$0.00	\$55.10
	06/01/2015	\$35.85	\$7.30	\$12.70	\$0.00	\$55.85
	12/01/2015	\$36.60	\$7.30	\$12.70	\$0.00	\$56.60
	06/01/2016	\$37.35	\$7.30	\$12.70	\$0.00	\$57.35
	12/01/2016	\$38.35	\$7.30	\$12.70	\$0.00	\$58.35
For apprentice rates see "Apprentice- LABORER"						
MARBLE & TILE FINISHERS <i>BRICKLAYERS LOCAL 3 - MARBLE & TILE</i>	02/01/2014	\$36.66	\$10.18	\$16.83	\$0.00	\$63.67
	08/01/2014	\$37.37	\$10.18	\$16.90	\$0.00	\$64.45
	02/01/2015	\$37.82	\$10.18	\$16.90	\$0.00	\$64.90
	08/01/2015	\$38.53	\$10.18	\$16.97	\$0.00	\$65.68
	02/01/2016	\$38.98	\$10.18	\$16.97	\$0.00	\$66.13
	08/01/2016	\$39.68	\$10.18	\$17.05	\$0.00	\$66.91
	02/01/2017	\$40.14	\$10.18	\$17.05	\$0.00	\$67.37

Classification

Effective Date Base Wage Health Pension Supplemental Unemployment Total Rate

Apprentice - MARBLE & TILE FINISHER - Local 3 Marble & Tile

Effective Date - 02/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$18.33	\$10.18	\$16.83	\$0.00	\$45.34
2	60	\$22.00	\$10.18	\$16.83	\$0.00	\$49.01
3	70	\$25.66	\$10.18	\$16.83	\$0.00	\$52.67
4	80	\$29.33	\$10.18	\$16.83	\$0.00	\$56.34
5	90	\$32.99	\$10.18	\$16.83	\$0.00	\$60.00

Effective Date - 08/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$18.69	\$10.18	\$16.90	\$0.00	\$45.77
2	60	\$22.42	\$10.18	\$16.90	\$0.00	\$49.50
3	70	\$26.16	\$10.18	\$16.90	\$0.00	\$53.24
4	80	\$29.90	\$10.18	\$16.90	\$0.00	\$56.98
5	90	\$33.63	\$10.18	\$16.90	\$0.00	\$60.71

Notes:

Apprentice to Journeyworker Ratio:1:3

MARBLE MASONS,TILELAYERS & TERRAZZO MECH	02/01/2014	\$48.10	\$10.18	\$18.15	\$0.00	\$76.43
BRICKLAYERS LOCAL 3 - MARBLE & TILE	08/01/2014	\$49.00	\$10.18	\$18.22	\$0.00	\$77.40
	02/01/2015	\$49.56	\$10.18	\$18.22	\$0.00	\$77.96
	08/01/2015	\$50.46	\$10.18	\$18.29	\$0.00	\$78.93
	02/01/2016	\$51.03	\$10.18	\$18.29	\$0.00	\$79.50
	08/01/2016	\$51.93	\$10.18	\$18.37	\$0.00	\$80.48
	02/01/2017	\$52.50	\$10.18	\$18.37	\$0.00	\$81.05

Classification
Effective Date
Base Wage
Health
Pension
**Supplemental
Unemployment**
Total Rate
Apprentice - MARBLE-TILE-TERRAZZO MECHANIC - Local 3 Marble & Tile
Effective Date - 02/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$24.05	\$10.18	\$18.15	\$0.00	\$52.38
2	60	\$28.86	\$10.18	\$18.15	\$0.00	\$57.19
3	70	\$33.67	\$10.18	\$18.15	\$0.00	\$62.00
4	80	\$38.48	\$10.18	\$18.15	\$0.00	\$66.81
5	90	\$43.29	\$10.18	\$18.15	\$0.00	\$71.62

Effective Date - 08/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$24.50	\$10.18	\$18.22	\$0.00	\$52.90
2	60	\$29.40	\$10.18	\$18.22	\$0.00	\$57.80
3	70	\$34.30	\$10.18	\$18.22	\$0.00	\$62.70
4	80	\$39.20	\$10.18	\$18.22	\$0.00	\$67.60
5	90	\$44.10	\$10.18	\$18.22	\$0.00	\$72.50

Notes:
Apprentice to Journeyworker Ratio:1:5

MECH. SWEEPER OPERATOR (ON CONST. SITES) OPERATING ENGINEERS LOCAL 4	12/01/2013	\$40.11	\$10.00	\$14.18	\$0.00	\$64.29
For apprentice rates see "Apprentice- OPERATING ENGINEERS"						
MECHANICS MAINTENANCE OPERATING ENGINEERS LOCAL 4	12/01/2013	\$40.11	\$10.00	\$14.18	\$0.00	\$64.29
For apprentice rates see "Apprentice- OPERATING ENGINEERS"						
MILLWRIGHT (Zone 1) MILLWRIGHTS LOCAL 1121 - Zone 1	04/01/2014	\$35.73	\$9.80	\$16.21	\$0.00	\$61.74
	10/01/2014	\$36.68	\$9.80	\$16.21	\$0.00	\$62.69
	04/01/2015	\$37.64	\$9.80	\$16.21	\$0.00	\$63.65

Classification	Effective Date	Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
----------------	----------------	-----------	--------	---------	---------------------------	------------

Apprentice - MILLWRIGHT - Local 1121 Zone 1

Effective Date - 04/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	55	\$19.65	\$9.80	\$4.48	\$0.00	\$33.93
2	65	\$23.22	\$9.80	\$13.36	\$0.00	\$46.38
3	75	\$26.80	\$9.80	\$14.18	\$0.00	\$50.78
4	85	\$30.37	\$9.80	\$14.99	\$0.00	\$55.16

Effective Date - 10/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	55	\$20.17	\$9.80	\$4.48	\$0.00	\$34.45
2	65	\$23.84	\$9.80	\$13.36	\$0.00	\$47.00
3	75	\$27.51	\$9.80	\$14.18	\$0.00	\$51.49
4	85	\$31.18	\$9.80	\$14.99	\$0.00	\$55.97

Notes:

Steps are 2,000 hours

Apprentice to Journeyworker Ratio:1:5

MORTAR MIXER	06/01/2014	\$34.35	\$7.30	\$12.70	\$0.00	\$54.35
LABORERS - ZONE 1	12/01/2014	\$35.10	\$7.30	\$12.70	\$0.00	\$55.10
	06/01/2015	\$35.85	\$7.30	\$12.70	\$0.00	\$55.85
	12/01/2015	\$36.60	\$7.30	\$12.70	\$0.00	\$56.60
	06/01/2016	\$37.35	\$7.30	\$12.70	\$0.00	\$57.35
	12/01/2016	\$38.35	\$7.30	\$12.70	\$0.00	\$58.35
For apprentice rates see "Apprentice- LABORER"						
OILER (OTHER THAN TRUCK CRANES,GRADALLS)	12/01/2013	\$20.96	\$10.00	\$14.18	\$0.00	\$45.14
OPERATING ENGINEERS LOCAL 4	For apprentice rates see "Apprentice- OPERATING ENGINEERS"					
OILER (TRUCK CRANES, GRADALLS)	12/01/2013	\$24.43	\$10.00	\$14.18	\$0.00	\$48.61
OPERATING ENGINEERS LOCAL 4	For apprentice rates see "Apprentice- OPERATING ENGINEERS"					
OTHER POWER DRIVEN EQUIPMENT - CLASS II	12/01/2013	\$40.11	\$10.00	\$14.18	\$0.00	\$64.29
OPERATING ENGINEERS LOCAL 4	For apprentice rates see "Apprentice- OPERATING ENGINEERS"					
PAINTER (BRIDGES/TANKS)	07/01/2014	\$46.76	\$7.85	\$16.10	\$0.00	\$70.71
PAINTERS LOCAL 35 - ZONE 1	01/01/2015	\$47.66	\$7.85	\$16.10	\$0.00	\$71.61
	07/01/2015	\$48.56	\$7.85	\$16.10	\$0.00	\$72.51
	01/01/2016	\$49.51	\$7.85	\$16.10	\$0.00	\$73.46
	07/01/2016	\$50.46	\$7.85	\$16.10	\$0.00	\$74.41
	01/01/2017	\$51.41	\$7.85	\$16.10	\$0.00	\$75.36

Apprentice - PAINTER Local 35 - BRIDGES/TANKS**Effective Date - 07/01/2014**

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$23.38	\$7.85	\$0.00	\$0.00	\$31.23
2	55	\$25.72	\$7.85	\$3.66	\$0.00	\$37.23
3	60	\$28.06	\$7.85	\$3.99	\$0.00	\$39.90
4	65	\$30.39	\$7.85	\$4.32	\$0.00	\$42.56
5	70	\$32.73	\$7.85	\$14.11	\$0.00	\$54.69
6	75	\$35.07	\$7.85	\$14.44	\$0.00	\$57.36
7	80	\$37.41	\$7.85	\$14.77	\$0.00	\$60.03
8	90	\$42.08	\$7.85	\$15.44	\$0.00	\$65.37

Effective Date - 01/01/2015

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$23.83	\$7.85	\$0.00	\$0.00	\$31.68
2	55	\$26.21	\$7.85	\$3.66	\$0.00	\$37.72
3	60	\$28.60	\$7.85	\$3.99	\$0.00	\$40.44
4	65	\$30.98	\$7.85	\$4.32	\$0.00	\$43.15
5	70	\$33.36	\$7.85	\$14.11	\$0.00	\$55.32
6	75	\$35.75	\$7.85	\$14.44	\$0.00	\$58.04
7	80	\$38.13	\$7.85	\$14.77	\$0.00	\$60.75
8	90	\$42.89	\$7.85	\$15.44	\$0.00	\$66.18

Notes:

Steps are 750 hrs.

Apprentice to Journeyworker Ratio:1:1

PAINTER (SPRAY OR SANDBLAST, NEW) *

* If 30% or more of surfaces to be painted are new construction,

NEW paint rate shall be used. *PAINTERS LOCAL 35 - ZONE 1*

07/01/2014	\$43.45	\$7.85	\$16.10	\$0.00	\$67.40
01/01/2015	\$44.35	\$7.85	\$16.10	\$0.00	\$68.30
07/01/2015	\$45.25	\$7.85	\$16.10	\$0.00	\$69.20
01/01/2016	\$46.20	\$7.85	\$16.10	\$0.00	\$70.15
07/01/2016	\$47.15	\$7.85	\$16.10	\$0.00	\$71.10
01/01/2017	\$48.10	\$7.85	\$16.10	\$0.00	\$72.05

Apprentice - PAINTER Local 35 Zone 1 - Spray/Sandblast - New**Effective Date - 07/01/2014**

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$21.73	\$7.85	\$0.00	\$0.00	\$29.58
2	55	\$23.90	\$7.85	\$3.66	\$0.00	\$35.41
3	60	\$26.07	\$7.85	\$3.99	\$0.00	\$37.91
4	65	\$28.24	\$7.85	\$4.32	\$0.00	\$40.41
5	70	\$30.42	\$7.85	\$14.11	\$0.00	\$52.38
6	75	\$32.59	\$7.85	\$14.44	\$0.00	\$54.88
7	80	\$34.76	\$7.85	\$14.77	\$0.00	\$57.38
8	90	\$39.11	\$7.85	\$15.44	\$0.00	\$62.40

Effective Date - 01/01/2015

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$22.18	\$7.85	\$0.00	\$0.00	\$30.03
2	55	\$24.39	\$7.85	\$3.66	\$0.00	\$35.90
3	60	\$26.61	\$7.85	\$3.99	\$0.00	\$38.45
4	65	\$28.83	\$7.85	\$4.32	\$0.00	\$41.00
5	70	\$31.05	\$7.85	\$14.11	\$0.00	\$53.01
6	75	\$33.26	\$7.85	\$14.44	\$0.00	\$55.55
7	80	\$35.48	\$7.85	\$14.77	\$0.00	\$58.10
8	90	\$39.92	\$7.85	\$15.44	\$0.00	\$63.21

Notes:

Steps are 750 hrs.

Apprentice to Journeyworker Ratio:1:1

PAINTER (SPRAY OR SANDBLAST, REPAINT)

PAINTERS LOCAL 35 - ZONE 1

07/01/2014	\$41.51	\$7.85	\$16.10	\$0.00	\$65.46
01/01/2015	\$42.41	\$7.85	\$16.10	\$0.00	\$66.36
07/01/2015	\$43.31	\$7.85	\$16.10	\$0.00	\$67.26
01/01/2016	\$44.26	\$7.85	\$16.10	\$0.00	\$68.21
07/01/2016	\$45.21	\$7.85	\$16.10	\$0.00	\$69.16
01/01/2017	\$46.16	\$7.85	\$16.10	\$0.00	\$70.11

Classification

Effective Date Base Wage Health Pension Supplemental Unemployment Total Rate

Apprentice - PAINTER Local 35 Zone 1 - Spray/Sandblast - Repaint
Effective Date - 07/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$20.76	\$7.85	\$0.00	\$0.00	\$28.61
2	55	\$22.83	\$7.85	\$3.66	\$0.00	\$34.34
3	60	\$24.91	\$7.85	\$3.99	\$0.00	\$36.75
4	65	\$26.98	\$7.85	\$4.32	\$0.00	\$39.15
5	70	\$29.06	\$7.85	\$14.11	\$0.00	\$51.02
6	75	\$31.13	\$7.85	\$14.44	\$0.00	\$53.42
7	80	\$33.21	\$7.85	\$14.77	\$0.00	\$55.83
8	90	\$37.36	\$7.85	\$15.44	\$0.00	\$60.65

Effective Date - 01/01/2015

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$21.21	\$7.85	\$0.00	\$0.00	\$29.06
2	55	\$23.33	\$7.85	\$3.66	\$0.00	\$34.84
3	60	\$25.45	\$7.85	\$3.99	\$0.00	\$37.29
4	65	\$27.57	\$7.85	\$4.32	\$0.00	\$39.74
5	70	\$29.69	\$7.85	\$14.11	\$0.00	\$51.65
6	75	\$31.81	\$7.85	\$14.44	\$0.00	\$54.10
7	80	\$33.93	\$7.85	\$14.77	\$0.00	\$56.55
8	90	\$38.17	\$7.85	\$15.44	\$0.00	\$61.46

Notes:

Steps are 750 hrs.

Apprentice to Journeyworker Ratio:1:1

PAINTER (TRAFFIC MARKINGS)	06/01/2014	\$34.10	\$7.30	\$12.70	\$0.00	\$54.10
LABORERS - ZONE 1	12/01/2014	\$34.85	\$7.30	\$12.70	\$0.00	\$54.85
	06/01/2015	\$35.60	\$7.30	\$12.70	\$0.00	\$55.60
	12/01/2015	\$36.35	\$7.30	\$12.70	\$0.00	\$56.35
	06/01/2016	\$37.10	\$7.30	\$12.70	\$0.00	\$57.10
	12/01/2016	\$38.10	\$7.30	\$12.70	\$0.00	\$58.10
For Apprentice rates see "Apprentice- LABORER"						
PAINTER / TAPER (BRUSH, NEW) *	07/01/2014	\$42.05	\$7.85	\$16.10	\$0.00	\$66.00
* If 30% or more of surfaces to be painted are new construction,	01/01/2015	\$42.95	\$7.85	\$16.10	\$0.00	\$66.90
NEW paint rate shall be used. PAINTERS LOCAL 35 - ZONE 1	07/01/2015	\$43.85	\$7.85	\$16.10	\$0.00	\$67.80
	01/01/2016	\$44.80	\$7.85	\$16.10	\$0.00	\$68.75
	07/01/2016	\$45.75	\$7.85	\$16.10	\$0.00	\$69.70
	01/01/2017	\$46.70	\$7.85	\$16.10	\$0.00	\$70.65

Apprentice - PAINTER - Local 35 Zone 1 - BRUSH NEW**Effective Date - 07/01/2014**

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$21.03	\$7.85	\$0.00	\$0.00	\$28.88
2	55	\$23.13	\$7.85	\$3.66	\$0.00	\$34.64
3	60	\$25.23	\$7.85	\$3.99	\$0.00	\$37.07
4	65	\$27.33	\$7.85	\$4.32	\$0.00	\$39.50
5	70	\$29.44	\$7.85	\$14.11	\$0.00	\$51.40
6	75	\$31.54	\$7.85	\$14.44	\$0.00	\$53.83
7	80	\$33.64	\$7.85	\$14.77	\$0.00	\$56.26
8	90	\$37.85	\$7.85	\$15.44	\$0.00	\$61.14

Effective Date - 01/01/2015

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$21.48	\$7.85	\$0.00	\$0.00	\$29.33
2	55	\$23.62	\$7.85	\$3.66	\$0.00	\$35.13
3	60	\$25.77	\$7.85	\$3.99	\$0.00	\$37.61
4	65	\$27.92	\$7.85	\$4.32	\$0.00	\$40.09
5	70	\$30.07	\$7.85	\$14.11	\$0.00	\$52.03
6	75	\$32.21	\$7.85	\$14.44	\$0.00	\$54.50
7	80	\$34.36	\$7.85	\$14.77	\$0.00	\$56.98
8	90	\$38.66	\$7.85	\$15.44	\$0.00	\$61.95

Notes:

Steps are 750 hrs.

Apprentice to Journeyworker Ratio:1:1

PAINTER / TAPER (BRUSH, REPAINT)

PAINTERS LOCAL 35 - ZONE 1

07/01/2014	\$40.11	\$7.85	\$16.10	\$0.00	\$64.06
01/01/2015	\$41.01	\$7.85	\$16.10	\$0.00	\$64.96
07/01/2015	\$41.91	\$7.85	\$16.10	\$0.00	\$65.86
01/01/2016	\$42.86	\$7.85	\$16.10	\$0.00	\$66.81
07/01/2016	\$43.81	\$7.85	\$16.10	\$0.00	\$67.76
01/01/2017	\$44.76	\$7.85	\$16.10	\$0.00	\$68.71

Classification
Effective Date
Base Wage
Health
Pension
**Supplemental
Unemployment**
Total Rate
Apprentice - PAINTER Local 35 Zone 1 - BRUSH REPAINT
Effective Date - 07/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$20.06	\$7.85	\$0.00	\$0.00	\$27.91
2	55	\$22.06	\$7.85	\$3.66	\$0.00	\$33.57
3	60	\$24.07	\$7.85	\$3.99	\$0.00	\$35.91
4	65	\$26.07	\$7.85	\$4.32	\$0.00	\$38.24
5	70	\$28.08	\$7.85	\$14.11	\$0.00	\$50.04
6	75	\$30.08	\$7.85	\$14.44	\$0.00	\$52.37
7	80	\$32.09	\$7.85	\$14.77	\$0.00	\$54.71
8	90	\$36.10	\$7.85	\$15.44	\$0.00	\$59.39

Effective Date - 01/01/2015

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$20.51	\$7.85	\$0.00	\$0.00	\$28.36
2	55	\$22.56	\$7.85	\$3.66	\$0.00	\$34.07
3	60	\$24.61	\$7.85	\$3.99	\$0.00	\$36.45
4	65	\$26.66	\$7.85	\$4.32	\$0.00	\$38.83
5	70	\$28.71	\$7.85	\$14.11	\$0.00	\$50.67
6	75	\$30.76	\$7.85	\$14.44	\$0.00	\$53.05
7	80	\$32.81	\$7.85	\$14.77	\$0.00	\$55.43
8	90	\$36.91	\$7.85	\$15.44	\$0.00	\$60.20

Notes:

Steps are 750 hrs.

Apprentice to Journeyworker Ratio:1:1
PANEL & PICKUP TRUCKS DRIVER
TEAMSTERS JOINT COUNCIL NO. 10 ZONE A

06/01/2014	\$32.23	\$9.41	\$8.80	\$0.00	\$50.44
08/01/2014	\$32.23	\$9.91	\$8.80	\$0.00	\$50.94
12/01/2014	\$32.23	\$9.91	\$9.33	\$0.00	\$51.47
06/01/2015	\$32.58	\$9.91	\$9.33	\$0.00	\$51.82
08/01/2015	\$32.58	\$10.41	\$9.33	\$0.00	\$52.32
12/01/2015	\$32.58	\$10.41	\$10.08	\$0.00	\$53.07
06/01/2016	\$33.08	\$10.41	\$10.08	\$0.00	\$53.57
08/01/2016	\$33.08	\$10.91	\$10.08	\$0.00	\$54.07
12/01/2016	\$33.08	\$10.91	\$10.89	\$0.00	\$54.88

PIER AND DOCK CONSTRUCTOR (UNDERPINNING AND DECK)
PILE DRIVER LOCAL 56 (ZONE 1)

08/01/2013	\$40.10	\$9.80	\$18.17	\$0.00	\$68.07
08/01/2014	\$41.60	\$9.80	\$18.17	\$0.00	\$69.57
08/01/2015	\$43.10	\$9.80	\$18.17	\$0.00	\$71.07

PILE DRIVER
PILE DRIVER LOCAL 56 (ZONE 1)

08/01/2013	\$40.10	\$9.80	\$18.17	\$0.00	\$68.07
08/01/2014	\$41.60	\$9.80	\$18.17	\$0.00	\$69.57
08/01/2015	\$43.10	\$9.80	\$18.17	\$0.00	\$71.07

Classification

Effective Date Base Wage Health Pension Supplemental Unemployment Total Rate

Apprentice - PILE DRIVER - Local 56 Zone 1

Effective Date - 08/01/2013

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$20.05	\$9.80	\$18.17	\$0.00	\$48.02
2	60	\$24.06	\$9.80	\$18.17	\$0.00	\$52.03
3	70	\$28.07	\$9.80	\$18.17	\$0.00	\$56.04
4	75	\$30.08	\$9.80	\$18.17	\$0.00	\$58.05
5	80	\$32.08	\$9.80	\$18.17	\$0.00	\$60.05
6	80	\$32.08	\$9.80	\$18.17	\$0.00	\$60.05
7	90	\$36.09	\$9.80	\$18.17	\$0.00	\$64.06
8	90	\$36.09	\$9.80	\$18.17	\$0.00	\$64.06

Effective Date - 08/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$20.80	\$9.80	\$18.17	\$0.00	\$48.77
2	60	\$24.96	\$9.80	\$18.17	\$0.00	\$52.93
3	70	\$29.12	\$9.80	\$18.17	\$0.00	\$57.09
4	75	\$31.20	\$9.80	\$18.17	\$0.00	\$59.17
5	80	\$33.28	\$9.80	\$18.17	\$0.00	\$61.25
6	80	\$33.28	\$9.80	\$18.17	\$0.00	\$61.25
7	90	\$37.44	\$9.80	\$18.17	\$0.00	\$65.41
8	90	\$37.44	\$9.80	\$18.17	\$0.00	\$65.41

Notes:

Apprentice to Journeyworker Ratio:1:3

PIPEFITTER & STEAMFITTER	03/01/2014	\$48.19	\$9.20	\$16.14	\$0.00	\$73.53
PIPEFITTERS LOCAL 537	09/01/2014	\$49.19	\$9.20	\$16.14	\$0.00	\$74.53
	03/01/2015	\$50.19	\$9.20	\$16.14	\$0.00	\$75.53
	09/01/2015	\$51.19	\$9.20	\$16.14	\$0.00	\$76.53
	03/01/2016	\$52.19	\$9.20	\$16.14	\$0.00	\$77.53
	09/01/2016	\$53.19	\$9.20	\$16.14	\$0.00	\$78.53
	03/01/2017	\$54.19	\$9.20	\$16.14	\$0.00	\$79.53

Classification
Effective Date
Base Wage
Health
Pension
**Supplemental
Unemployment**
Total Rate
Apprentice - PIPEFITTER - Local 537
Effective Date - 03/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	40	\$19.28	\$9.20	\$7.00	\$0.00	\$35.48
2	45	\$21.69	\$9.20	\$16.14	\$0.00	\$47.03
3	60	\$28.91	\$9.20	\$16.14	\$0.00	\$54.25
4	70	\$33.73	\$9.20	\$16.14	\$0.00	\$59.07
5	80	\$38.55	\$9.20	\$16.14	\$0.00	\$63.89

Effective Date - 09/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	40	\$19.68	\$9.20	\$7.00	\$0.00	\$35.88
2	45	\$22.14	\$9.20	\$16.14	\$0.00	\$47.48
3	60	\$29.51	\$9.20	\$16.14	\$0.00	\$54.85
4	70	\$34.43	\$9.20	\$16.14	\$0.00	\$59.77
5	80	\$39.35	\$9.20	\$16.14	\$0.00	\$64.69

Notes:

** 1:3; 3:15; 1:10 thereafter / Steps are 1 yr.

Refrig/AC Mechanic **1:1;1:2;2:4;3:6;4:8;5:10;6:12;7:14;8:17;9:20;10:23(Max)

Apprentice to Journeyworker Ratio:**
PIPELAYER
LABORERS - ZONE 1

06/01/2014	\$34.35	\$7.30	\$12.70	\$0.00	\$54.35
12/01/2014	\$35.10	\$7.30	\$12.70	\$0.00	\$55.10
06/01/2015	\$35.85	\$7.30	\$12.70	\$0.00	\$55.85
12/01/2015	\$36.60	\$7.30	\$12.70	\$0.00	\$56.60
06/01/2016	\$37.35	\$7.30	\$12.70	\$0.00	\$57.35
12/01/2016	\$38.35	\$7.30	\$12.70	\$0.00	\$58.35

For apprentice rates see "Apprentice- LABORER"

PLUMBERS & GASFITTERS
PLUMBERS & GASFITTERS LOCAL 12

03/01/2014	\$49.41	\$9.82	\$14.29	\$0.00	\$73.52
09/01/2014	\$50.41	\$9.82	\$14.29	\$0.00	\$74.52
03/01/2015	\$51.41	\$9.82	\$14.29	\$0.00	\$75.52
09/01/2015	\$52.41	\$9.82	\$14.29	\$0.00	\$76.52
03/01/2016	\$53.56	\$9.82	\$14.29	\$0.00	\$77.67
09/01/2016	\$54.61	\$9.82	\$14.29	\$0.00	\$78.72
03/01/2017	\$55.61	\$9.82	\$14.29	\$0.00	\$79.72

Classification	Effective Date	Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
----------------	----------------	-----------	--------	---------	---------------------------	------------

Apprentice - PLUMBER/GASFITTER - Local 12

Effective Date - 03/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	35	\$17.29	\$9.82	\$5.33	\$0.00	\$32.44
2	40	\$19.76	\$9.82	\$6.02	\$0.00	\$35.60
3	55	\$27.18	\$9.82	\$8.08	\$0.00	\$45.08
4	65	\$32.12	\$9.82	\$9.47	\$0.00	\$51.41
5	75	\$37.06	\$9.82	\$10.85	\$0.00	\$57.73

Effective Date - 09/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	35	\$17.64	\$9.82	\$5.33	\$0.00	\$32.79
2	40	\$20.16	\$9.82	\$6.02	\$0.00	\$36.00
3	55	\$27.73	\$9.82	\$8.08	\$0.00	\$45.63
4	65	\$32.77	\$9.82	\$9.47	\$0.00	\$52.06
5	75	\$37.81	\$9.82	\$10.85	\$0.00	\$58.48

Notes:

** 1:2; 2:6; 3:10; 4:14; 5:19/Steps are 1 yr
Step4 with lic\$54.58 Step5 with lic\$60.90

Apprentice to Journeyworker Ratio:**

PNEUMATIC CONTROLS (TEMP.)	03/01/2014	\$48.19	\$9.20	\$16.14	\$0.00	\$73.53
PIPEFITTERS LOCAL 537	09/01/2014	\$49.19	\$9.20	\$16.14	\$0.00	\$74.53
	03/01/2015	\$50.19	\$9.20	\$16.14	\$0.00	\$75.53
	09/01/2015	\$51.19	\$9.20	\$16.14	\$0.00	\$76.53
	03/01/2016	\$52.19	\$9.20	\$16.14	\$0.00	\$77.53
	09/01/2016	\$53.19	\$9.20	\$16.14	\$0.00	\$78.53
	03/01/2017	\$54.19	\$9.20	\$16.14	\$0.00	\$79.53
For apprentice rates see "Apprentice- PIPEFITTER" or "PLUMBER/PIPEFITTER"						
PNEUMATIC DRILL/TOOL OPERATOR	06/01/2014	\$34.35	\$7.30	\$12.70	\$0.00	\$54.35
LABORERS - ZONE 1	12/01/2014	\$35.10	\$7.30	\$12.70	\$0.00	\$55.10
	06/01/2015	\$35.85	\$7.30	\$12.70	\$0.00	\$55.85
	12/01/2015	\$36.60	\$7.30	\$12.70	\$0.00	\$56.60
	06/01/2016	\$37.35	\$7.30	\$12.70	\$0.00	\$57.35
	12/01/2016	\$38.35	\$7.30	\$12.70	\$0.00	\$58.35
For apprentice rates see "Apprentice- LABORER"						
POWDERMAN & BLASTER	06/01/2014	\$35.10	\$7.30	\$12.70	\$0.00	\$55.10
LABORERS - ZONE 1	12/01/2014	\$35.85	\$7.30	\$12.70	\$0.00	\$55.85
	06/01/2015	\$36.60	\$7.30	\$12.70	\$0.00	\$56.60
	12/01/2015	\$37.35	\$7.30	\$12.70	\$0.00	\$57.35
	06/01/2016	\$38.10	\$7.30	\$12.70	\$0.00	\$58.10
	12/01/2016	\$39.10	\$7.30	\$12.70	\$0.00	\$59.10
For apprentice rates see "Apprentice- LABORER"						
POWER SHOVEL/DERRICK/TRENCHING MACHINE	12/01/2013	\$40.49	\$10.00	\$14.18	\$0.00	\$64.67
OPERATING ENGINEERS LOCAL 4						
For apprentice rates see "Apprentice- OPERATING ENGINEERS"						

Classification	Effective Date	Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
PUMP OPERATOR (CONCRETE) <i>OPERATING ENGINEERS LOCAL 4</i>	12/01/2013	\$40.49	\$10.00	\$14.18	\$0.00	\$64.67
For apprentice rates see "Apprentice- OPERATING ENGINEERS"						
PUMP OPERATOR (DEWATERING, OTHER) <i>OPERATING ENGINEERS LOCAL 4</i>	12/01/2013	\$28.11	\$10.00	\$14.18	\$0.00	\$52.29
For apprentice rates see "Apprentice- OPERATING ENGINEERS"						
READY MIX CONCRETE DRIVERS after 4/30/10 (Drivers Hired After 4/30/2010) <i>TEAMSTERS LOCAL 25a</i>	07/01/2014	\$27.73	\$7.73	\$8.65	\$0.00	\$44.11
	05/01/2015	\$27.88	\$7.73	\$8.92	\$0.00	\$44.53
	07/01/2015	\$27.88	\$7.98	\$8.92	\$0.00	\$44.78
	05/01/2016	\$28.03	\$7.98	\$9.31	\$0.00	\$45.32
	07/01/2016	\$28.03	\$8.23	\$9.31	\$0.00	\$45.57
	05/01/2017	\$28.18	\$8.23	\$9.72	\$0.00	\$46.13
	07/01/2017	\$28.18	\$8.48	\$9.72	\$0.00	\$46.38
READY-MIX CONCRETE DRIVER <i>TEAMSTERS LOCAL 25a</i>	07/01/2014	\$30.99	\$7.73	\$8.65	\$0.00	\$47.37
	05/01/2015	\$31.14	\$7.73	\$8.92	\$0.00	\$47.79
	07/01/2015	\$31.14	\$7.98	\$8.92	\$0.00	\$48.04
	05/01/2016	\$31.29	\$7.98	\$9.31	\$0.00	\$48.58
	07/01/2016	\$31.29	\$8.23	\$9.31	\$0.00	\$48.83
	05/01/2017	\$31.44	\$8.23	\$9.72	\$0.00	\$49.39
	07/01/2017	\$31.44	\$8.48	\$9.72	\$0.00	\$49.64
RECLAIMERS <i>OPERATING ENGINEERS LOCAL 4</i>	12/01/2013	\$40.11	\$10.00	\$14.18	\$0.00	\$64.29
For apprentice rates see "Apprentice- OPERATING ENGINEERS"						
RESIDENTIAL WOOD FRAME (All Other Work) <i>CARPENTERS -ZONE 1 (Residential Wood)</i>	04/01/2011	\$37.25	\$8.67	\$15.51	\$0.00	\$61.43
RESIDENTIAL WOOD FRAME CARPENTER ** ** The Residential Wood Frame Carpenter classification applies only to the construction of new, wood frame residences that do not exceed four stories including the basement. <i>CARPENTERS -ZONE 1 (Residential Wood)</i> As of 9/1/09 Carpentry work on wood-frame residential WEATHERIZATION projects shall be paid the RESIDENTIAL WOOD FRAME CARPENTER rate.	05/01/2011	\$27.49	\$6.34	\$6.23	\$0.00	\$40.06

Apprentice - CARPENTER (Residential Wood Frame) - Zone 1

Effective Date - 05/01/2011

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	60	\$16.49	\$6.34	\$0.00	\$0.00	\$22.83
2	60	\$16.49	\$6.34	\$6.23	\$0.00	\$29.06
3	65	\$17.87	\$6.34	\$6.23	\$0.00	\$30.44
4	70	\$19.24	\$6.34	\$6.23	\$0.00	\$31.81
5	75	\$20.62	\$6.34	\$6.23	\$0.00	\$33.19
6	80	\$21.99	\$6.34	\$6.23	\$0.00	\$34.56
7	85	\$23.37	\$6.34	\$6.23	\$0.00	\$35.94
8	90	\$24.74	\$6.34	\$6.23	\$0.00	\$37.31

Notes:

Apprentice to Journeyworker Ratio:1:5

Classification	Effective Date	Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
RIDE-ON MOTORIZED BUGGY OPERATOR <i>LABORERS - ZONE 1</i>	06/01/2014	\$34.35	\$7.30	\$12.70	\$0.00	\$54.35
	12/01/2014	\$35.10	\$7.30	\$12.70	\$0.00	\$55.10
	06/01/2015	\$35.85	\$7.30	\$12.70	\$0.00	\$55.85
	12/01/2015	\$36.60	\$7.30	\$12.70	\$0.00	\$56.60
	06/01/2016	\$37.35	\$7.30	\$12.70	\$0.00	\$57.35
	12/01/2016	\$38.35	\$7.30	\$12.70	\$0.00	\$58.35

For apprentice rates see "Apprentice- LABORER"

ROLLER/SPREADER/MULCHING MACHINE <i>OPERATING ENGINEERS LOCAL 4</i>	12/01/2013	\$40.11	\$10.00	\$14.18	\$0.00	\$64.29
--	------------	---------	---------	---------	--------	---------

For apprentice rates see "Apprentice- OPERATING ENGINEERS"

ROOFER (Inc.Roofing Waterproofing &Roofing Dampproofing) <i>ROOFERS LOCAL 33</i>	02/01/2014	\$39.21	\$10.50	\$10.70	\$0.00	\$60.41
	08/01/2014	\$40.11	\$10.50	\$10.70	\$0.00	\$61.31
	02/01/2015	\$41.01	\$10.50	\$10.70	\$0.00	\$62.21
	08/01/2015	\$41.91	\$10.50	\$10.70	\$0.00	\$63.11
	02/01/2016	\$42.81	\$10.50	\$10.70	\$0.00	\$64.01

Apprentice - ROOFER - Local 33

Effective Date - 02/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$19.61	\$10.50	\$3.38	\$0.00	\$33.49
2	60	\$23.53	\$10.50	\$10.70	\$0.00	\$44.73
3	65	\$25.49	\$10.50	\$10.70	\$0.00	\$46.69
4	75	\$29.41	\$10.50	\$10.70	\$0.00	\$50.61
5	85	\$33.33	\$10.50	\$10.70	\$0.00	\$54.53

Effective Date - 08/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$20.06	\$10.50	\$3.38	\$0.00	\$33.94
2	60	\$24.07	\$10.50	\$10.70	\$0.00	\$45.27
3	65	\$26.07	\$10.50	\$10.70	\$0.00	\$47.27
4	75	\$30.08	\$10.50	\$10.70	\$0.00	\$51.28
5	85	\$34.09	\$10.50	\$10.70	\$0.00	\$55.29

Notes: ** 1:5, 2:6-10, the 1:10; Reroofing: 1:4, then 1:1
Step 1 is 2000 hrs.; Steps 2-5 are 1000 hrs.

Apprentice to Journeyworker Ratio:**

ROOFER SLATE / TILE / PRECAST CONCRETE <i>ROOFERS LOCAL 33</i>	02/01/2014	\$39.46	\$10.50	\$10.70	\$0.00	\$60.66
	08/01/2014	\$40.36	\$10.50	\$10.70	\$0.00	\$61.56
	02/01/2015	\$41.26	\$10.50	\$10.70	\$0.00	\$62.46
	08/01/2015	\$42.16	\$10.50	\$10.70	\$0.00	\$63.36
	02/01/2016	\$43.06	\$10.50	\$10.70	\$0.00	\$64.26

For apprentice rates see "Apprentice- ROOFER"

Classification	Effective Date	Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
SHEETMETAL WORKER	02/01/2014	\$42.76	\$9.82	\$19.74	\$2.17	\$74.49
<i>SHEETMETAL WORKERS LOCAL 17 - A</i>	08/01/2014	\$43.61	\$9.82	\$19.74	\$2.17	\$75.34
	02/01/2015	\$44.51	\$9.82	\$19.74	\$2.17	\$76.24
	08/01/2015	\$45.51	\$9.82	\$19.74	\$2.17	\$77.24
	02/01/2016	\$46.51	\$9.82	\$19.74	\$2.17	\$78.24
	08/01/2016	\$47.66	\$9.82	\$19.74	\$2.17	\$79.39
	02/01/2017	\$48.76	\$9.82	\$19.74	\$2.17	\$80.49
	08/01/2017	\$49.86	\$9.82	\$19.74	\$2.17	\$81.59
	02/01/2018	\$51.01	\$9.82	\$19.74	\$2.17	\$82.74

Apprentice - SHEET METAL WORKER - Local 17-A

Effective Date - 02/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	40	\$17.10	\$9.82	\$4.28	\$0.00	\$31.20
2	40	\$17.10	\$9.82	\$4.28	\$0.00	\$31.20
3	45	\$19.24	\$9.82	\$8.70	\$1.13	\$38.89
4	45	\$19.24	\$9.82	\$8.70	\$1.13	\$38.89
5	50	\$21.38	\$9.82	\$9.49	\$1.22	\$41.91
6	50	\$21.38	\$9.82	\$9.74	\$1.23	\$42.17
7	60	\$25.66	\$9.82	\$11.05	\$1.40	\$47.93
8	65	\$27.79	\$9.82	\$11.84	\$1.48	\$50.93
9	75	\$32.07	\$9.82	\$13.41	\$1.66	\$56.96
10	85	\$36.35	\$9.82	\$14.48	\$1.82	\$62.47

Effective Date - 08/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	40	\$17.44	\$9.82	\$4.28	\$0.00	\$31.54
2	40	\$17.44	\$9.82	\$4.28	\$0.00	\$31.54
3	45	\$19.62	\$9.82	\$8.70	\$1.13	\$39.27
4	45	\$19.62	\$9.82	\$8.70	\$1.13	\$39.27
5	50	\$21.81	\$9.82	\$9.49	\$1.22	\$42.34
6	50	\$21.81	\$9.82	\$9.74	\$1.23	\$42.60
7	60	\$26.17	\$9.82	\$11.05	\$1.40	\$48.44
8	65	\$28.35	\$9.82	\$11.84	\$1.48	\$51.49
9	75	\$32.71	\$9.82	\$13.41	\$1.66	\$57.60
10	85	\$37.07	\$9.82	\$14.48	\$1.82	\$63.19

Notes:

Steps are 6 mos.

Apprentice to Journeyworker Ratio:1:4

SIGN ERECTOR	06/01/2013	\$25.81	\$7.07	\$7.05	\$0.00	\$39.93
<i>PAINTERS LOCAL 35 - ZONE 1</i>						

Classification
Effective Date
Base Wage
Health
Pension
**Supplemental
Unemployment**
Total Rate
Apprentice - SIGN ERECTOR - Local 35 Zone 1
Effective Date - 06/01/2013

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$12.91	\$7.07	\$0.00	\$0.00	\$19.98
2	55	\$14.20	\$7.07	\$2.45	\$0.00	\$23.72
3	60	\$15.49	\$7.07	\$2.45	\$0.00	\$25.01
4	65	\$16.78	\$7.07	\$2.45	\$0.00	\$26.30
5	70	\$18.07	\$7.07	\$7.05	\$0.00	\$32.19
6	75	\$19.36	\$7.07	\$7.05	\$0.00	\$33.48
7	80	\$20.65	\$7.07	\$7.05	\$0.00	\$34.77
8	85	\$21.94	\$7.07	\$7.05	\$0.00	\$36.06
9	90	\$23.23	\$7.07	\$7.05	\$0.00	\$37.35

Notes:

Steps are 4 mos.

Apprentice to Journeyworker Ratio:1:1
SPECIALIZED EARTH MOVING EQUIP < 35 TONS

TEAMSTERS JOINT COUNCIL NO. 10 ZONE A

06/01/2014	\$32.69	\$9.41	\$8.80	\$0.00	\$50.90
08/01/2014	\$32.69	\$9.91	\$8.80	\$0.00	\$51.40
12/01/2014	\$32.69	\$9.91	\$9.33	\$0.00	\$51.93
06/01/2015	\$33.04	\$9.91	\$9.33	\$0.00	\$52.28
08/01/2015	\$33.04	\$10.41	\$9.33	\$0.00	\$52.78
12/01/2015	\$33.04	\$10.41	\$10.08	\$0.00	\$53.53
06/01/2016	\$33.54	\$10.41	\$10.08	\$0.00	\$54.03
08/01/2016	\$33.54	\$10.91	\$10.08	\$0.00	\$54.53
12/01/2016	\$33.54	\$10.91	\$10.89	\$0.00	\$55.34

SPECIALIZED EARTH MOVING EQUIP > 35 TONS

TEAMSTERS JOINT COUNCIL NO. 10 ZONE A

06/01/2014	\$32.98	\$9.41	\$8.80	\$0.00	\$51.19
08/01/2014	\$32.98	\$9.91	\$8.80	\$0.00	\$51.69
12/01/2014	\$32.98	\$9.91	\$9.33	\$0.00	\$52.22
06/01/2015	\$33.33	\$9.91	\$9.33	\$0.00	\$52.57
08/01/2015	\$33.33	\$10.41	\$9.33	\$0.00	\$53.07
12/01/2015	\$33.33	\$10.41	\$10.08	\$0.00	\$53.82
06/01/2016	\$33.83	\$10.41	\$10.08	\$0.00	\$54.32
08/01/2016	\$33.83	\$10.91	\$10.08	\$0.00	\$54.82
12/01/2016	\$33.83	\$10.91	\$10.89	\$0.00	\$55.63

SPRINKLER FITTER

SPRINKLER FITTERS LOCAL 550 - (Section A) Zone 1

03/01/2014	\$53.58	\$8.42	\$13.60	\$0.00	\$75.60
10/01/2014	\$54.73	\$8.42	\$13.60	\$0.00	\$76.75
01/01/2015	\$54.73	\$8.42	\$13.75	\$0.00	\$76.90
03/01/2015	\$55.73	\$8.42	\$13.75	\$0.00	\$77.90
10/01/2015	\$56.88	\$8.42	\$13.75	\$0.00	\$79.05
01/01/2016	\$56.88	\$8.67	\$13.90	\$0.00	\$79.45
03/01/2016	\$57.88	\$8.67	\$13.90	\$0.00	\$80.45
10/01/2016	\$59.03	\$8.67	\$13.90	\$0.00	\$81.60
03/01/2017	\$60.03	\$8.67	\$13.90	\$0.00	\$82.60

Apprentice - SPRINKLER FITTER - Local 550 (Section A) Zone 1**Effective Date -** 03/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	35	\$18.75	\$8.42	\$8.25	\$0.00	\$35.42
2	40	\$21.43	\$8.42	\$8.25	\$0.00	\$38.10
3	45	\$24.11	\$8.42	\$8.25	\$0.00	\$40.78
4	50	\$26.79	\$8.42	\$8.25	\$0.00	\$43.46
5	55	\$29.47	\$8.42	\$8.25	\$0.00	\$46.14
6	60	\$32.15	\$8.42	\$8.25	\$0.00	\$48.82
7	65	\$34.83	\$8.42	\$8.25	\$0.00	\$51.50
8	70	\$37.51	\$8.42	\$8.25	\$0.00	\$54.18
9	75	\$40.19	\$8.42	\$8.25	\$0.00	\$56.86
10	80	\$42.86	\$8.42	\$8.25	\$0.00	\$59.53

Effective Date - 10/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	35	\$19.16	\$8.42	\$8.25	\$0.00	\$35.83
2	40	\$21.89	\$8.42	\$8.25	\$0.00	\$38.56
3	45	\$24.63	\$8.42	\$8.25	\$0.00	\$41.30
4	50	\$27.37	\$8.42	\$8.25	\$0.00	\$44.04
5	55	\$30.10	\$8.42	\$8.25	\$0.00	\$46.77
6	60	\$32.84	\$8.42	\$8.25	\$0.00	\$49.51
7	65	\$35.57	\$8.42	\$8.25	\$0.00	\$52.24
8	70	\$38.31	\$8.42	\$8.25	\$0.00	\$54.98
9	75	\$41.05	\$8.42	\$8.25	\$0.00	\$57.72
10	80	\$43.78	\$8.42	\$8.25	\$0.00	\$60.45

Notes: Apprentice entered prior 9/30/10:
40/45/50/55/60/65/70/75/80/85
Steps are 850 hours

Apprentice to Journeyworker Ratio:1:3

STEAM BOILER OPERATOR OPERATING ENGINEERS LOCAL 4	12/01/2013	\$40.11	\$10.00	\$14.18	\$0.00	\$64.29
For apprentice rates see "Apprentice- OPERATING ENGINEERS"						
TAMPERS, SELF-PROPELLED OR TRACTOR DRAWN OPERATING ENGINEERS LOCAL 4	12/01/2013	\$40.11	\$10.00	\$14.18	\$0.00	\$64.29
For apprentice rates see "Apprentice- OPERATING ENGINEERS"						
TELECOMMUNICATION TECHNICIAN ELECTRICIANS LOCAL 103	03/01/2014	\$33.44	\$13.00	\$13.03	\$0.00	\$59.47
	09/01/2014	\$33.84	\$13.00	\$13.05	\$0.00	\$59.89
	03/01/2015	\$34.38	\$13.00	\$13.06	\$0.00	\$60.44
	09/01/2015	\$35.10	\$13.00	\$13.08	\$0.00	\$61.18
	03/01/2016	\$35.81	\$13.00	\$13.10	\$0.00	\$61.91

Apprentice - TELECOMMUNICATION TECHNICIAN - Local 103**Effective Date - 03/01/2014**

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	40	\$13.38	\$13.00	\$0.40	\$0.00	\$26.78
2	40	\$13.38	\$13.00	\$0.40	\$0.00	\$26.78
3	45	\$15.05	\$13.00	\$10.29	\$0.00	\$38.34
4	45	\$15.05	\$13.00	\$10.29	\$0.00	\$38.34
5	50	\$16.72	\$13.00	\$10.54	\$0.00	\$40.26
6	55	\$18.39	\$13.00	\$10.79	\$0.00	\$42.18
7	60	\$20.06	\$13.00	\$11.04	\$0.00	\$44.10
8	65	\$21.74	\$13.00	\$11.29	\$0.00	\$46.03
9	70	\$23.41	\$13.00	\$11.54	\$0.00	\$47.95
10	75	\$25.08	\$13.00	\$11.79	\$0.00	\$49.87

Effective Date - 09/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	40	\$13.54	\$13.00	\$0.41	\$0.00	\$26.95
2	40	\$13.54	\$13.00	\$0.41	\$0.00	\$26.95
3	45	\$15.23	\$13.00	\$10.30	\$0.00	\$38.53
4	45	\$15.23	\$13.00	\$10.30	\$0.00	\$38.53
5	50	\$16.92	\$13.00	\$10.55	\$0.00	\$40.47
6	55	\$18.61	\$13.00	\$10.80	\$0.00	\$42.41
7	60	\$20.30	\$13.00	\$11.05	\$0.00	\$44.35
8	65	\$22.00	\$13.00	\$11.30	\$0.00	\$46.30
9	70	\$23.69	\$13.00	\$11.55	\$0.00	\$48.24
10	75	\$25.38	\$13.00	\$11.80	\$0.00	\$50.18

Notes:**Apprentice to Journeyworker Ratio:1:1**

TERRAZZO FINISHERS

BRICKLAYERS LOCAL 3 - MARBLE & TILE

02/01/2014	\$47.00	\$10.18	\$18.15	\$0.00	\$75.33
08/01/2014	\$47.90	\$10.18	\$18.22	\$0.00	\$76.30
02/01/2015	\$48.46	\$10.18	\$18.22	\$0.00	\$76.86
08/01/2015	\$49.36	\$10.18	\$18.29	\$0.00	\$77.83
02/01/2016	\$49.93	\$10.18	\$18.29	\$0.00	\$78.40
08/01/2016	\$50.83	\$10.18	\$18.37	\$0.00	\$79.38
02/01/2017	\$51.40	\$10.18	\$18.37	\$0.00	\$79.95

Classification	Effective Date	Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
----------------	----------------	-----------	--------	---------	------------------------------	------------

Apprentice - TERRAZZO FINISHER - Local 3 Marble & Tile

Effective Date - 02/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$23.50	\$10.18	\$18.15	\$0.00	\$51.83
2	60	\$28.20	\$10.18	\$18.15	\$0.00	\$56.53
3	70	\$32.90	\$10.18	\$18.15	\$0.00	\$61.23
4	80	\$37.60	\$10.18	\$18.15	\$0.00	\$65.93
5	90	\$42.30	\$10.18	\$18.15	\$0.00	\$70.63

Effective Date - 08/01/2014

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	50	\$23.95	\$10.18	\$18.22	\$0.00	\$52.35
2	60	\$28.74	\$10.18	\$18.22	\$0.00	\$57.14
3	70	\$33.53	\$10.18	\$18.22	\$0.00	\$61.93
4	80	\$38.32	\$10.18	\$18.22	\$0.00	\$66.72
5	90	\$43.11	\$10.18	\$18.22	\$0.00	\$71.51

Notes:

Apprentice to Journeyworker Ratio:1:3

TEST BORING DRILLER <i>LABORERS - FOUNDATION AND MARINE</i>	06/01/2014	\$35.45	\$7.30	\$12.90	\$0.00	\$55.65
	12/01/2014	\$36.20	\$7.30	\$12.90	\$0.00	\$56.40
	06/01/2015	\$36.95	\$7.30	\$12.90	\$0.00	\$57.15
	12/01/2015	\$37.70	\$7.30	\$12.90	\$0.00	\$57.90
	06/01/2016	\$38.45	\$7.30	\$12.90	\$0.00	\$58.65
	12/01/2016	\$39.45	\$7.30	\$12.90	\$0.00	\$59.65
For apprentice rates see "Apprentice- LABORER"						
TEST BORING DRILLER HELPER <i>LABORERS - FOUNDATION AND MARINE</i>	06/01/2014	\$34.17	\$7.30	\$12.90	\$0.00	\$54.37
	12/01/2014	\$34.92	\$7.30	\$12.90	\$0.00	\$55.12
	06/01/2015	\$35.67	\$7.30	\$12.90	\$0.00	\$55.87
	12/01/2015	\$36.42	\$7.30	\$12.90	\$0.00	\$56.62
	06/01/2016	\$37.17	\$7.30	\$12.90	\$0.00	\$57.37
	12/01/2016	\$38.17	\$7.30	\$12.90	\$0.00	\$58.37
For apprentice rates see "Apprentice- LABORER"						
TEST BORING LABORER <i>LABORERS - FOUNDATION AND MARINE</i>	06/01/2014	\$34.05	\$7.30	\$12.90	\$0.00	\$54.25
	12/01/2014	\$34.80	\$7.30	\$12.90	\$0.00	\$55.00
	06/01/2015	\$35.55	\$7.30	\$12.90	\$0.00	\$55.75
	12/01/2015	\$36.30	\$7.30	\$12.90	\$0.00	\$56.50
	06/01/2016	\$37.05	\$7.30	\$12.90	\$0.00	\$57.25
	12/01/2016	\$38.05	\$7.30	\$12.90	\$0.00	\$58.25
For apprentice rates see "Apprentice- LABORER"						
TRACTORS/PORTABLE STEAM GENERATORS <i>OPERATING ENGINEERS LOCAL 4</i>	12/01/2013	\$40.11	\$10.00	\$14.18	\$0.00	\$64.29
For apprentice rates see "Apprentice- OPERATING ENGINEERS"						

Classification	Effective Date	Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
TRAILERS FOR EARTH MOVING EQUIPMENT <i>TEAMSTERS JOINT COUNCIL NO. 10 ZONE A</i>	06/01/2014	\$33.27	\$9.41	\$8.80	\$0.00	\$51.48
	08/01/2014	\$33.27	\$9.91	\$8.80	\$0.00	\$51.98
	12/01/2014	\$33.27	\$9.91	\$9.33	\$0.00	\$52.51
	06/01/2015	\$33.62	\$9.91	\$9.33	\$0.00	\$52.86
	08/01/2015	\$33.62	\$10.41	\$9.33	\$0.00	\$53.36
	12/01/2015	\$33.62	\$10.41	\$10.08	\$0.00	\$54.11
	06/01/2016	\$34.12	\$10.41	\$10.08	\$0.00	\$54.61
	08/01/2016	\$34.12	\$10.91	\$10.08	\$0.00	\$55.11
	12/01/2016	\$34.12	\$10.91	\$10.89	\$0.00	\$55.92
TUNNEL WORK - COMPRESSED AIR <i>LABORERS (COMPRESSED AIR)</i>	06/01/2014	\$46.33	\$7.30	\$13.30	\$0.00	\$66.93
	12/01/2014	\$47.08	\$7.30	\$13.30	\$0.00	\$67.68
	06/01/2015	\$47.83	\$7.30	\$13.30	\$0.00	\$68.43
	12/01/2015	\$48.58	\$7.30	\$13.30	\$0.00	\$69.18
	06/01/2016	\$49.33	\$7.30	\$13.30	\$0.00	\$69.93
	12/01/2016	\$50.33	\$7.30	\$13.30	\$0.00	\$70.93
	For apprentice rates see "Apprentice- LABORER"					
TUNNEL WORK - COMPRESSED AIR (HAZ. WASTE) <i>LABORERS (COMPRESSED AIR)</i>	06/01/2014	\$48.33	\$7.30	\$13.30	\$0.00	\$68.93
	12/01/2014	\$49.08	\$7.30	\$13.30	\$0.00	\$69.68
	06/01/2015	\$49.83	\$7.30	\$13.30	\$0.00	\$70.43
	12/01/2015	\$50.58	\$7.30	\$13.30	\$0.00	\$71.18
	06/01/2016	\$51.33	\$7.30	\$13.30	\$0.00	\$71.93
	12/01/2016	\$52.33	\$7.30	\$13.30	\$0.00	\$72.93
	For apprentice rates see "Apprentice- LABORER"					
TUNNEL WORK - FREE AIR <i>LABORERS (FREE AIR TUNNEL)</i>	06/01/2014	\$38.40	\$7.30	\$13.30	\$0.00	\$59.00
	12/01/2014	\$39.15	\$7.30	\$13.30	\$0.00	\$59.75
	06/01/2015	\$39.90	\$7.30	\$13.30	\$0.00	\$60.50
	12/01/2015	\$40.65	\$7.30	\$13.30	\$0.00	\$61.25
	06/01/2016	\$41.40	\$7.30	\$13.30	\$0.00	\$62.00
	12/01/2016	\$42.40	\$7.30	\$13.30	\$0.00	\$63.00
	For apprentice rates see "Apprentice- LABORER"					
TUNNEL WORK - FREE AIR (HAZ. WASTE) <i>LABORERS (FREE AIR TUNNEL)</i>	06/01/2014	\$40.40	\$7.30	\$13.30	\$0.00	\$61.00
	12/01/2014	\$41.15	\$7.30	\$13.30	\$0.00	\$61.75
	06/01/2015	\$41.90	\$7.30	\$13.30	\$0.00	\$62.50
	12/01/2015	\$42.65	\$7.30	\$13.30	\$0.00	\$63.25
	06/01/2016	\$43.40	\$7.30	\$13.30	\$0.00	\$64.00
	12/01/2016	\$44.40	\$7.30	\$13.30	\$0.00	\$65.00
	For apprentice rates see "Apprentice- LABORER"					
VAC-HAUL <i>TEAMSTERS JOINT COUNCIL NO. 10 ZONE A</i>	06/01/2014	\$32.69	\$9.41	\$8.80	\$0.00	\$50.90
	08/01/2014	\$32.69	\$9.91	\$8.80	\$0.00	\$51.40
	12/01/2014	\$32.69	\$9.91	\$9.33	\$0.00	\$51.93
	06/01/2015	\$33.04	\$9.91	\$9.33	\$0.00	\$52.28
	08/01/2015	\$33.04	\$10.41	\$9.33	\$0.00	\$52.78
	12/01/2015	\$33.04	\$10.41	\$10.08	\$0.00	\$53.53
	06/01/2016	\$33.54	\$10.41	\$10.08	\$0.00	\$54.03
	08/01/2016	\$33.54	\$10.91	\$10.08	\$0.00	\$54.53
	12/01/2016	\$33.54	\$10.91	\$10.89	\$0.00	\$55.34

Classification	Effective Date	Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
WAGON DRILL OPERATOR <i>LABORERS - ZONE 1</i>	06/01/2014	\$34.35	\$7.30	\$12.70	\$0.00	\$54.35
	12/01/2014	\$35.10	\$7.30	\$12.70	\$0.00	\$55.10
	06/01/2015	\$35.85	\$7.30	\$12.70	\$0.00	\$55.85
	12/01/2015	\$36.60	\$7.30	\$12.70	\$0.00	\$56.60
	06/01/2016	\$37.35	\$7.30	\$12.70	\$0.00	\$57.35
	12/01/2016	\$38.35	\$7.30	\$12.70	\$0.00	\$58.35
For apprentice rates see "Apprentice- LABORER"						
WASTE WATER PUMP OPERATOR <i>OPERATING ENGINEERS LOCAL 4</i>	12/01/2013	\$40.49	\$10.00	\$14.18	\$0.00	\$64.67
For apprentice rates see "Apprentice- OPERATING ENGINEERS"						
WATER METER INSTALLER <i>PLUMBERS & GASFITTERS LOCAL 12</i>	03/01/2014	\$49.41	\$9.82	\$14.29	\$0.00	\$73.52
	09/01/2014	\$50.41	\$9.82	\$14.29	\$0.00	\$74.52
	03/01/2015	\$51.41	\$9.82	\$14.29	\$0.00	\$75.52
	09/01/2015	\$52.41	\$9.82	\$14.29	\$0.00	\$76.52
	03/01/2016	\$53.56	\$9.82	\$14.29	\$0.00	\$77.67
	09/01/2016	\$54.61	\$9.82	\$14.29	\$0.00	\$78.72
	03/01/2017	\$55.61	\$9.82	\$14.29	\$0.00	\$79.72
For apprentice rates see "Apprentice- PLUMBER/PIPEFITTER" or "PLUMBER/GASFITTER"						
Outside Electrical - East						
CABLE TECHNICIAN (Power Zone) <i>OUTSIDE ELECTRICAL WORKERS - EAST LOCAL 104</i>	09/01/2013	\$25.66	\$8.70	\$4.48	\$0.00	\$38.84
For apprentice rates see "Apprentice- LINEMAN"						
CABLEMAN (Underground Ducts & Cables) <i>OUTSIDE ELECTRICAL WORKERS - EAST LOCAL 104</i>	09/01/2013	\$36.55	\$8.70	\$6.58	\$0.00	\$51.83
For apprentice rates see "Apprentice- LINEMAN"						
DRIVER / GROUNDMAN CDL <i>OUTSIDE ELECTRICAL WORKERS - EAST LOCAL 104</i>	09/01/2013	\$29.94	\$8.70	\$6.05	\$0.00	\$44.69
For apprentice rates see "Apprentice- LINEMAN"						
DRIVER / GROUNDMAN -Inexperienced (<2000 Hrs) <i>OUTSIDE ELECTRICAL WORKERS - EAST LOCAL 104</i>	09/01/2013	\$23.52	\$8.70	\$5.24	\$0.00	\$37.46
For apprentice rates see "Apprentice- LINEMAN"						
EQUIPMENT OPERATOR (Class A CDL) <i>OUTSIDE ELECTRICAL WORKERS - EAST LOCAL 104</i>	09/01/2013	\$36.35	\$8.70	\$9.43	\$0.00	\$54.48
For apprentice rates see "Apprentice- LINEMAN"						
EQUIPMENT OPERATOR (Class B CDL) <i>OUTSIDE ELECTRICAL WORKERS - EAST LOCAL 104</i>	09/01/2013	\$32.08	\$8.70	\$6.59	\$0.00	\$47.37
For apprentice rates see "Apprentice- LINEMAN"						
GROUNDMAN <i>OUTSIDE ELECTRICAL WORKERS - EAST LOCAL 104</i>	09/01/2013	\$23.52	\$8.70	\$3.72	\$0.00	\$35.94
For apprentice rates see "Apprentice- LINEMAN"						
GROUNDMAN -Inexperienced (<2000 Hrs.) <i>OUTSIDE ELECTRICAL WORKERS - EAST LOCAL 104</i>	09/01/2013	\$19.25	\$8.70	\$2.85	\$0.00	\$30.80
For apprentice rates see "Apprentice- LINEMAN"						
JOURNEYMAN LINEMAN <i>OUTSIDE ELECTRICAL WORKERS - EAST LOCAL 104</i>	09/01/2013	\$42.77	\$8.70	\$11.78	\$0.00	\$63.25

Classification	Effective Date	Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
----------------	----------------	-----------	--------	---------	---------------------------	------------

Apprentice - LINEMAN (Outside Electrical) - East Local 104

Effective Date - 09/01/2013

Step	percent	Apprentice Base Wage	Health	Pension	Supplemental Unemployment	Total Rate
1	60	\$25.66	\$8.70	\$4.24	\$0.00	\$38.60
2	65	\$27.80	\$8.70	\$4.71	\$0.00	\$41.21
3	70	\$29.94	\$8.70	\$5.43	\$0.00	\$44.07
4	75	\$32.08	\$8.70	\$6.16	\$0.00	\$46.94
5	80	\$34.22	\$8.70	\$6.88	\$0.00	\$49.80
6	85	\$36.35	\$8.70	\$7.62	\$0.00	\$52.67
7	90	\$38.49	\$8.70	\$8.83	\$0.00	\$56.02

Notes:

Apprentice to Journeyworker Ratio:1:2

TELEDATA CABLE SPLICER <i>OUTSIDE ELECTRICAL WORKERS - EAST LOCAL 104</i>	07/16/2012	\$26.33	\$4.18	\$2.79	\$0.00	\$33.30
TELEDATA LINEMAN/EQUIPMENT OPERATOR <i>OUTSIDE ELECTRICAL WORKERS - EAST LOCAL 104</i>	07/16/2012	\$24.78	\$4.18	\$2.74	\$0.00	\$31.70
TELEDATA WIREMAN/INSTALLER/TECHNICIAN <i>OUTSIDE ELECTRICAL WORKERS - EAST LOCAL 104</i>	07/16/2012	\$24.78	\$4.18	\$2.74	\$0.00	\$31.70
TREE TRIMMER <i>OUTSIDE ELECTRICAL WORKERS - EAST LOCAL 104</i>	01/29/2012	\$17.18	\$3.37	\$0.00	\$0.00	\$20.55
This classification applies only to tree work done: (a) for a utility company, R.E.A. cooperative, or railroad or coal mining company, and (b) for the purpose of operating, maintaining, or repairing the utility company's equipment, and (c) by a person who is using hand or mechanical cutting methods and is not on the ground. This classification does not apply to wholesale tree removal.						
TREE TRIMMER GROUNDMAN <i>OUTSIDE ELECTRICAL WORKERS - EAST LOCAL 104</i>	01/29/2012	\$15.15	\$3.37	\$0.00	\$0.00	\$18.52
This classification applies only to tree work done: (a) for a utility company, R.E.A. cooperative, or railroad or coal mining company, and (b) for the purpose of operating, maintaining, or repairing the utility company's equipment, and (c) by a person who is using hand or mechanical cutting methods and is on the ground. This classification does not apply to wholesale tree removal.						

Additional Apprentice Information:

Minimum wage rates for apprentices employed on public works projects are listed above as a percentage of the pre-determined hourly wage rate established by the Commissioner under the provisions of the M.G.L. c. 149, ss. 26-27D. Apprentice ratios are established by the Division of Apprenticeship Training pursuant to M.G.L. c. 23, ss. 11E-11L.

All apprentices must be registered with the Division of Apprenticeship Training in accordance with M.G.L. c. 23, ss. 11E-11L.

All steps are six months (1000 hours) unless otherwise specified.

- * Ratios are expressed in allowable number of apprentices to journeymen or fraction thereof.
- ** Multiple ratios are listed in the comment field.
- *** APP to JM; 1:1, 2:2, 2:3, 3:4, 4:4, 4:5, 4:6, 5:7, 6:7, 6:8, 6:9, 7:10, 8:10, 8:11, 8:12, 9:13, 10:13, 10:14, etc.
- **** APP to JM; 1:1, 1:2, 2:3, 2:4, 3:5, 4:6, 4:7, 5:8, 6:9, 6:10, 7:11, 8:12, 8:13, 9:14, 10:15, 10:16, etc.

General Decision Number: MA140001 06/13/2014 MA1

Superseded General Decision Number: MA20130001

State: Massachusetts

Construction Type: Building

Counties: Barnstable, Bristol, Dukes, Essex, Middlesex, Nantucket, Norfolk and Suffolk Counties in Massachusetts.

BUILDING CONSTRUCTION PROJECTS (does not include single family homes and apartments up to and including 4 stories)

Modification Number	Publication Date
0	01/03/2014
1	01/31/2014
2	03/07/2014
3	03/28/2014
4	05/09/2014
5	06/06/2014
6	06/13/2014

ASBE0006-001 09/01/2012

	Rates	Fringes
Insulator/asbestos worker		
Includes the application of all insulating materials, protective coverings, coatings, and finishes to all types of mechanical systems		
(ZONE A).....	\$ 41.46	22.58
(ZONE B).....	\$ 37.31	22.58

ZONES:

ZONE A

BARNSTABLE COUNTY (Brewster, Chatham, Dennis, Eastham, Harwich, Orleans, Provincetown, Truro, Wellfleet, Yarmouth)
BRISTOL COUNTY (Easton), MIDDLESEX COUNTY, and NORFOLK COUNTY (Avon, Braintree, Brookline, Canton, Cohasset, Dedham, Dover, Foxborough, Holbrook, Medfield, Medway, Millis, Milton, Needham, Norfolk, Norwood, Quincy, Randolph, Sharon, Stoughton, Walpole, Wellesley, Westwood, Weymouth)

ZONE B

BARNSTABLE COUNTY (Barnstable, Bourne, Falmouth, Mashpee, Sandwich), BRISTOL COUNTY (All cities except Easton), and NORFOLK COUNTY (Bellingham, Franklin, Plainville)

ASBE0006-002 06/01/2013

BARNSTABLE (Brewster, Chatham, Dennis, Eastham, Harwich, Orleans, Provincetown, Truro, Wellfleet and Yarmouth); BRISTOL (Easton); ESSEX; MIDDLESEX; NORFOLK (Avon, Braintree,

Brookline, Canton, Cohasset, Dedham, Dover, Foxboro, Holbrook,
Hull, Medfield, Medway, Millis, Milton, Needham, Norfolk,
Norwood, Quincy, Randolph, Sharon Stoughton, Walpole,
Wellesley, Westwood, and Weymouth) AND SUFFOLK COUNTIES

	Rates	Fringes
HAZARDOUS MATERIAL HANDLER (Includes preparation, wetting, stripping, removal, scrapping, vacuuming, bagging and disposing of all insulation materials from mechanical systems whether they contain asbestos or not)....\$ 29.38		17.00

ASBE0006-010 09/01/2012		

BARNSTABLE (Barnstable, Bourne, Falmouth, Mashpee and
Sandwich); BRISTOL (Acushnet, Attleboro city, Berkeley,
Dartmouth, Dighton, Fairhaven, Fall river City, Freetown,
Marion, Mansfield, New Bedford City, North Attleboro, Norton,
Raynham, Rehoboth, Seekonk, Somerset, Swansea, Taunton City and
Westport); DUKES; NANTUCKET; NORFOLK (Bellingham, Franklin,
Plainville, and Wrentham); PLYMOUTH (Lakeville, Mattapoisett,
Middleboro, Rochester and Wareham)

	Rates	Fringes
Insulator/asbestos worker (Includes the application of all insulating materials, protective coverings, coatings and finishes to all types of mechanical systems.)....\$ 37.31		22.58

BOIL0029-001 10/01/2009		

	Rates	Fringes
BOILERMAKER.....\$ 38.25		17.04

BRMA0001-008 09/01/2013		

FOXBORO CHAPTER
BRISTOL (Attleboro, Berkley, Dighton, Mansfield, North
Attleboro, Norton, Raynham, Rehoboth, Seekonk, Taunton) AND
NORFOLK (Bellingham, Canton, Dedham, Foxboro, Franklin,
Norfolk, Norwood, Plainville, Sharon, Walpole, Westrwood,
Wrentham) COUNTIES

	Rates	Fringes
Bricklayer, Cement Mason, Plasterer.....\$ 45.96		29.74

BRMA0001-009 09/01/2013		

LOWELL CHAPTER

MIDDLESEX (Acton, Asby, Ayer, Bedford, Billerica, Boxboro, Carlisle, Chemsford, Dracut, Dunstable, Ft. Denvers, Groton, Littleton, Lowell, North Acton, Pepperell, Shirley, South Acton, Tewksbury, Townsend, Tyngsboro, West Acton, Westford, Wilmington)

	Rates	Fringes
Bricklayer and plasterer.....	\$ 45.96	29.74

BRMA0001-010 09/01/2013		

LOWELL CHAPTER

MIDDLESEX (Ashland, Framingham, Holliston, Hopkinton, Hudson, Maynard, Natick, Sherborn, Stow); and NORFOLK (Medfield, Medway, Millis)

	Rates	Fringes
BRICKLAYER.....	\$ 45.96	29.74

BRMA0003-001 02/01/2013		

	Rates	Fringes
Marble & Tile Finisher.....	\$ 36.20	25.08
Marble, Tile & Terrazzo		
Workers.....	\$ 47.45	27.22
TERRAZZO FINISHER.....	\$ 46.35	26.43

BRMA0003-003 02/01/2014		

BOSTON CHAPTER

MIDDLESEX (Arlington, Cambridge, Everett, Malden, Medford, Melrose, Somerville); NORFOLK (Brookline, Milton); and SUFFOLK

	Rates	Fringes
BRICKLAYER.....	\$ 48.06	28.70

BRMA0003-006 02/01/2014		

LYNN CHAPTER

ESSEX (Amesbury, Andover, Beverly, Boxford, Danvers, Essex, Georgetown, Gloucester, Groveland, Hamilton, Haverhill, Ipswich, Lawrence, Lynn, Lynnfield, Manchester, Marblehead, Merrimac, Methuen, Middleton, Nahant, Newbury, Newburyport, North Andover, Peabody, Rockport, Rowley, Salisbury, Salem, Saugus, Swampscott, Topsfield Wakefield, Wenham, West Newbury); and MIDDLESEX (Reading, North Reading, Wakefield)

	Rates	Fringes
Bricklayer, cement mason and plasterer.....	\$ 48.06	28.70

BRMA0003-007 02/01/2014		

WALTHAM CHAPTER

MIDDLESEX (Belmont, Burlington, Concord, Lexington, Lincoln, Stoneham, Sudbury, Waltham, Watertown, Wayland, Weston, Winchester, Woburn)

	Rates	Fringes
Bricklayer and plasterer.....	\$ 48.06	28.70

BRMA0003-008 02/01/2014		

NEWTON CHAPTER

MIDDLESEX (Newton) and NORFOLK (Dover, Needham, Wellesley)

	Rates	Fringes
Bricklayer, cement mason and plasterer.....	\$ 48.06	28.70

BRMA0003-009 02/01/2014		

NEW BEDFORD

BARNSTABLE; BRISTOL (Acushnet, Dartmouth, Farhaven, Fall River, Freetown, New Bedford, Somerset, Swansea, Westport); DUKES; and NANTUCKET COUNTIES

	Rates	Fringes
Bricklayer, cement mason and plasterer.....	\$ 48.06	28.70

BRMA0003-010 02/01/2014		

QUINCY CHAPTER

NORFOLK COUNTY (Avon, Braintree, Cohasset, Holbrook, Quincy, Randolph, Soughton, Weymouth)

	Rates	Fringes
Bricklayer, cement mason and plasterer.....	\$ 48.06	28.70

CARP0026-001 09/01/2013		

BRISTOL (Attleborough, North Attleborough); ESSEX; MIDDLESEX (Except Belmont, Cambridge, Everett, Malden, Medford, Somerville); AND NORFOLK (Bellingham, Canton, Foxboro, Franklin, Medfield, Medway, Millis, Needham, Norfolk, Norwood, Plainville, Sharon, Walpole, Wellesley, Westwood, Wrentham)

	Rates	Fringes
CARPENTER.....	\$ 34.28	26.06

CARP0033-001 09/01/2013		

MIDDLESEX (Belmont, Cambridge, Everett, Malden, Medford,

Somerville); NORFOLK (Brookline, Dedham, Milton); and SUFFOLK

	Rates	Fringes
CARPENTER.....	\$ 40.10	26.56

CARP0056-011 08/01/2013

SUFFOLK (All of County); and those areas of BARNSTABLE, BRISTOL, ESSEX, MIDDLESEX & NORFOLK COUNTIES situated inside Boston Beltway (I-495) and North of Cape Cod Canal. ALL of DUKES AND NANTUCKET COUNTIES

	Rates	Fringes
PILEDRIVERMAN.....	\$ 40.10	28.57

CARP0056-012 08/01/2013

The areas of BARNSTABLE, BRISTOL, and NORFOLK COUNTIES situated OUTSIDE Boston Beltway (I-495) and South of Cape Cod Canal

	Rates	Fringes
PILEDRIVERMAN.....	\$ 40.10	28.57

CARP0056-013 08/01/2013

Those areas of ESSEX and MIDDLESEX COUNTIES situated OUTSIDE Boston Beltway (I-495)

	Rates	Fringes
PILEDRIVERMAN.....	\$ 40.10	28.57

CARP0424-003 09/01/2013

NORFOLK COUNTY (Braintree, Cohasset, Scituate, Weymouth, Quincy)

	Rates	Fringes
CARPENTER.....	\$ 34.28	26.06

CARP0624-005 03/01/2013

BARNSTABLE; BRISTOL (Except Attleboro & North Attleboro); DUKES; NANTUCKET; AND NORFOLK (Avon, Holbrook, Randolph, Stoughton) COUNTIES

	Rates	Fringes
CARPENTER.....	\$ 33.92	26.20

CARP1121-001 04/01/2014

	Rates	Fringes
MILLWRIGHT.....	\$ 35.73	26.81

 CARP2168-001 03/01/2014

MIDDLESEX (Belmont, Cambridge, Everett, Malden, Medford, Somerville); NORFOLK (Brookline, Dedham, Milton); and SUFFOLK

	Rates	Fringes
FLOOR LAYER: Carpet.....	\$ 39.87	27.26

 CARP2168-004 03/01/2014

BRISTOL; ESSEX; MIDDLESEX (Except Belmont, Cambridge, Everett, Malden, Medford, Somerville); Remainder of Norfolk County

	Rates	Fringes
FLOOR LAYER: Carpet.....	\$ 39.87	27.26

 CARP2168-005 03/01/2014

BARNSTABALE; DUKES; AND NANTUCKET

	Rates	Fringes
FLOOR LAYER: Carpet.....	\$ 39.87	27.26

 * ELEC0096-001 06/01/2014

MIDDLESEX (Ashby, Ashland, Ayer, Ft. Devens, Groton, Hopkinton, Hudson, Marlboro, Pepperell, Shirley, Stow, Townsend)

	Rates	Fringes
ELECTRICIAN.....	\$ 38.12	11%+17.03
Teledata System Installer.....	\$ 25.86	3%+17.37

 ELEC0099-001 06/01/2013

BRISTOL (Attleboro, North Attleboro, Seekonk)

	Rates	Fringes
ELECTRICIAN.....	\$ 34.08	62.86%
Teledata System Installer.....	\$ 25.56	14.26%+13.57

 ELEC0103-001 03/01/2014

ESSEX; MIDDLESEX (Excluding Ashby, Ashland, Ayer, Ft. Devens, Groton, Hopkinton, Hudson, Marlboro, Pepperell, Shirley, Stow, Townsend); NORFOLK (Excluding Avon, Holbrook, Plainville, Randolph, Stoughton) SUFFOLK

	Rates	Fringes
--	-------	---------

Teledata System Installer.....\$ 33.34	26.50
--	-------

ELEC0103-002 09/01/2013

ESSEX (Amesbury, Andover, Boxford, Georgetown, Groveland, Haverhill, Lawrence, Merrimac, Methuen, Newbury, Newburyport, North Andover, Rowley, Salisbury, West Newbury); MIDDLESEX (Bedford, Billerica, Boxboro, Burlington, Carlisle, Chelmsford, Dracut, Dunstable, Littleton, Lowell, North Reading, Tewksbury, Tyngsboro, Westford, Wilmington)

	Rates	Fringes
ELECTRICIAN.....\$ 43.96		28.04

ELEC0103-004 09/01/2013

ESSEX (Beverly, Danvers, Essex, Gloucester, Hamilton, Ipswich, Manchester, Marblehead, Middleton, Peabody, Rockport, Salem, Topsfield, Wenham)

	Rates	Fringes
ELECTRICIAN.....\$ 43.96		28.04

ELEC0103-005 09/01/2013

ESSEX (Lynn, Lynnfield, Nahant, Saugus, Swampscott); MIDDLESEX (Acton, Arlington, Belmont, Cambridge, Concord, Everett, Framingham, Holliston, Lexington, Lincoln, Malden, Maynard, Medford, Melrose, Natick, Newton, Reading, Sherborn, Somerville, Stoneham, Sudbury, Wakefield, Waltham, Watertown, Wayland, Weston, Winchester, Woburn); NORFOLK (Bellingham, Braintree, Brookline, Canton, Cohasset, Dedham, Dover, Foxboro, Franklino, Medfield, Medway, Millis, Milton, Needham, Norfolk, Norwood, Quincy, Sharon, Walpole, Wellesley, Westwood, Weymouth, Wrentham); PLYMOUTH (Hingham and Hull); SUFFOLK

	Rates	Fringes
ELECTRICIAN.....\$ 43.96		28.04

ELEC0104-001 09/03/2012

	Rates	Fringes
Line Construction:		
Cableman.....\$ 41.97		19.08+A
Equipment Operator.....\$ 35.67		17.54+A
Groundman.....\$ 23.08		11.85+A
Lineman.....\$ 41.97		19.08+A

A. PAID HOLIDAYS: New Year's Day; Memorial Day; Independence Day; Labor Day; Thanksgiving Day; Christmas Day and Columbus Day, provided the employee has been employed 5 working days prior to any one of the listed holidays.

ELEC0223-005 09/01/2013

BARNSTABLE; BRISTOL (Except Attleboro, North Attleboro, Seekonk); DUKES; NANTUCKET AND NORFOLK (Avon, Halbrook, Plainville, Randolph, Stoughton)

	Rates	Fringes
ELECTRICIAN.....	\$ 36.41	32.25%+7.70

ELEC0223-006 09/01/2013

BARNSTABLE; BRISTOL (Except Attleboro, North Attleboro, Seekonk); DUKES; NANTUCKET AND NORFOLK (Avon, Halbrook, Plainville, Randolph, Stoughton)

	Rates	Fringes
Teledata System Installer.....	\$ 36.41	32.25%+7.70

ELEV0004-001 01/01/2013

	Rates	Fringes
ELEVATOR MECHANIC.....	\$ 51.42	25.185+a

FOOTNOTE FOR ELEVATOR MECHANICS:

A. 6% under 5 years based on regular hourly rate for all hours worked. 8% over 5 years based on regular hourly rate for all hours worked.

Eight paid holidays: New Year's Day, Memorial Day, Independence Day, Labor Day, Veteran's Day, Thanksgiving Day, the Friday after Thanksgiving Day and Christmas Day.

ENGI0004-001 12/01/2013

	Rates	Fringes
Power equipment operators:		
Group 1.....	\$ 40.49	25.02+A
Group 2.....	\$ 40.11	25.02+A
Group 3.....	\$ 28.11	25.02+A
Group 4.....	\$ 33.76	25.02+A
Group 5.....	\$ 20.96	25.02+A
Group 6.....	\$ 24.43	25.02+A

FOOTNOTE FOR POWER EQUIPMENT OPERATORS:

A. PAID HOLIDAYS: New Year's Day, Washington's Birthday, Labor Day, Memorial Day, Independence Day, Patriot's Day, Columbus Day, Veteran's Day, Thanksgiving Day, Christmas Day

HOURLY PREMIUM FOR BOOM LENGTHS (Including Jib):

Over 150 ft.	+2.12
Over 185 ft.	+3.72
Over 210 ft.	+5.23
Over 250 ft.	+7.92

Over 295 ft. +10.97
Over 350 ft. +12.76

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

Group 1: Crane; shovel; truck crane; cherry picker; dragline; trench hoe; backhoe; three drum machine; derrick; pile driver; elevator tower; hoist; gradall; shovel dozer; front end loader; fork lift; suger; boring machine; rotaryu drill; post hole hammer; post hole digger; pumpcrete machine; asphalt plant (on site); concrete batching and/or mixing plant (on site); crusher plant (on site); paving concrete mixer; timber jack

Group 2: Sonic or vibratory hammer; grader; scraper; tandem scraper; concrete pump; bulldozer; tractor; york rake; mulching machine; portable steam boiler; portable steam generator; roller; spreader; tamper (self propelled or tractor drawn); asphalt paver; mechanic - maintenance; paving screed machine; stationary steam boiler; paving concrete finishing machine; cal truck; ballast regulator; switch tamper; rail anchor machine; tire truck

Group 3: Pumps (1-3 grouped); compressor; welding machine (1-3 grouped); generator; concrete vibrator; heater (power driven 1- 5); well point system (operating); syphon-pulsometer; concrete mixer; valves controlling permanent plant air or steam; conveyor; Jackson type tamper; single diaphragm pump; lighting plant

Group 4: Assistant engineer (fireman)

Group 5: Oiler (other than truck cranes and gradalls)

Group 6: Oiler (on truck cranes and gradalls) stant engineer (on truck crane and gradall)

IRON0007-006 03/16/2014

AREA 1: BRISTOL (Easton); ESSEX (Beverly Gloucester, Lynn,Lynnfield, Manchester, Marblehead Nahant, Salem, Saugus, Swampscott); MIDDLESEX (Arlington, Bedford, Belmont, Burlington, Cambridge, Concord, Everett, Framingham, Lexington, Lincoln, Malden, Maynard, Medford, Melrose, Natick, Newton, Reading, Sherborn, Somerville, Stoneham, Sudbury, Wakefield, Waltham, Watertown, Wayland, Weston, Winchester, Woburn); NORFOLK (Except Medway); SUFFOLK

AREA 2: ESSEX (Amesbury, Andover, Boxford, Danvers, Essex, Georgetown, Hamilton, Haverhill, Ipswich, Lawrence, Merrimac, Methuen, Newbury, Newburyport, North Andover, Rockport, Rowley, Salisbury, Topsfield, Wenham, West Newbury); MIDDLESEX (Action, Billerica, Carlisle, Chelmsford, Dracut, Dunstable, Groton, Groveland, Littleton, Lowell, Middleton, North Reading, Pepperell, Tewksbury, Tyngsboro, Westford, Wilmington)

	Rates	Fringes
--	-------	---------

Ironworkers:

AREA 1.....	\$ 41.19	27.80
-------------	----------	-------

AREA 2.....	\$ 36.78	27.80
-------------	----------	-------

IRON0007-010 03/16/2014

MIDDLESEX (Ashby, Ashland, Ayer, Boxboro, Holliston, Hopkinton, Hudson, Marlboro, Shirley, Stow, Townsend); NORFOLK (Medway)

	Rates	Fringes
IRONWORKER.....	\$ 40.89	27.80

IRON0037-005 03/16/2014

BARNSTABLE; BRISTOL (Acushnet, Attleboro, Berkley, Dartmouth, Dighton, Fairhaven, Fall River, Freetown, Mansfield, New Bedford, North Attleboro, Norton, Raynham, Rehoboth, Seekonk, Somerset, Swansea, Taunton, Westport); DUKES; NANTUCKET; NORFOLK (Billingham, Franklin, Plainville, Wrentham)

	Rates	Fringes
IRONWORKER.....	\$ 33.56	22.77

LABO0014-001 06/01/2011

	Rates	Fringes
Plasterer tender BARNSTABLE, BRISTOL, DUKES, ESSEX, NANTUCKET, MIDDLESEX (with the exception of Arlington, Belmont, Burlington, Cambridge, Everett, Malden, Medford, Melrose, Reading, Somerville, Stoneham, Wakefield, Winchester, Winthrop and Woburn); NORFOLK (with the exception of Brookline Dedham and Milton) COUNTIES.	\$ 28.60	19.00
SUFFOLK COUNTY (Boston, Chelsea, Revere, Winthrop, Deer Island, Nut Island); MIDDLESEX COUNTY (Arlington, Belmont, Burlington, Cambridge, Everett, Malden, Medford, Melrose, Reading, Somerville, Stoneham, Wakefield, Winchester, Winthrop and Woburn only); NORFOLK COUNTY (Brookline, Dedham, and Milton only)....	\$ 31.05	19.90

LABO0022-009 12/01/2012

SUFFOLK COUNTY (Boston, Chelsea, Revere, Winthrop, Deer & Nut Islands); MIDDLESEX COUNTY (Arlington, Belmont, Burlington, Cambridge, Everett, Malden, Medford, Melrose, Reading,

Somerville, Stoneham, Wakefield, Winchester, Winthrop, and Woburn only); NORFOLK COUNTY (Brookline, Dedham, and Milton only)

	Rates	Fringes
Laborers:		
Group 1.....	\$ 32.30	20.40
Group 2.....	\$ 32.55	20.40
Group 3.....	\$ 33.05	20.40
Group 4.....	\$ 33.30	20.40
Group 5.....	\$ 33.05	20.40
Group 6.....	\$ 34.30	20.40
Group 7.....	\$ 20.50	20.40

LABORERS CLASSIFICATIONS

GROUP 1: Laborers; Carpenter Tenders

GROUP 2: Jackhammer operator; pavement breaker; asphalt raker carbide core drilling machine; chain saw operator; pipelayer; barco type jumping tampers; laser beam; concrete pump; mason tender; motorized mortar mixer; ride-on motorized buggy; fence and beam rail erector

GROUP 3: Air track, block paver; rammer; curb setter, hydraulic and similar self-powered drills

GROUP 4: Blaster; powderman

GROUP 5: Pre-cast floor and roof plank erector

GROUP 6: Asbestos removal laborers/haz-mat laborers

GROUP 7: Flaggers

LABO0022-010 12/01/2012

Counties of BARNSTABLE; BRISTOL; DUKES; ESSEX; NANTUCKET; MIDDLESEX (with the exception of Arlington, Belmont, Burlington, Cambridge, Everett, Malden, Medford, Melrose, Reading, Somerville, Stoneham, Wakfield, Winchester, Winthrop and Woburn); NORFOLK (with the exception of Brookline, Dedham and Milton)

	Rates	Fringes
Laborers:		
Group 1.....	\$ 29.60	19.50
Group 2.....	\$ 29.85	19.50
Group 3.....	\$ 30.35	19.50
Group 4.....	\$ 30.60	19.50
Group 5.....	\$ 30.35	19.50
Group 6.....	\$ 31.60	19.50

LABORERS CLASSIFICATIONS

GROUP 1: Laborers; Carpenter Tenders

GROUP 2: Jackhammer operator; pavement breaker; asphalt raker carbide core drilling machine; chain saw operator; pipelayer; barco type jumping tampers; laser beam; concrete pump; mason tender; motorized mortar mixer; ride-on motorized buggy; fence and beam rail erector

GROUP 3: Air track, block paver; hammer; curb setter, hydraulic and similar self-powered drills

GROUP 4: Blaster; powderman

GROUP 5: Pre-cast floor and roof plank erector

GROUP 6: Asbestos removal laborers/haz-mat laborers

LAB01421-004 06/01/2011

BARNSTABLE, BRISTOL, DUKES, ESSEX, MIDDLESEX, NANTUCKET NORFOLK
AND SUFFOLK COUNTIES

	Rates	Fringes
Laborers: (Wrecking)		
Group 1.....	\$ 31.05	19.75
Group 2.....	\$ 31.80	19.75
Group 3.....	\$ 32.05	19.75
Group 4.....	\$ 27.05	19.75
Group 5.....	\$ 30.15	19.75
Group 6.....	\$ 31.05	19.75

Group 1: Adzeman, Wrecking Laborer.

Group 2: Burners, Jackhammers.

Group 3: Small Backhoes, Loaders on tracks, Bobcat Type Loaders, Hydraulic "Brock" Type Hammer Operators, Concrete Cutting Saws.

Group 4: Yardman (Salvage Yard Only).

Group 5: Yardman, Burners, Sawyers.

Group 6: Asbestos, Lead Paint, Toxic and Hazardous Waste.

* PAIN0011-007 06/01/2014

BARNSTABLE, BRISTOL, DUKES, AND NANTUCKET COUNTIES

	Rates	Fringes
GLAZIER.....	\$ 34.58	18.55+A

FOOTNOTE:

A. PAID HOLIDAY: LABOR DAY (provided employee has worked any part of the week prior to Labor Day and any part of the week after Labor Day)

PAIN0035-004 01/01/2013

BARNSTABLE; BRISTOL; ESSEX; NANTUCKET; DUKES; COUNTIES;
REMAINDER OF NORFOLK; MIDDLESEX AND SUFFOLK COUNTIES

	Rates	Fringes
Painters:		
NEW CONSTRUCTION:		
Brush, Taper.....	\$ 34.51	24.40
Spray, Sandblast.....	\$ 35.91	24.40
REPAINT:		
Brush, Taper.....	\$ 32.57	24.40
Spray, Sandblast.....	\$ 33.97	24.40

PAIN0035-013 01/01/2013

MIDDLESEX (Cambridge, Everett, Malden, Medford, Somerville)
 SUFFOLK COUNTY (Boston, Chelsea) NORFOLK COUNTY (Brookline)

	Rates	Fringes
Painters:		
NEW CONSTRUCTION:		
Brush, Taper.....	\$ 40.30	24.40
Spray, Sandblast.....	\$ 41.70	24.40
REPAINT:		
Brush, Taper.....	\$ 38.36	24.40
Spray, Sandblast.....	\$ 39.76	24.40

PAIN0035-020 01/01/2013

ESSEX; MIDDLESEX; NORFOLK; SUFFOLK

	Rates	Fringes
GLAZIER.....	\$ 34.51	24.40

PLAS0534-001 07/01/2012

ESSEX; MIDDLESEX; NORFOLK AND SUFFOLK COUNTY

	Rates	Fringes
CEMENT MASON/CONCRETE FINISHER...	\$ 35.50	31.01

PLAS0534-004 07/01/2012

MIDDLESEX; NORFOLK AND SUFFOLK COUNTIES

	Rates	Fringes
PLASTERER.....	\$ 35.50	13.01

PLUM0004-001 03/01/2013

MIDDLESEX (Ashby, Ayer-West of Greenville branch of Boston and
 Maine Railroad, Ft. Devens, Groton, Shirley, Townsend)

	Rates	Fringes
Plumbers and Pipefitters.....	\$ 40.01	24.21

PLUM0012-005 09/01/2013

ESSEX (Ames, Andover, Beverly, Boxford, Byfield, Danvers, Essex, Georgetown, Gloucester, Groveland, Hamilton, Haverhill, Ipswich, Lawrence, Manchester, Marblehead, Merrimac, Methuen, Middleton, Newbury, Newburyport, North Andover, Peabody, Rockport, Rowley, Salem, Salisbury, Topsfield, Wenham, West Newbury)

	Rates	Fringes
PLUMBER.....	\$ 44.98	24.56

PLUM0012-007 09/01/2013		

ESSEX (Lynn, Lynnfield, Nahant, Saugus, and Swampscott); MIDDLESEX (Acton, Arlington, Ashford, Ayer-except west of Greenville Branch of Boston & Maine Rail Road, Bedford, Belmont, Billerica, Boxboro, Burlington, Cambridge, Carlise, Chelmsford, Concord, Dracut, Dunstable, Everett, Framingham, Hudson, Holliiston, Hopkinton, Lexington, Lincoln, Littleton, Lowell, Malden, Marlboro, Maynard, Medford, Melrose, Natick, Newton, North Reading, Pepperell, Reading, Sherborn, Somerville, Stoneham, Stow, Sudbury, Tewksbury, Tyngsboro, Wakefield, Watham, Watertown, Wayland, Westford, Wilmington, Winchester and Woburn), NORFOLK (Bellingham, Braintree, Brookline, Canton, Cohasset, Dedham, Dover, Foxboro, Franklin, Medford, Medway, Millis, Milton, Needham, Norfolk, Norwood, Plainville, Quincy, Sharon, Walpole, Wellesley, Westwood, Weymouth and Wrentham); PLYMOUTH (Hingham, Hull, Scituate); SUFFOLK; WORCESTER (Hopedale and Southboro)

	Rates	Fringes
PLUMBER.....	\$ 49.06	24.56

PLUM0051-004 03/01/2014		

BARNSTABLE; BRISTOL; DUKES; NANTUCKET; AND NORFOLK (Avon, Holbrook, Randolph, Stoughton) COUNTIES

	Rates	Fringes
Plumbers and Pipefitters.....	\$ 35.51	27.32

PLUM0537-005 09/01/2013		

ESSEX (Ames, Andover, Beverly, Boxford, Byfield, Danvers, Essex, Georgetown, Gloucester, Groveland, Hamilton, Haverhill, Ipswich, Lawrence, Lynn, Lynnfield, Manchester, Marblehead, Merrimac, Methuen, Middleton, Nahant, Newbury, Newburyport, North Andover, Peabody, Rockport, Rowley, Salem, Salisbury, Saugus, Swampscott, Topsfield, Wenham, West Newbury); MIDDLESEX (Acton, Arlington, Ashford, Ayer-except west of Greenville Branch of Boston & Maine Rail Road, Bedford, Belmont, Billerica, Boxboro, Burlington, Cambridge, Carlise, Chelmsford, Concord, Dracut, Dunstable, Everett, Framingham, Hudson, Holliiston, Hopkinton, Lexington, Lincoln, Littleton, Lowell, Malden, Marlboro, Maynard, Medford, Melrose, Natick, Newton, North Reading, Pepperell, Reading, Sherborn, Somerville, Stoneham, Stow, Sudbury, Tewksbury, Tyngsboro,

Wakefield, Watham, Watertown, Wayland, Westford, Wilmington, Winchester and Woburn), NORFOLK (Bellingham, Braintree, Brookline, Canton, Cohasset, Dedham, Dover, Foxboro, Franklin, Medford, Medway, Millis, Milton, Needham, Norfolk, Norwood, Plainville, Quincy, Sharon, Walpole, Wellesley, Westwood, Weymouth and Wrentham); PLYMOUTH (Hingham, Hull, Scituate); SUFFOLK; WORCHESTER (Hopedale and Southboro)

	Rates	Fringes
PIPEFITTER.....	\$ 47.94	26.51

ROOF0033-001 02/01/2014		

	Rates	Fringes
Roofers:		
All Tear-off and/or		
removal of any types of		
roofing and all spudding,		
sweeping, vacuuming and/or		
cleanup of any and all		
areas of any type where a		
roof is to be relaid.....	\$ 39.21	22.02

SFMA0550-001 01/01/2014		

BRISTOL (Portion within 35 mile radius from Boston City Hall; ESSEX; MIDDLESEX (Except Ashby, Townsend, and portions of Pepperell and Shirley beyond 35 mile radius from Boston City Hall); NORFOLK; PLYMOUTH (Portion within 35 mile radius of Boston City Hall); SUFFOLK

	Rates	Fringes
SPRINKLER FITTER.....	\$ 53.33	22.08

SFMA0550-002 01/01/2014		

BRISTOL (Seekonk, Swansea, and Somerset)

	Rates	Fringes
SPRINKLER FITTER.....	\$ 39.40	21.05+a

a. PAID HOLIDAYS: Memorial Day, July 4th, Labor Day, Thanksgiving Day and Christmas Day, provided the employee has been in the employment of a contractor 20 working days prior to any such paid holiday.

SFMA0669-001 01/01/2014		
BARNSTABLE; BRISTOL (Beyond 35 mile radius of Boston City Hall); DUKES; MIDDLESEX (Ashby, Townsend, portions of Pepperell and Shirley beyond 35 mile radius of Boston City Hall); NANTUCKET; PLYMOUTH (Beyond 35 mile radius of Boston City Hall)		

	Rates	Fringes
--	-------	---------

SPRINKLER FITTER.....	\$ 39.40	21.05
-----------------------	----------	-------

SHEE0017-003 02/01/2012

BRISTOL (Attleboro, Berkley, Easton, Mansfield, North
Attleboro, Norton, Raynham, Taunton); ESSEX; MIDDLESEX;
NORFOLK; PLYMOUTH (except except Marion, Mattapoisett,
Rochester, Wareham); SUFFOLK

	Rates	Fringes
Sheet metal worker.....	\$ 40.79	28.83

SHEE0017-007 02/01/2012

BARNSTABLE; BRISTOL (Acushnet, Assonet, Dartmouth, Dighton,
Fairhaven, Fall River, Freetown, New Bedford, Rehoboth,
Seekonk, Somerset, Swansea, Westport); DUKES; AND NANTUCKET

	Rates	Fringes
Sheet metal worker.....	\$ 40.79	28.83

TEAM0379-001 08/01/2013

	Rates	Fringes
Truck drivers:		
Group 1.....	\$ 30.78	18.37+A+B
Group 2.....	\$ 30.95	18.37+A+B
Group 3.....	\$ 31.02	18.37+A+B
Group 4.....	\$ 31.14	18.37+A+B
Group 5.....	\$ 31.24	18.37+A+B
Group 6.....	\$ 31.53	18.37+A+B
Group 7.....	\$ 31.82	18.37+A+B

POWER TRUCKS \$.25 DIFFERENTIAL BY AXLE

TUNNEL WORK (UNDERGROUND ONLY) \$.40 DIFFERENTIAL BY AXLE

HAZARDOUS MATERIALS (IN HOT ZONE ONLY) \$2.00 PREMIUM

TRUCK DRIVERS CLASSIFICATIONS

Group 1: Station wagons; panel trucks; and pickup trucks

Group 2: Two axle equipment; & forklift operator

Group 3: Three axle equipment and tireman

Group 4: Four and Five Axle equipment

Group 5: Specialized earth moving equipment under 35 tons
other than conventional type trucks; low bed; vachual;
mechanics, paving restoration equipment

Group 6: Specialized earth moving equipment over 35 tons

Group 7: Trailers for earth moving equipment (double hookup)

FOOTNOTES:

A. PAID HOLIDAYS: New Year's Day, Washington's Birthday, Memorial Day, Independence Day, Labor Day, Patriot's Day, Columbus Day, Veteran's Day, Thanksgiving Day and Christmas Day

B. PAID VACATION: Employees with 4 months to 1 year of service receive 1/2 day's pay per month; 1 week vacation for 1 - 5 years of service; 2 weeks vacation for 5 - 10 years of service; and 3 weeks vacation for more than 10 years of service

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

=====
Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of "identifiers" that indicate whether the particular rate is union or non-union.

Union Identifiers

An identifier enclosed in dotted lines beginning with characters other than "SU" denotes that the union classification and rate have found to be prevailing for that classification. Example: PLUM0198-005 07/01/2011. The first four letters , PLUM, indicate the international union and the four-digit number, 0198, that follows indicates the local union number or district council number where applicable , i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. The date, 07/01/2011, following these characters is the effective date of the most current negotiated rate/collective bargaining agreement which would be July 1, 2011 in the above example.

Union prevailing wage rates will be updated to reflect any changes in the collective bargaining agreements governing the rates.

0000/9999: weighted union wage rates will be published annually each January.

Non-Union Identifiers

Classifications listed under an "SU" identifier were derived from survey data by computing average rates and are not union rates; however, the data used in computing these rates may include both union and non-union data. Example: SULA2004-007 5/13/2010. SU indicates the rates are not union majority rates, LA indicates the State of Louisiana; 2004 is the year of the survey; and 007 is an internal number used in producing the wage determination. A 1993 or later date, 5/13/2010, indicates the classifications and rates under that identifier were issued as a General Wage Determination on that date.

Survey wage rates will remain in effect and will not change until a new survey is conducted.

WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations
Wage and Hour Division
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage

payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

=====

END OF GENERAL DECISION

Applicability

The Project or Program to which the construction work covered by this contract pertains is being assisted by the United States of America and the following Federal Labor Standards Provisions are included in this Contract pursuant to the provisions applicable to such Federal assistance.

A. 1. (i) Minimum Wages. All laborers and mechanics employed or working upon the site of the work, will be paid unconditionally and not less often than once a week, and without subsequent deduction or rebate on any account (except such payroll deductions as are permitted by regulations issued by the Secretary of Labor under the Copeland Act (29 CFR Part 3), the full amount of wages and bona fide fringe benefits (or cash equivalents thereof) due at time of payment computed at rates not less than those contained in the wage determination of the Secretary of Labor which is attached hereto and made a part hereof, regardless of any contractual relationship which may be alleged to exist between the contractor and such laborers and mechanics. Contributions made or costs reasonably anticipated for bona fide fringe benefits under Section 1(b)(2) of the Davis-Bacon Act on behalf of laborers or mechanics are considered wages paid to such laborers or mechanics, subject to the provisions of 29 CFR 5.5(a)(1)(iv); also, regular contributions made or costs incurred for more than a weekly period (but not less often than quarterly) under plans, funds, or programs, which cover the particular weekly period, are deemed to be constructively made or incurred during such weekly period.

Such laborers and mechanics shall be paid the appropriate wage rate and fringe benefits on the wage determination for the classification of work actually performed, without regard to skill, except as provided in 29 CFR 5.5(a)(4). Laborers or mechanics performing work in more than one classification may be compensated at the rate specified for each classification for the time actually worked therein: Provided, That the employer's payroll records accurately set forth the time spent in each classification in which work is performed. The wage determination (including any additional classification and wage rates conformed under 29 CFR 5.5(a)(1)(ii) and the Davis-Bacon poster (WH-1321) shall be posted at all times by the contractor and its subcontractors at the site of the work in a prominent and accessible, place where it can be easily seen by the workers.

(ii) (a) Any class of laborers or mechanics which is not listed in the wage determination and which is to be employed under the contract shall be classified in conformance with the wage determination. HUD shall approve an additional classification and wage rate and fringe benefits therefor only when the following criteria have been met:

(1) The work to be performed by the classification requested is not performed by a classification in the wage determination; and

(2) The classification is utilized in the area by the construction industry; and

(3) The proposed wage rate, including any bona fide fringe benefits, bears a reasonable relationship to the wage rates contained in the wage determination.

(b) If the contractor and the laborers and mechanics to be employed in the classification (if known), or their representatives, and HUD or its designee agree on the classification and wage rate (including the amount designated for fringe benefits where appropriate), a report of the action taken shall be sent by HUD or its designee to the Administrator of the Wage and Hour Division, Employment Standards Administration, U.S. Department of Labor, Washington, D.C. 20210. The Administrator, or an authorized representative, will approve, modify, or disapprove every additional classification action within 30 days of receipt and so advise HUD or its designee or will notify HUD or its designee within the 30-day period that additional time is necessary. (Approved by the Office of Management and Budget under OMB control number 1215-0140.)

(c) In the event the contractor, the laborers or mechanics to be employed in the classification or their representatives, and HUD or its designee do not agree on the proposed classification and wage rate (including the amount designated for fringe benefits, where appropriate), HUD or its designee shall refer the questions, including the views of all interested parties and the recommendation of HUD or its designee, to the Administrator for determination. The Administrator, or an authorized representative, will issue a determination within 30 days of receipt and so advise HUD or its designee or will notify HUD or its designee within the 30-day period that additional time is necessary. (Approved by the Office of Management and Budget under OMB Control Number 1215-0140.)

(d) The wage rate (including fringe benefits where appropriate) determined pursuant to subparagraphs (1)(ii)(b) or (c) of this paragraph, shall be paid to all workers performing work in the classification under this contract from the first day on which work is performed in the classification.

(iii) Whenever the minimum wage rate prescribed in the contract for a class of laborers or mechanics includes a fringe benefit which is not expressed as an hourly rate, the contractor shall either pay the benefit as stated in the wage determination or shall pay another bona fide fringe benefit or an hourly cash equivalent thereof.

(iv) If the contractor does not make payments to a trustee or other third person, the contractor may consider as part

of the wages of any laborer or mechanic the amount of any costs reasonably anticipated in providing bona fide fringe benefits under a plan or program, Provided, That the Secretary of Labor has found, upon the written request of the contractor, that the applicable standards of the Davis-Bacon Act have been met. The Secretary of Labor may require the contractor to set aside in a separate account assets for the meeting of obligations under the plan or program. (Approved by the Office of Management and Budget under OMB Control Number 1215-0140.)

2. Withholding. HUD or its designee shall upon its own action or upon written request of an authorized representative of the Department of Labor withhold or cause to be withheld from the contractor under this contract or any other Federal contract with the same prime contractor, or any other Federally-assisted contract subject to Davis-Bacon prevailing wage requirements, which is held by the same prime contractor so much of the accrued payments or advances as may be considered necessary to pay laborers and mechanics, including apprentices, trainees and helpers, employed by the contractor or any subcontractor the full amount of wages required by the contract. In the event of failure to pay any laborer or mechanic, including any apprentice, trainee or helper, employed or working on the site of the work, all or part of the wages required by the contract, HUD or its designee may, after written notice to the contractor, sponsor, applicant, or owner, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds until such violations have ceased. HUD or its designee may, after written notice to the contractor, disburse such amounts withheld for and on account of the contractor or subcontractor to the respective employees to whom they are due. The Comptroller General shall make such disbursements in the case of direct Davis-Bacon Act contracts.

3. (i) Payrolls and basic records. Payrolls and basic records relating thereto shall be maintained by the contractor during the course of the work preserved for a period of three years thereafter for all laborers and mechanics working at the site of the work. Such records shall contain the name, address, and social security number of each such worker, his or her correct classification, hourly rates of wages paid (including rates of contributions or costs anticipated for bona fide fringe benefits or cash equivalents thereof of the types described in Section 1(b)(2)(B) of the Davis-bacon Act), daily and weekly number of hours worked, deductions made and actual wages paid. Whenever the Secretary of Labor has found under 29 CFR 5.5 (a)(1)(iv) that the wages of any laborer or mechanic include the amount of any costs reasonably anticipated in providing benefits under a plan or program described in Section 1(b)(2)(B) of the Davis-Bacon Act, the contractor shall maintain records which show that the commitment to provide such benefits is enforceable, that the plan or program is financially responsible, and that the plan or program has been

communicated in writing to the laborers or mechanics affected, and records which show the costs anticipated or the actual cost incurred in providing such benefits. Contractors employing apprentices or trainees under approved programs shall maintain written evidence of the registration of apprenticeship programs and certification of trainee programs, the registration of the apprentices and trainees, and the ratios and wage rates prescribed in the applicable programs. (Approved by the Office of Management and Budget under OMB Control Numbers 1215-0140 and 1215-0017.)

(ii) (a) The contractor shall submit weekly for each week in which any contract work is performed a copy of all payrolls to HUD or its designee if the agency is a party to the contract, but if the agency is not such a party, the contractor will submit the payrolls to the applicant sponsor, or owner, as the case may be, for transmission to HUD or its designee. The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR 5.5(a)(3)(i) except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead the payrolls shall only need to include an individually identifying number for each employee (e.g., the last four digits of the employee's social security number). The required weekly payroll information may be submitted in any form desired. Optional Form WH-347 is available for this purpose from the Wage and Hour Division Web site at <http://www.dol.gov/esa/whd/forms/wh347instr.htm> or its successor site. The prime contractor is responsible for the submission of copies of payrolls by all subcontractors. Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request to HUD or its designee if the agency is a party to the contract, but if the agency is not such a party, the contractor will submit the payrolls to the applicant sponsor, or owner, as the case may be, for transmission to HUD or its designee, the contractor, or the Wage and Hour Division of the Department of Labor for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of this subparagraph for a prime contractor to require a subcontractor to provide addresses and social security numbers to the prime contractor for its own records, without weekly submission to HUD or its designee. (Approved by the Office of Management and Budget under OMB Control Number 1215-0149.)

(b) Each payroll submitted shall be accompanied by a "Statement of Compliance," signed by the contractor or subcontractor or his or her agent who pays or supervises the payment of the persons employed under the contract and shall certify the following:

(1) That the payroll for the payroll period contains the information required to be provided under 29 CFR 5.5 (a)(3)(ii), the appropriate information is being maintained under 29 CFR 5.5(a)(3)(i), and that such information is correct and complete;

(2) That each laborer or mechanic (including each helper, apprentice, and trainee) employed on the contract during the payroll period has been paid the full weekly wages earned, without rebate, either directly or indirectly, and that no deductions have been made either directly or indirectly from the full wages earned, other than permissible deductions as set forth in 29 CFR Part 3;

(3) That each laborer or mechanic has been paid not less than the applicable wage rates and fringe benefits or cash equivalents for the classification of work performed, as specified in the applicable wage determination incorporated into the contract.

(c) The weekly submission of a properly executed certification set forth on the reverse side of Optional Form WH-347 shall satisfy the requirement for submission of the "Statement of Compliance" required by subparagraph A.3.(ii)(b).

(d) The falsification of any of the above certifications may subject the contractor or subcontractor to civil or criminal prosecution under Section 1001 of Title 18 and Section 231 of Title 31 of the United States Code.

(iii) The contractor or subcontractor shall make the records required under subparagraph A.3.(i) available for inspection, copying, or transcription by authorized representatives of HUD or its designee or the Department of Labor, and shall permit such representatives to interview employees during working hours on the job. If the contractor or subcontractor fails to submit the required records or to make them available, HUD or its designee may, after written notice to the contractor, sponsor, applicant or owner, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds. Furthermore, failure to submit the required records upon request or to make such records available may be grounds for debarment action pursuant to 29 CFR 5.12.

4. Apprentices and Trainees.

(i) **Apprentices.** Apprentices will be permitted to work at less than the predetermined rate for the work they performed when they are employed pursuant to and individually registered in a bona fide apprenticeship program registered with the U.S. Department of Labor, Employment and Training Administration, Office of Apprenticeship Training, Employer and Labor Services, or with a State Apprenticeship Agency recognized by the Office, or if a person is employed in his or her first 90 days of probationary employment as an apprentice in such an apprenticeship program, who is not individually registered in the program, but who has been certified by the Office of Apprenticeship Training, Employer and Labor Services or a State Apprenticeship Agency (where appropriate) to be eligible for probationary employment as an apprentice. The allowable ratio of apprentices to journeymen on the job site in any craft classification shall not be greater than the ratio permitted to the contractor as to the entire work force under the registered program. Any worker listed on a payroll at an apprentice wage rate, who

is not registered or otherwise employed as stated above, shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any apprentice performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed. Where a contractor is performing construction on a project in a locality other than that in which its program is registered, the ratios and wage rates (expressed in percentages of the journeyman's hourly rate) specified in the contractor's or subcontractor's registered program shall be observed. Every apprentice must be paid at not less than the rate specified in the registered program for the apprentice's level of progress, expressed as a percentage of the journeymen hourly rate specified in the applicable wage determination. Apprentices shall be paid fringe benefits in accordance with the provisions of the apprenticeship program. If the apprenticeship program does not specify fringe benefits, apprentices must be paid the full amount of fringe benefits listed on the wage determination for the applicable classification. If the Administrator determines that a different practice prevails for the applicable apprentice classification, fringes shall be paid in accordance with that determination. In the event the Office of Apprenticeship Training, Employer and Labor Services, or a State Apprenticeship Agency recognized by the Office, withdraws approval of an apprenticeship program, the contractor will no longer be permitted to utilize apprentices at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

(ii) **Trainees.** Except as provided in 29 CFR 5.16, trainees will not be permitted to work at less than the predetermined rate for the work performed unless they are employed pursuant to and individually registered in a program which has received prior approval, evidenced by formal certification by the U.S. Department of Labor, Employment and Training Administration. The ratio of trainees to journeymen on the job site shall not be greater than permitted under the plan approved by the Employment and Training Administration. Every trainee must be paid at not less than the rate specified in the approved program for the trainee's level of progress, expressed as a percentage of the journeyman hourly rate specified in the applicable wage determination. Trainees shall be paid fringe benefits in accordance with the provisions of the trainee program. If the trainee program does not mention fringe benefits, trainees shall be paid the full amount of fringe benefits listed on the wage determination unless the Administrator of the Wage and Hour Division determines that there is an apprenticeship program associated with the corresponding journeyman wage rate on the wage determination which provides for less than full fringe benefits for apprentices. Any employee listed on the payroll at a trainee rate who is not registered and participating in a training plan approved by

the Employment and Training Administration shall be paid not less than the applicable wage rate on the wage determination for the work actually performed. In addition, any trainee performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed. In the event the Employment and Training Administration withdraws approval of a training program, the contractor will no longer be permitted to utilize trainees at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

(iii) Equal employment opportunity. The utilization of apprentices, trainees and journeymen under 29 CFR Part 5 shall be in conformity with the equal employment opportunity requirements of Executive Order 11246, as amended, and 29 CFR Part 30.

5. Compliance with Copeland Act requirements. The contractor shall comply with the requirements of 29 CFR Part 3 which are incorporated by reference in this contract

6. Subcontracts. The contractor or subcontractor will insert in any subcontracts the clauses contained in subparagraphs 1 through 11 in this paragraph A and such other clauses as HUD or its designee may by appropriate instructions require, and a copy of the applicable prevailing wage decision, and also a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. The prime contractor shall be responsible for the compliance by any subcontractor or lower tier subcontractor with all the contract clauses in this paragraph.

7. Contract termination; debarment. A breach of the contract clauses in 29 CFR 5.5 may be grounds for termination of the contract and for debarment as a contractor and a subcontractor as provided in 29 CFR 5.12.

8. Compliance with Davis-Bacon and Related Act Requirements. All rulings and interpretations of the Davis-Bacon and Related Acts contained in 29 CFR Parts 1, 3, and 5 are herein incorporated by reference in this contract

9. Disputes concerning labor standards. Disputes arising out of the labor standards provisions of this contract shall not be subject to the general disputes clause of this contract. Such disputes shall be resolved in accordance with the procedures of the Department of Labor set forth in 29 CFR Parts 5, 6, and 7. Disputes within the meaning of this clause include disputes between the contractor (or any of its subcontractors) and HUD or its designee, the U.S. Department of Labor, or the employees or their representatives.

10. (i) Certification of Eligibility. By entering into this contract the contractor certifies that neither it (nor he or she) nor any person or firm who has an interest in the contractor's firm is a person or firm ineligible to be awarded Government contracts by virtue of Section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1) or to be

awarded HUD contracts or participate in HUD programs pursuant to 24 CFR Part 24.

(ii) No part of this contract shall be subcontracted to any person or firm ineligible for award of a Government contract by virtue of Section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1) or to be awarded HUD contracts or participate in HUD programs pursuant to 24 CFR Part 24.

(iii) The penalty for making false statements is prescribed in the U.S. Criminal Code, 18 U.S.C. 1001. Additionally, U.S. Criminal Code, Section 1010, Title 18, U.S.C., "Federal Housing Administration transactions", provides in part: "Whoever, for the purpose of . . . influencing in any way the action of such Administration..... makes, utters or publishes any statement knowing the same to be false..... shall be fined not more than \$5,000 or imprisoned not more than two years, or both."

11. Complaints, Proceedings, or Testimony by Employees. No laborer or mechanic to whom the wage, salary, or other labor standards provisions of this Contract are applicable shall be discharged or in any other manner discriminated against by the Contractor or any subcontractor because such employee has filed any complaint or instituted or caused to be instituted any proceeding or has testified or is about to testify in any proceeding under or relating to the labor standards applicable under this Contract to his employer.

B. Contract Work Hours and Safety Standards Act. The provisions of this paragraph B are applicable where the amount of the prime contract exceeds \$100,000. As used in this paragraph, the terms "laborers" and "mechanics" include watchmen and guards.

(1) Overtime requirements. No contractor or subcontractor contracting for any part of the contract work which may require or involve the employment of laborers or mechanics shall require or permit any such laborer or mechanic in any workweek in which the individual is employed on such work to work in excess of 40 hours in such workweek unless such laborer or mechanic receives compensation at a rate not less than one and one-half times the basic rate of pay for all hours worked in excess of 40 hours in such workweek.

(2) Violation; liability for unpaid wages; liquidated damages. In the event of any violation of the clause set forth in subparagraph (1) of this paragraph, the contractor and any subcontractor responsible therefor shall be liable for the unpaid wages. In addition, such contractor and subcontractor shall be liable to the United States (in the case of work done under contract for the District of Columbia or a territory, to such District or to such territory), for liquidated damages. Such liquidated damages shall be computed with respect to each individual laborer or mechanic, including watchmen and guards, employed in violation of the clause set forth in subparagraph (1) of this paragraph, in the sum of \$10 for each calendar day on which such individual was required or permitted to work in excess of the standard workweek of 40 hours without payment of the overtime wages required by the clause set forth in subparagraph (1) of this paragraph.

(3) Withholding for unpaid wages and liquidated damages. HUD or its designee shall upon its own action or upon written request of an authorized representative of the Department of Labor withhold or cause to be withheld, from any moneys payable on account of work performed by the contractor or subcontractor under any such contract or any other Federal contract with the same prime contract, or any other Federally-assisted contract subject to the Contract Work Hours and Safety Standards Act which is held by the same prime contractor such sums as may be determined to be necessary to satisfy any liabilities of such contractor or subcontractor for unpaid wages and liquidated damages as provided in the clause set forth in subparagraph (2) of this paragraph.

(4) Subcontracts. The contractor or subcontractor shall insert in any subcontracts the clauses set forth in subparagraph (1) through (4) of this paragraph and also a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. The prime contractor shall be responsible for compliance by any subcontractor or lower tier subcontractor with the clauses set forth in subparagraphs (1) through (4) of this paragraph.

C. Health and Safety. The provisions of this paragraph C are applicable where the amount of the prime contract exceeds \$100,000.

(1) No laborer or mechanic shall be required to work in surroundings or under working conditions which are unsanitary, hazardous, or dangerous to his health and safety as determined under construction safety and health standards promulgated by the Secretary of Labor by regulation.

(2) The Contractor shall comply with all regulations issued by the Secretary of Labor pursuant to Title 29 Part 1926 and failure to comply may result in imposition of sanctions pursuant to the Contract Work Hours and Safety Standards Act, (Public Law 91-54, 83 Stat 96). 40 USC 3701 et seq.

(3) The contractor shall include the provisions of this paragraph in every subcontract so that such provisions will be binding on each subcontractor. The contractor shall take such action with respect to any subcontractor as the Secretary of Housing and Urban Development or the Secretary of Labor shall direct as a means of enforcing such provisions.

MASSACHUSETTS WEEKLY CERTIFIED PAYROLL REPORT FORM



Company's Name:		Address:		Phone No.:		Payroll No.:																
Employer's Signature:		Title:		Contract No.:		Tax Payer ID No.:																
Awarding Authority's Name:		Public Works Project Name:		Public Works Project Location:		Min. Wage Rate Sheet No.:																
General / Prime Contractor's Name:		Subcontractor's Name:		"Employer" Hourly Fringe Benefit Contributions																		
Employee Name & Complete Address	Employee is OSHA 10 Certified (?)	Work Classification:	Appr. Rate (%)	Worked							Hours		Project Hours (A)	Hourly Base Wage (B)	Health & Welfare Insurance (C)	ERISA Pension Plan (D)	Supp. Unemp. (E)	Total Hourly Prev. Wage (F)	(A x F)		Check No. (H)	
				Su.	Mo.	Tu.	We.	Th.	Fr.	Sa.	All Other Hours	Total Gross Wages (G)							Project Gross Wages			
	<input type="checkbox"/>																					
	<input type="checkbox"/>																					
	<input type="checkbox"/>																					
	<input type="checkbox"/>																					
	<input type="checkbox"/>																					
	<input type="checkbox"/>																					
	<input type="checkbox"/>																					

NOTE: Pursuant to MGL Ch. 149 s.27B, every contractor and subcontractor is required to submit a "true and accurate" copy of their weekly payroll records directly to the awarding authority. Failure to comply may result in the commencement of a criminal action or the issuance of a civil citation.

Division of Labor and Industries Statement of Compliance

WEEKLY PAYROLL RECORDS REPORT & STATEMENT OF COMPLIANCE

In accordance with Massachusetts General Law c. 149, §27B, a true and accurate record must be kept of all persons employed on the public works project for which the enclosed rates have been provided. A Payroll Form has been printed on the reverse of this page and includes all the information required to be kept by law. Every contractor or subcontractor is required to keep these records and preserve them for a period of three years from the date of completion of the contract.

In addition, every contractor and subcontractor is required to submit a copy of their weekly payroll records to the awarding authority. For every week in which an apprentice is employed, a photocopy of the apprentice's identification card must be attached to the payroll report. Once collected, the awarding authority is also required to preserve those records for three years.

In addition, each such contractor, subcontractor, or public body shall furnish to the awarding authority directly, within fifteen days after completion of its portion of the work a statement, executed by the contractor, subcontractor or public body who supervises the payment of wages, in the following form:

STATEMENT OF COMPLIANCE

_____, 20____

I, _____,
(Name of signatory party) (Title)

do hereby state:

That I pay or supervise the payment of the persons employed by
_____ on the _____

(Contractor, subcontractor or public body)

(Building or project)

and that all mechanics and apprentices, teamsters, chauffeurs and laborers employed on said project have been paid in accordance with wages determined under the provisions of sections twenty-six and twenty-seven of chapter one hundred and forty nine of the General Laws.

Signature _____

Title _____

GENERAL TERMS & CONDITIONS

General Conditions

GENERAL TERMS AND CONDITIONS OF THE CONTRACT FOR CONSTRUCTION, RECONSTRUCTION, ALTERATION, REMODELING, OR REPAIR OF ANY PUBLIC BUILDING OR PUBLIC WORK IN THE CITY OF SOMERVILLE

TABLE OF CONTENTS	Page
Article 1	DEFINITIONS2
Article 2	ABOUT THE CONTRACT DOCUMENTS6
Article 3	THE CITY10
Article 4	THE DESIGN PROFESSIONAL12
Article 5	THE CONTRACTOR15
Article 6	SUBCONTRACTORS34
Article 7	PERFORMANCE AND PAYMENT BONDS35
Article 8	INSURANCE REQUIREMENTS36
Article 9	TESTS AND INSPECTIONS38
Article 10	UNCOVERING AND CORRECTING WORK39
Article 11	CHANGES IN THE WORK40
Article 12	CHANGE IN THE CONTRACT TIME44
Article 13	PAYMENTS47
Article 14	SUBSTANTIAL COMPLETION54
Article 15	GUARANTEES AND WARRANTIES56
Article 16	CLAIMS57
Article 17	EMERGENCIES62
Article 18	TERMINATION OR SUSPENSION OF THE CONTRACT62
Article 19	AMERICANS WITH DISABILITIES ACT63
Article 20	WRITTEN NOTICE TO THE PARTIES64
Article 21	MISCELLANEOUS PROVISIONS64

GENERAL TERMS AND CONDITIONS OF THE CONTRACT FOR CONSTRUCTION, RECONSTRUCTION, INSTALLATION,

**DEMOLITION, MAINTENANCE, OR REPAIR OF ANY
PUBLIC BUILDING OR PUBLIC WORK
IN THE CITY OF SOMERVILLE**

ARTICLE 1: DEFINITIONS

1.1. In General.

1.1.1. Well-known meanings. When words or phrases that have a well-known technical, or construction industry, or trade meaning are used in the Contract Documents, such words or phrases shall be interpreted in accordance with that meaning, unless otherwise stated.

1.1.2. Capitalization. The words and terms defined in this Article are capitalized in these General Terms and Conditions of the Contract. Other capitalized words may refer to a specific document found in the Contract Documents.

1.1.3. Persons. Whenever the word person or persons is used, it includes, unless otherwise stated, entity or entities, respectively, including, but not limited to, corporations, partnerships, and joint venturers.

1.1.4. Singular and Plural. The following terms have the meanings indicated which are applicable to both the singular and the plural thereof.

1.2. Definitions.

1.2.1. Agreement. The Agreement is the written document between the **City** and the **Contractor** which is titled: Agreement between the City of Somerville and the Contractor, which is the executed portion of the Contract, and which forms a part of the Contract. The Agreement also includes all documents required to be attached thereto, including, but not limited to, the performance bond, the labor and materials or payment bonds, certificates of insurance, and all Modifications of the Agreement.

1.2.2. Change Order. A Change Order is a document which is signed by the **Contractor**, the **Design Professional**, and the **City**; which is directed to the **Contractor**; which authorizes the **Contractor** to make an addition to, a deletion from or a revision in the Work, or an adjustment in the Contract Sum or in the Contract Time; and which is issued on or after the date of the Agreement between the **Contractor** and the **City**.

1.2.3. City. The **City** refers to the City of Somerville, which is the owner of the Project and is the public awarding authority with whom the **Contractor** has entered into the Contract and for whom the Work is to be provided.

1.2.4. Claim. A Claim is a dispute, demand, or assertion by one of the parties arising out of or relating to the Contract for which such party is seeking relief.

1.2.5. Contract. The Contract consists of all the Contract Documents. The Contract represents the entire and integrated agreement between the parties hereto and supersedes prior negotiations, representations, or agreements, either written or oral. The Contract may be amended or modified only by a Modification to the Contract signed by both parties.

1.2.6. Contract Documents. The Contract Documents consist of the Agreement; the notice of award of the Contract; the Notice to Proceed; the entire Project Manual; Change Orders; Construction Change Directives; the **Contractor's** Bid and all accompanying documents; and the **Design Professional's** written interpretations and clarifications issued on or after the issuance of the Notice to Proceed. Shop Drawing submittals and reports or drawings utilized by the **Design Professional** in preparing the Contract Documents are not Contract Documents.

1.2.7. Contractor. The **Contractor** is the person who is awarded the Contract for the Project herein pursuant to M.G.L. c. 149, §44A or M.G.L. c. 39, §39M; and is identified in the Agreement as such. The term “**Contractor**” is intended to include the **Contractor** as well as its authorized representative(s).

1.2.8. Contract Sum. The Contract Sum is the total amount stated in the Agreement payable by the **City** to the **Contractor** for the completion of the Work in accordance with the Contract Documents.

1.2.9. Contract Time. Unless otherwise provided, the Contract Time is the number of days allotted in the Contract Documents or the dates stated in the Agreement, including authorized adjustments, for Substantial Completion. We usually put a contract end date that is beyond the date of substantial completion.

1.2.10. Coordination Drawings. Coordination Drawings are those drawings, which are prepared by the **Contractor** or a Subcontractor that show the exact alignment, physical locations, and configuration of the mechanical, electrical, and fire protection installations.

1.2.11. Day. The term “day” shall mean calendar day unless otherwise stated.

1.2.12. Design Professional. The **Design Professional** is the person lawfully licensed to practice architecture, engineering, or landscape architecture and has been selected by the **City** to administer the Contract. The term “**Design Professional**,” while referred to in the singular, means the **Design Professional** and/or the **Design Professional's** representative. For the purposes of this project, **Design Professional** shall mean the firm of Weston Sampson Engineers and appropriate consultants.

1.2.13. Field Order. A Field Order is a written order issued by the **Design**

Professional which orders minor changes in the Work, but which does not involve a change in the Contract Sum or the Contract Time.

1.2.14. Final Completion. Final Completion is the point in time when the Design Professional finds that the Work has been fully completed in accordance with the Contract Documents. Final Completion shall be no later than thirty (30) days after Substantial Completion.

1.2.15. General Requirements. General Requirements refer to Sections of Division 1 of the Specifications.

1.2.16. Modification. A Modification is a written instrument that amends the Contract after execution of the Agreement.

1.2.17. Notice to Proceed. A Notice to Proceed is a written notice given by the **City**, or the **Design Professional**, to the **Contractor** fixing the date on which the Contract Time will begin to run and on which the **Contractor** shall start to perform its obligations under the Contract Documents.

1.2.18. Plans. The Plans are the drawings which are the graphic and pictorial portions of the Contract Documents, wherever located and whenever issued, showing the design, location, dimensions, scope, extent, and character of the Work to be furnished and performed by the **Contractor** and which have been prepared or approved by the **Design Professional**.

1.2.19. Product Data. Product Data are illustrations, standard schedules, performance charts, instructions, brochures, diagrams, and other information furnished by the **Contractor** to illustrate materials or equipment for some portion of the Work. Product Data are not considered part of the Contract Documents.

1.2.20. Project. The Project is the total Work to be provided under the Contract Documents and may be the whole or a part as indicated elsewhere in the Contract Documents and may include construction by the **City** or by separate contractors. The Project is the Work described in the invitation to bid (advertisement) and Specifications and illustrated by the Plans, including any Modifications.

1.2.21. Project Manual. The Project Manual is the entire set of bidding documents which includes, but is not limited to, the invitation to bid (advertisement), the instructions to bidders, all of the forms, the wage rates, all City and state requirements, the General Terms and Conditions of the Contract, any supplementary conditions thereto, the Plans, the Specifications, and all addenda.

1.2.22. Proposed Change Order. A Proposed Change Order is a Change Order that has been submitted by the **Contractor** to the **Design Professional**, is under review, and has

not been approved by the **City**.

1.2.23. Samples. Samples are physical examples of materials, equipment, or workmanship that are representative of some portion of the Work and which establish the standards by which such portion of the Work will be judged. Samples are not considered part of the Contract Documents.

1.2.24. Shop Drawings. Shop Drawings are all drawings, diagrams, illustrations, schedules, and other information that are specifically prepared or assembled by or for the **Contractor** and submitted by the **Contractor** to illustrate some portion of the Work. Shop Drawings are not considered part of the Contract Documents.

1.2.25. Site. The Site is the location of the Project and of the Work.

1.2.26. Specifications. Specifications are those portions of the Contract Documents consisting of written technical descriptions of materials, equipment, construction systems, standards, and workmanship as applied to the Work and certain administrative details applicable thereto.

1.2.27. Subcontractor. A Subcontractor is a person who contracts directly with the **Contractor**, unless otherwise stated.

1.2.28. Submittals. Submittals are those Shop Drawings, Product Data, Samples, or any other required document that are provided to the Design Professional for review and approval.

1.2.29. Substantial Completion. Substantial Completion means that the Work has been completed and the Site or the facility is opened for full and intended public use, except for minor incomplete or unsatisfactory items that do not materially impair the usefulness of the Work. The **Design Professional** shall decide what constitutes “minor,” “incomplete,” “unsatisfactory,” and “materially” and the **Design Professional's** decision shall be final.

1.2.30. Sub-subcontractor. A Sub-subcontractor is a person who has contracted directly with a Subcontractor.

1.2.31. Supplier. A Supplier is a manufacturer, fabricator, distributor, material person, or vendor having a direct contract with the Contractor or with any Subcontractor to furnish materials or equipment to be incorporated into the Work by the Contractor or any Subcontractor.

1.2.32. Work. Work refers to the services and the entire completed construction or the various separately identifiable parts thereof required by the Contract Documents, including all labor, materials, and equipment furnished, furnished and incorporated into the

Project, or to be provided by the **Contractor** to fulfill the **Contractor's** obligations. The Work may constitute the whole or a part of the Project.

1.2.33. Construction Change Directive. A **Construction Change** Directive is a written directive to the **Contractor** ordering an addition to, a deletion from, or a revision to the Work issued on or after the date of the Agreement, signed by the **City**, and recommended by the **Design Professional**.

ARTICLE 2: ABOUT THE CONTRACT DOCUMENTS

2.1. Priority/Conflict.

2.1.1. Priority Among Contract Documents. In the event of conflict among the Contract Documents, the Contract Documents shall be construed according to the following priorities:

Highest Priority:	Modifications
Second Priority:	Agreement
Third Priority:	Addenda-later date to take precedence
Fourth Priority:	Supplementary General Conditions
Fifth Priority:	General Conditions
Sixth Priority:	Plans and Specifications

2.1.1.1. If there is a conflict between the Plans and Specifications, the figured dimensions shall govern over the scaled dimensions. Detailed Plans shall govern over the general Plans. Larger scale Plans shall take precedence over smaller scale Plans. Plans shall govern over Shop Drawings. Whenever notes, specifications, dimensions, details, or schedules in the Specifications or in the Plans, or between the Specifications and the Plans, or in all other instances not specifically noted above, the **Contractor** shall provide, unless otherwise directed by a Modification of the Contract, the better quality or greater quantity of Work at no increase in the Contract Sum or in the Contract Time.

2.1.1.2. Compliance with these priority conditions shall not justify any changes in the Work or any increase in the Contract Sum or Contract Time, unless any such compliance results in Work that may not be reasonably inferred from the Contract Documents as being required to produce the intended result as determined by the **Design Professional**.

2.1.2. Review of the Contract Documents and Field Conditions and Discovery of Conflict, Error, Ambiguity, or Discrepancy. Before starting the Work, and during the progress thereof, the **Contractor** shall carefully study and compare the Contract Documents with each other and with the information furnished by the **City** pursuant to Article 3 and shall

at once report to the **Design Professional** any error, inconsistency, or omission the **Contractor** may discover. Any necessary change shall be ordered as provided in Article 11, subject to the requirements of any other provisions of the Contract Documents. The **Contractor** shall not proceed with the Work affected thereby (except in an emergency) until a Modification has been issued. If the **Contractor** proceeds with the Work having discovered such errors, inconsistencies, or omissions contrary to the provisions contained herein, or if by reasonable study of the Contract Documents the **Contractor** could have discovered such, the **Contractor** shall bear all costs arising therefrom. The **Contractor** shall be liable to the **City** for failure to report any conflict, error, ambiguity, or discrepancy of which it knew or should have known.

2.1.3. Field Measurements. The **Contractor** shall take field measurements and verify field conditions and shall carefully compare such field measurements and conditions and other information known to the **Contractor** with the Contract Documents before commencing activities. Errors, inconsistencies, or omissions discovered shall be reported to the **Design Professional** at once.

2.1.4. Statutory Provisions. The **City** and the **Contractor** recognize that other rights duties and obligations with respect to public construction contracts are provided for by statute, notwithstanding the fact that they may not be provided for in the Contract Documents. In case of conflict between the statutory provisions and other provisions of the Contract Documents and the provisions of any applicable statute, the statutory provisions shall govern.

2.1.5. Voided or Unlawful Provisions. In the event any provision in the Contract is voided or deemed unlawful, such provision shall be deleted without affecting the remainder of the Contract.

2.2. Execution.

2.2.1. Execution of the Agreement by the **Contractor** is a representation that the **Contractor** has visited the Site, become familiar with local conditions under which the Work is to be performed, and correlated personal observations with requirements of the Contract Documents.

2.3. Intent.

2.3.1. Entire Agreement. The Contract Documents comprise the entire agreement between the **City** and the **Contractor** concerning the Work. The intent of the Contract Documents is to include all items necessary for the proper execution and completion of the Work by the **Contractor**. The Contract Documents are complementary; what is required by one shall be as binding as if required by all. Performance by the **Contractor** shall be required only to the extent consistent with the Contract Documents and reasonably inferable from them as being necessary to produce the intended results. All Work mentioned or indicated in the Contract Documents shall be performed by the **Contractor** as part of this Contract unless

it is specifically indicated in the Contract Documents that such Work is to be done by others.

2.3.2. Statutory Provisions. Each and every provision of law, code, and regulation, required by law to be inserted in these Contract Documents shall be deemed to be inserted herein, and they shall be read and enforced as though it were included herein, and if through mistake or otherwise, any such provision is not inserted, or if not correctly inserted, then upon the application of either party, the Contract Documents shall forthwith be physically amended to make such insertion.

2.3.3. Functionally Complete Project. It is the intent of the Contract Documents to describe a functionally complete Project. The intent of the Contract Documents is to include all items necessary for the proper execution and completion of the Work by the **Contractor**. Any Work, materials, or equipment that may be reasonably inferred from the Contract Documents or from prevailing custom or trade usage as being required to produce the intended result will be furnished and performed by the **Contractor** whether or not specifically called for in the Contract Documents.

2.3.4. Indications or Notations. All indications or notations which apply to one of a number of similar situations, materials, or processes shall be deemed to apply to all such situations, materials, or processes wherever they appear in the Work, except where a contrary result is clearly indicated by the Contract Documents.

2.3.5. Standards or Quality of Materials or Workmanship. Where no explicit quality or standards for materials or workmanship are established for Work, such Work is to be of good quality for the intended use and consistent with the quality of the surrounding Work and of the construction of the Project generally.

2.3.6. Manufactured Products. All manufactured articles, materials, and equipment shall be applied, installed, connected, erected, used, cleaned, and conditioned in accordance with the manufacturer's written or printed directions and instructions unless otherwise indicated in the Contract Documents.

2.3.7. Mechanical, Electrical, and Fire Protection Plans. The mechanical, electrical, and fire protection Plans are diagrammatic only and are not intended to show the alignment, physical locations, or configurations of such Work. Such Work shall be installed without additional cost to the **City** to clear all obstructions, permit proper clearances for the Work of other trades, and present an orderly appearance where exposed. Prior to beginning such Work, the **Contractor** shall prepare Coordination Drawings and demonstrate to the **Design Professional's** satisfaction that the installations will comply with the preceding sentence. The **Contractor** shall be solely liable and responsible for any costs and/or delays resulting from the **Contractor's** failure to prepare such Coordination Drawings.

2.3.8. Locations of Fixtures and Outlets. Exact locations of fixtures and outlets shall be obtained from the **Design Professional** as provided in Article 5 before the Work is roughed in. Work installed without such information from the **Design Professional** shall be relocated at the **Contractor's** expense.

2.3.9. Tests. When test boring or soil test information are included with the Contract Documents or otherwise made available to the **Contractor** and such test boring or soil test information was obtained by the **City** for use by the **Design Professional** in the design of the Project or Work, the **City** does not hold out such information to the **Contractor** as an accurate or approximate indication of subsurface conditions, and no claim for extra cost of extension of time resulting from a reliance by the **Contractor** on such information shall be allowed except as otherwise provided herein. Any such reports are not part of the Contract Documents.

2.3.10. Joining Work. Where the Work is to fit with existing conditions or work to be performed by others, the **Contractor** shall fully and completely join the Work with such conditions or work, unless otherwise specified.

2.4. Organization.

2.4.1. Except as provided in M.G.L. c. 149, §44F, the organization of the Specifications into divisions, sections, and articles, and the arrangement of Plans shall not control the **Contractor** in dividing the Work among Subcontractors or in establishing the extent of Work to be performed by any trade.

2.5. References.

2.5.1. Where codes, manuals, specifications, standards, requirements and publications of public and private bodies are referred to in the Contract Documents whether specifically or by implication, references shall be understood to be to the latest revision prior to the date of receiving bids, except where otherwise indicated. Where statutes are referred to in the Contract Documents whether specifically or by implication, references shall be understood to be to the latest revision.

2.5.2. References herein to particular paragraphs or Articles are solely to facilitate finding additional information with regard to the specific matters and are not to be construed in any way as limiting the possible paragraphs and Articles in which such matters may be found elsewhere in this document.

2.6. Reuse of Design Professional's Written Instruments.

2.6.1. Neither the **Contractor** nor any Subcontractor or Supplier shall have or acquire any title to or ownership rights in any of the Plans, Specifications, or other documents prepared by the **Design Professional** and shall not reuse any of such Plans, Specifications, or other documents without prior written consent of the **City** and the **Design Professional**.

2.7. Written Material of the Contractor.

2.7.1. All written material prepared or collected by the **Contractor** in the course of completing the Work shall be the exclusive property of the **City** and shall not be used by the **Contractor** for any purpose other than the purpose of this Contract.

2.8. Modifying Words.

2.8.1. In the interest of simplicity, modifying words such as “all” and “any” may be omitted, but the fact that such words may be absent from one sentence and appear in another is not intended to affect the interpretation of either statement.

2.9. Use of Certain Words and Terms.

2.9.1. Whenever in the Contract Documents the terms “as ordered,” “as directed,” “as required,” “as allowed,” “as approved,” or terms of like effect or import are used, or the adjectives “reasonable,” “suitable,” “acceptable,” “proper,” “satisfactory,” or adjectives of like effect or import are used to describe a requirement, direction, review, or judgment of the **City** or of the **Design Professional** as to the Work, it is intended that such requirement, direction, review, or judgment will be solely to evaluate, in general, the completed Work for compliance with the requirements of and information in the Contract Documents and conformance with the design concept of the completed Project as a functioning whole as shown or indicated in the Contract Documents (unless there is a specific statement indicating otherwise).

2.9.2. The use of any such term or adjective shall not be effective to change the duties and responsibilities of the **City** or the **Design Professional** from those assigned in the Contract Documents or to assign any duty or authority to supervise or direct the furnishing or performance of the Work or any duty or authority to undertake responsibility contrary to the provisions of the Contract Documents.

2.9.3. When the words “Contractor,” “Subcontractor,” “Sub-subcontractor,” and “Supplier” are used, they are intended to include their employees and agents, unless otherwise specified.

2.10. Modification of the Contract Documents.

2.10.1. Major Modifications. Major Modifications may affect the Contract Sum or the Contract Time. The Contract Documents may be amended to provide for additions, deletions, and revisions in the Work or to modify the terms and conditions thereof in one or more of the following ways, all of which must contain a written endorsement by the **City**:

- 2.10.1.1.** a formal written amendment;
- 2.10.1.2.** a Change Order;
- 2.10.1.3.** a **Construction Change Directive**; or
- 2.10.1.4.** the **Design Professional's** written interpretation, clarification, or decision.

2.10.2. Minor Modifications. Minor modifications do not affect the Contract Sum or the Contract Time. The requirements of the Contract Documents may be supplemented and minor variations and deviations of the Work may be authorized in one or more of the following ways:

- 2.10.2.1.** a Field Order; or

2.10.2.2. the **Design Professional's** approval of a Shop Drawing or Sample.

ARTICLE 3: THE CITY

3.1. Signatory.

3.1.1. All documents which require a signature or an endorsement by the **City** must be signed by the Mayor in order to be deemed ratified by the **City**.

3.2. Requirements to Provide Documents.

3.2.1. To the extent they are available, the **City** shall furnish surveys describing physical characteristics, legal limitations, and utility locations for the site of the Project, and a legal description of the Site.

3.2.2. The **City** shall obtain and pay for necessary approvals, easements, assessments, and charges that are customarily secured prior to the execution of the Contract.

3.2.3. The **City** shall furnish information or services required of the **City** hereunder with reasonable promptness after receipt from the **Contractor** of a written request for such information or services.

3.2.4. The **City** shall provide the **Contractor**, at no charge, such copies of the Project Manual as are reasonably necessary for the execution of the Work.

3.3. Clerk of the Works.

3.3.1. The **City** may engage a Clerk of the Works for this Project, in which case the **City** shall, upon request of the **Contractor**, provide the **Contractor** with a written statement of the duties, responsibilities, and limitations of authority of such Clerk of the Works. Except as expressly set forth in such written statement, the Clerk of the Works shall have no authority to approve Work, to approve Change Orders, or to exercise any of the power and authority of the **City** or the **Design Professional**. The Clerk of the Works shall observe the **Contractor's** operations and construction activities for compliance with the Plans and Specifications. The Clerk of the Works shall have access to all areas of the Project at all times. The **Contractor** shall fully cooperate with the Clerk of the Works in the performance of the Clerk's duties.

3.4. City's Right to Perform Construction and to Award Separate Contracts.

3.4.1. The **City** reserves the right to perform construction or operations at the Site with its own forces or others. If the **Contractor** claims that a delay or additional cost is involved because of such action by the **City**, the **Contractor** shall make such Claim as provided elsewhere in the Contract Documents.

3.4.2. When the separate contracts are awarded for different portions of the Project or other construction or operations on the site, the term "**Contractor**" in the Contract Documents in each case shall mean the **Contractor** who executes each separate City-Contractor Agreement.

3.4.3. The **City** shall provide for coordination of the activities of the **City's** own forces and of each separate contractor with the Work of the **Contractor**, who shall cooperate with them. The **Contractor** shall afford each other person access to the Site and shall properly coordinate its Work with that of the persons performing other work. The **Contractor** shall participate with other separate contractors and the **City** in reviewing their construction schedules when directed to do so. The **Contractor** shall make any revisions to the construction schedules deemed necessary after a joint review and mutual agreement. The construction schedules shall then constitute the schedules to be used by the **Contractor**, separate contractors, and the **City** until subsequently revised.

3.5. Limitations on the City's Responsibilities.

3.5.1. The **City** shall not supervise, direct, or have control or authority over, nor be responsible for the **Contractor's** means, methods, techniques, sequences, or procedures of construction or the safety precautions and programs incident thereto, or for any failure of the **Contractor** to comply with laws, codes and regulations applicable to the furnishing or performance of the Work. The **City** will not be responsible for the **Contractor's** failure to perform or furnish the Work in accordance with the Contract Documents. The **City** is not responsible for the acts or omissions of the **Contractor**, any Subcontractor, Supplier, or anyone for whose acts the **Contractor**, any Subcontractor or Suppliers may be liable.

3.5.2. The **City's** authority to review any of the **Contractor's** progress schedules, or its decision to raise or not to raise any objections about such schedules shall not impose on the **City** any responsibility for the timing, planning, scheduling, or execution of the Work, nor in any way give rise to any duty or responsibility on the part of the **City** to exercise this authority for the benefit of the **Contractor**, any Subcontractor or Supplier or any other party.

3.5.3. The **City's** decision to raise or not to raise objections with regard to any aspects of the **Contractor's** insurance shall in no way give rise to any duty or responsibility on the part of the **City** to or for the benefit of the **Contractor**, any Subcontractor, any Supplier, or any other party.

3.6. Reservation of Rights.

3.6.1. The **City** reserves the right to correct at any time any error in any progress payment that may have been made.

3.6.2. Should defective Work be discovered subsequent to final payment, the **City** reserves the right to make a claim and recover all costs and professional fees associated therewith, including the cost of removing and/or replacing the defective Work.

3.7. Waivers.

3.7.1. All waivers by the **City** are valid only to the extent that they are signed by the

City. Any such waivers pertain only to the specific matter contained in the waiver and not to any similar, subsequent matters.

ARTICLE 4: THE DESIGN PROFESSIONAL

4.1. City's Representative.

4.1.1. The **Design Professional** is the **City's** representative (1) during construction, (2) until final payment is due, and (3) with the **City's** concurrence, from time to time during the correction period described in Article 10. The **Design Professional** will advise and consult with the **City**. The **Design Professional** will have authority to act on behalf of the **City** only to the extent provided in the Contract Documents, unless otherwise modified by a written instrument in accordance with other provisions of the Contract.

4.1.2. The duties, responsibilities, and the limitations of authority of the **Design Professional** as the **City's** representative during construction are set forth in the Contract Documents and shall not be extended without the written consent of the **City** and the **Design Professional**.

4.2. Administration of the Contract.

4.2.1. The **Design Professional** will provide administration of the Contract as described in the Contract Documents, unless the **City** has engaged a construction manager.

4.3. Visits to the Site.

4.3.1. The **Design Professional** will visit the site at intervals appropriate to the stage of construction to become generally familiar with the progress and quality of the completed Work and to determine in general if the Work is being performed in a manner indicating that the Work, when completed, will be in accordance with the Contract Documents. However, the **Design Professional** will not be required to make exhaustive or continuous on-site inspections to check the quality or quantity of the Work. On the basis of on-site observations as an architect, engineer, or landscape architect, the **Design Professional** will keep the **City** informed of progress of the Work in writing and will endeavor to guard the **City** against defects and deficiencies in the Work.

4.4. Communications Facilitating Contract Administration.

4.4.1. Except as otherwise provided in the Contract Documents or when direct communications have been specially authorized, the **City** and the **Contractor** shall endeavor to communicate through the **Design Professional**. Communications by and with the **Design Professional's** consultants shall be through the **Design Professional**. Communications by and with Subcontractors and Suppliers shall be through the **Contractor**. Communications by and with **City** employees and separate contractors shall be through the **City**.

4.4.2. When it deems it necessary or expedient, the **City** may communicate directly with the **Contractor**, any Subcontractors, Suppliers, or consultants.

4.5. Certification of Applications for Payment.

4.5.1. Based on the **Design Professional's** observations and evaluations of the **Contractor's** applications for payment, the **Design Professional** will review and certify the amounts due the **Contractor** and will issue certificates for payment in such amounts.

4.6. Rejection of Work.

4.6.1. The **Design Professional** will have authority to reject or disapprove Work (1) that does not conform to the Contract Documents; (2) that the **Design Professional** believes to be defective; and (3) that the **Design Professional** believes will not produce a completed Project conforming to the Contract Documents or that will prejudice the integrity of the design concept of the completed Project as a functioning whole as indicated by the Contract Documents. Whenever the **Design Professional** considers it necessary or advisable for implementation of the intent of the Contract Documents, the **Design Professional** will have authority to require additional inspection or testing of the Work in accordance with Article 9, whether or not such Work is fabricated, installed, or completed. However, neither this authority of the **Design Professional** nor a decision made in good faith either to exercise or not to exercise such authority shall give rise to a duty or responsibility of the **Design Professional** to the **Contractor**, Subcontractors, Suppliers, or other persons performing portions of the Work.

4.7. Review of Submittals.

4.7.1. The **Design Professional** will review or take other appropriate action upon the **Contractor's** submittals such as Shop Drawings, Product Data, and Samples, but only for the limited purpose of checking for conformance with information given and the design concept expressed in the Contract Documents and only to the extent that the **Design Professional** believes desirable to protect the **City's** interest. The **Design Professional's** action will be taken with reasonable promptness, while allowing sufficient time in the **Design Professional's** professional judgment to permit adequate review, taking into account the time periods set forth in the latest schedule prepared by the **Contractor** and approved by the **Design Professional**. Review of such submittals is not conducted for the purpose of determining the accuracy and completeness of other details such as dimensions and quantities, or for substantiating instructions for installation or performance of equipment or systems, all of which remain the responsibility of the **Contractor** as required by the Contract Documents. The **Design Professional's** review of the **Contractor's** submittals shall not relieve the **Contractor** of the obligations under Article 5. The **Design Professional's** review shall not constitute approval of safety precautions or of any construction means, methods, techniques, sequences, or procedures. The **Design Professional's** approval of a specific item shall not indicate approval of an assembly of which the item is a component. After the rejection of the second resubmittal of any one Submittal, the **Contractor** shall bear the cost of the review of each subsequent resubmittal.

4.8. Preparation of Change Orders and Construction Change Directives.

4.8.1. The **Design Professional** will prepare Change Orders and **Construction Change Directives** and may authorize minor Modifications in the Work as provided in Article 11.

4.9. Inspections.

4.9.1. The **Design Professional** will conduct inspections to determine the date or dates of Substantial Completion and the date of final completion; will receive and forward to the **City** for the **City's** review and records written warranties and related documents required by the

Contract and assembled by the **Contractor**; and will issue a final certificate for payment upon the **Contractor's** compliance with all of the requirements of the Contract Documents.

4.10. Interpretations, Clarifications, and Decisions.

4.10.1. The **Design Professional** will interpret and decide matters concerning performance under and requirements of the Contract Documents on written request of either the **City** or the **Contractor**. The **Design Professional's** response to such requests will be made with reasonable promptness and within the time set forth in the Agreement between the **City** and the **Design Professional**. Any such written interpretations, clarifications, and decisions shall be binding on the **Contractor**.

4.10.2. Interpretations, clarifications, and decisions of the **Design Professional** will be consistent with the intent of and reasonably inferable from the Contract Documents and will be in writing or in the form of drawings. The **Design Professional** will not be liable to the **Contractor**, any Subcontractor, or Supplier for results of interpretations, clarifications, or decisions so rendered in good faith.

4.10.3. The **Design Professional** may, as the **Design Professional** judges desirable, issue additional drawings or instructions indicating in greater detail the construction or design of the various parts of the Work; such drawings or instructions may be effected by a Field Order or other notice to the **Contractor**, and provided such drawings or instructions are reasonably consistent with the previously existing Contract Documents, the Work shall be executed in accordance with such additional drawings or instructions without any additional cost or an extension of the Contract Time.

4.10.4. The **Design Professional's** decisions on matters relating to aesthetic effect must be consistent with the **City's** and will be final.

4.11. Limitation on the Design Professional's Responsibilities.

4.11.1. Neither the **Design Professional's** authority to act under the provisions of the Contract Documents nor any decision made by the **Design Professional** in good faith to exercise or not to exercise such authority shall give rise to any duty or responsibility of the **Design Professional** to the **Contractor**, any Subcontractor, any Supplier, any surety for any of them or any other person.

4.11.2. The **Design Professional** will not have control over or charge of and will not be responsible for construction means, methods, techniques, sequences, or procedures, or for safety precautions and programs in connection with the Work, since these are solely the **Contractor's** responsibility as provided in Article 5. The **Design Professional** will not be responsible for the **Contractor's** failure to carry out the Work in accordance with the Contract Documents. The **Design Professional** will not have control over or charge of and will not be responsible

for acts or omissions of the **Contractor**, Subcontractors, Suppliers, or of any other persons performing portions of the Work.

ARTICLE 5: THE CONTRACTOR

5.1. Relationship with the City.

5.1.1. The **Contractor** is an independent contractor and not an employee of the **City**. The **Contractor** is engaged by virtue of the Contract to perform only those services contained therein. The **Contractor** is not authorized to contract on behalf of the **City** or to incur any liability on the part of the **City**.

5.2. Code of Conduct.

5.2.1. M.G.L. c. 268A establishes standards of conduct for officials and employees of the **City**. The **Contractor** shall familiarize itself with the statute and act accordingly.

5.3. Quality Assurance.

5.3.1. The **Contractor** shall be responsible for ensuring that it, all Subcontractors, Suppliers, and all persons employed to do the Work under the Contract Documents perform in a professional manner, provide a high quality of service and Work, and perform in accordance with the Contract Documents.

5.4. Supervision.

5.4.1. Competence and Efficiency. The **Contractor** shall supervise, inspect, and direct the Work competently and efficiently, devoting such attention thereto and applying such skills, attention and expertise as may be necessary to perform the Work in accordance with the Contract Documents.

5.4.2. Construction Means, Methods, Techniques, Etc. The **Contractor** shall be solely responsible for and have control over construction means, methods, techniques, sequences, and procedures and for coordinating all portions of the Work under the Contract. Where the Contract Documents refer to particular construction means, methods, techniques, sequences, or procedures or indicate or imply that such are to be used in the Work, such mention is intended only to indicate that the operations of the **Contractor** shall be such as to produce at least the quality of Work implied by the operations described. The actual determination of whether or not the described operations may be safely and suitably employed on the Work shall be the responsibility of the **Contractor**, who shall notify the **Design Professional** in writing, prior to implementation, of the actual means, methods, techniques, sequences, or procedures which will be employed on the Work, if these differ from those mentioned in the Contract Documents. All loss, damage, liability or cost of correcting defective work arising from the employment of any construction means, methods, techniques, sequences, or procedures shall be borne by the **Contractor**, notwithstanding that such construction means, methods, techniques, sequences, or procedures are referred to, indicated or implied by the Contract Documents, unless

the **Contractor** has given timely notice to the **City** and the **Design Professional** in writing that such means, methods, techniques, sequences, or procedures are not safe or suitable, and the **City** has then instructed the **Contractor** in writing to proceed at the **City's** risk.

5.4.3. Variance between the Contract Documents and Statutes, Ordinances, Codes, Rules, and Regulations. The **Contractor** shall promptly notify the **Design Professional** and the **City** in writing of any variances between the Contract Documents and statutes, ordinances, codes, rules, and regulations. If the **Contractor**, without written notice to the **Design Professional** and the **City**, performs Work knowing that it is contrary to statutes, ordinances, codes, rules, and regulations, the **Contractor** shall assume full responsibility for such Work and shall bear the costs associated therewith, i.e., replacement, repairs, removal, and fines.

5.4.4. Acts and Omissions. The **Contractor** shall be responsible to the **City** for the acts and omissions of all persons performing or supplying the Work.

5.4.5. Inspections. The **Contractor** shall be responsible for inspection of portions of Work already performed under this Contract to determine whether such portions are in proper condition to receive subsequent Work.

5.5. Personnel.

5.5.1. Suitability. The **Contractor** shall provide competent, properly licensed and/or certified, suitably qualified, and reliable personnel to perform the Work required by the Contract Documents. The **Contractor** shall enforce strict discipline and maintain good order at the site at all times. The **Contractor** shall not employ any Subcontractor, Supplier, or other person, whether initially or as a substitute, against whom the **City** may have reasonable objection. Acceptance of any Subcontractor or other person by the **City** shall not constitute a waiver of any right of the **City** to reject defective Work.

5.5.2. Sexual Harassment. Sexual harassment is an unlawful practice under M.G.L. c. 151B. The **Contractor**, Subcontractors, and all other persons responsible for any portion of the Work shall refrain from engaging in sexual harassment. The **Contractor** shall be responsible for any acts of sexual harassment committed by any persons responsible for any portion of the Work. The **Contractor** shall take appropriate action against any such individuals.

5.5.3. Weapons and Illegal Drugs. No weapons or illegal drugs are permitted on the Site. It is the responsibility of the **Contractor** to ensure that no weapons or illegal drugs are brought to the Site.

5.5.4. Maximum Work Day and Work Week. (*Reference: M.G.L. c. 149, §§30 and 34;*). No laborer, worker, mechanic, foreperson or inspector working within this Commonwealth in the employ of the **Contractor**, Subcontractor or other person doing or contracting to do the whole or part of the work contemplated by the Contract, shall be required or permitted to work

more than eight (8) hours in any one day or more than forty-eight (48) hours in any one week, or more than six (6) days in any one week, except in cases of emergency.

5.5.5. Lodging. (*Reference: M.G.L. c. 149, §25;*). Every employee under this Contract shall lodge, board and trade where and with whom he or she elects, and neither the **Contractor** nor its agents or employees shall, either directly or indirectly, require as a condition of the employment of any person that the employee shall lodge, board or trade at a particular place or with a particular person.

5.5.6. Wage Rates. (*Reference: M.G.L. c. 149, §27*). Mechanics and apprentices, teamsters, chauffeurs and laborers performing Work shall be paid no less than the minimum rate of wages included in the bid documents and the Project Manual and which are made part of the Contract. They shall continue to be the minimum rate of wages for said employees during the life of the Contract. The **Contractor** shall keep a legible copy of the wage rates posted in a conspicuous place at the site during the life of the Contract. These rates of wages shall include payments by employers to health and welfare plans, pension plans and supplementary unemployment benefit plans as provided in M.G.L. c. 149, §26;, and such payments shall be considered as payments to persons under M.G.L. c. 149, §27 performing work as therein provided. If the **Contractor** does not make payments to a health and welfare plan, a pension plan and a supplementary unemployment benefit plan, where such payments are included in the rates of wages, the **Contractor** shall pay the amount of said payments directly to each employee engaged in the Work. If the **Contractor** pays less than the rate of wages, including payments to health and welfare funds and pension funds, or the equivalent payments in wages to any person performing Work within the classifications as determined by the Commissioner of Labor and Industries, and if the **Contractor** takes or receives for its own use or the use of any other person, as a rebate, refund or gratuity, or in any other guise, any part or portion of the wages, including payments to health and welfare funds and pension funds, or the equivalent payment in wages, paid to such person for Work done or service rendered on the Project, the **Contractor** will be subject to the penalties set forth in M.G.L. c. 149, §27. Notwithstanding the foregoing and the requirements of 5.5.7.1 and 5.5.7.2 below, if the Contract is federally funded, federal labor standards apply, including Davis Bacon minimum wage rates and payroll reporting requirements. See the "Federal Requirements" section at the end of these contract documents.

5.5.7. Payroll Records of Employees. (*Reference: M.G.L. c. 149, §27B;*). The **Contractor** and all Subcontractors who are subject to M.G.L. c. 149, §§27 and 27A shall keep a true and accurate record of all mechanics and apprentices, teamsters, chauffeurs, and laborers performing Work showing the name, address and occupational classification of each such employee, the hours worked by and the wages paid to all such employees. The **Contractor** and the Subcontractors shall submit a copy of said record to the **City** on a weekly basis.

5.5.7.1. (*Reference: M.G.L. c. 149, §27B;*). The **Contractor** and all Subcontractors who are subject to M.G.L. c. 149, §§27 and 27A shall preserve their payroll records for a period of three (3) years from the date of completion of the Contract.

Part 1, Section 4: OTHER BID DOCUMENTS

5.5.7.2. (*Reference: M.G.L. c. 149, §27B*). The **Contractor** and all Subcontractors who are subject to M.G.L. c. 149, §§27 and 27A shall furnish to the Commissioner of Labor and Industries and the **City** within fifteen (15) days after completion of their portion of the Work a statement executed by the **Contractor** or Subcontractor or by any authorized officer or employee of the **Contractor** or Subcontractor who supervises the payment of wages in the form found in M.G.L. c.149, §27B.

5.6. Superintendence.

5.6.1. Employment of a Superintendent. The **Contractor** shall employ a competent, properly licensed superintendent, reasonably acceptable to the **City**, and necessary assistants who shall be in attendance at the Site full time during the progress of the Work until the date of Substantial Completion and for such additional time thereafter as the **Design Professional** or the **City** may determine to be necessary for the expeditious completion of the Work, including final completion. If continually in the employ of the Contractor, the same Superintendent shall be assigned to this project.

5.6.2. Removal/Replacement of a Superintendent. The **Contractor** shall remove the superintendent if requested to do so in writing by the **City** and shall promptly replace such superintendent with a competent person reasonably acceptable to the **City**. The superintendent shall represent the **Contractor**, and communications given to the superintendent shall be as binding as if given to the **Contractor**. The **Contractor** shall not replace the superintendent without written notice to the **City** and the **Design Professional**.

5.6.3. Registered Professional Engineer or Registered Land Surveyor. The **Contractor** shall retain a competent Registered Professional Engineer or Registered Land Surveyor, acceptable to the **Engineer**, who shall establish the exterior lines and required elevations of all buildings and structures to be erected on the site and shall establish sufficient lines and grades for the construction of associated Work such as, but not limited to, roads, utilities, and site grading. The Engineer or Land Surveyor shall certify as to the actual location of the constructed facilities in relation to property lines, building lines, easements, and other restrictive boundaries.

5.6.4. Building Grades, Lines, Etc.; The **Contractor** shall establish the building grades; lines; levels; and column, wall and partition lines required by the various Subcontractors in laying out their Work.

5.6.5. Coordination and Supervision. The **Contractor** shall coordinate and supervise the Work performed by Subcontractors to the end that the Work is carried out without conflict between trades and so that no trade, at any time, causes delay to the general progress of the Work. The **Contractor** and all Subcontractors shall at all times afford each trade, any separate contractor, or the **City**, every reasonable opportunity for the installation of Work and the storage of materials.

5.6.6. Job Meetings. There shall be job meetings held on a weekly basis, or more often if required by the **City**. The **Contractor** shall arrange for and attend weekly job meetings with the **Design Professional** and such other persons as the **Design Professional** may from time to time wish to have present. The **Contractor** shall be represented by a principal, project manager, general superintendent or other authorized main office representative, as well as by the **Contractor's** own superintendent. An authorized representative of any Subcontractor or

Sub-subcontractor shall attend such meetings if the representative's presence is requested by the **Design Professional**. Such representatives shall be empowered to make binding commitments on all matters to be discussed at such meetings, including costs, payments, Change Orders, time schedules and workforce power. Any notices required under the Contract may be served on such representatives.

5.7. Materials, Labor, Equipment, Etc.

5.7.1. Provision of. Unless otherwise provided in the Contract Documents, the **Contractor** shall furnish and assume full responsibility for all materials, equipment, labor, transportation, construction equipment and machinery, tools, appliances, fuel, power, light, heat, telephone, water, sanitary facilities, temporary facilities, and all other facilities and incidentals necessary for the furnishing, performance, testing, start-up, and completion of the Work.

5.7.2. Quality and Use of. All materials and equipment shall be of good quality and new, except as otherwise provided in the Contract Documents. If required by the **Design Professional**, the **Contractor** shall furnish satisfactory evidence (including reports of required tests) as to the kind and quality of materials and equipment. All materials and equipment shall be applied, installed, connected, erected, used, cleaned, and conditioned in accordance with instructions of the applicable Supplier, except as otherwise provided in the Contract Documents.

5.7.3. Discrepancies or Defects. If the **Contractor** is unable to perform its Work because of discrepancies or defects in the work of the **City's** own forces or of a separate contractor, the **Contractor** shall immediately notify the **Design Professional** and the **City** in writing of the conditions that render unable to so perform. Failure to notify the **Design Professional** constitutes an acknowledgment and acceptance of the other work as being fit and proper for integration with the **Contractor's** Work except for latent or non-apparent defects and deficiencies in the other work.

5.8. Contractor's Management and Financial Statement Requirements. (Reference: M.G.L. c. 30, §39R)

5.8.1. The words defined herein shall have the meaning stated below whenever they appear in this Paragraph:

5.8.1.1. "Contractor" means any person, corporation, partnership, joint venture, sole proprietorship, or other entity awarded a contract pursuant to M.G.L. c.149, §44A-H or M.G.L. c. 30, §39M, inclusive.

5.8.1.2. "Contract" means any contract awarded or executed pursuant to M.G.L. c. 149, §44A-H or M.G.L. c. 30, §39M, which is for an amount or estimate amount that exceed the dollar amount set forth in M.G.L. c. 30, §39R.

5.8.1.3. "Records" means books of original entry, accounts, checks, bank

statements and all other banking documents, correspondence, memoranda, invoices, computer printouts, tapes, discs, papers and other documents or transcribed information of any type, whether expressed in ordinary or machine language.

5.8.1.4. “Independent Certified Public Accountant” means a person duly registered in good standing and entitled to practice as a certified public accountant under the laws of the place of his/her residence or principal office and who is in fact independent. In determining whether an accountant is independent with respect to a particular person, appropriate consideration should be given to all relationships between the accountant and that person or any affiliate thereof. Determination of an accountant’s independence shall not be confined to the relationships existing in connection with the filing of reports with the **City**.

5.8.1.5. “Audit,” when used in regard to financial statement, means an examination of records by an independent certified public accountant in accordance with generally accepted accounting principles and auditing standards for the purpose of expressing a certified opinion thereon, or, in the alternative, a qualified opinion or a declination to express an opinion for stated reasons.

5.8.1.6. “Accountant’s Report,” when used in regard to financial statements, means a document in which an independent certified accountant indicates the scope of the audit which s/he has made and sets forth his/her opinion regarding the financial statements taken as a whole with listing of noted exceptions and qualifications, or an assertion to the effect that an overall opinion cannot be expressed. When an overall opinion cannot be expressed the reason therefore shall be stated. An accountant’s report shall include as part thereof a signed statement by the responsible corporate officer attesting that management has fully disclosed all material facts to the independent certified public accountant, and that the audited financial statement is a true and complete statement of the financial condition of the contractor.

5.8.1.7. “Management,” when used herein, means the chief executive officers, partners, principals or other person or persons primarily responsible for the financial and operational policies and practices of the Contractor.

5.8.1.8. Accounting terms, unless otherwise defined herein shall have a meaning in accordance with generally accepted accounting principles and auditing standards.

5.8.2. The Contractor shall make, and keep for at least six (6) years after final payment, books, Records, and accounts that in reasonable detail accurately and fairly reflect the transactions and dispositions of the Contractor.

5.8.3. Until the expiration of six (6) years after final payment, the Office of the

Part 1, Section 4: OTHER BID DOCUMENTS

Inspector General, and the Deputy Commissioner of the Division of Capital Asset Management shall have the right to examine any books, documents, papers or Records of the Contractor or of its Subcontractors that directly pertain to, and involve transactions relating to, the Contractor or its Subcontractors.

5.8.4. The Contractor shall describe any change in the method of maintaining Records or recording transactions which materially affect any statements filed with the **City**, including in its description the date of the change and reasons therefore, and shall accompany said description with a letter from the Contractor's Independent Certified Public Accountant approving or otherwise commenting on the changes.

5.8.5. The Contractor shall file a Statement of Management on internal accounting controls as set forth below prior to the execution of the Contract.

5.8.6. The Contractor shall file prior to the execution of the contract and shall continue to file annually, an Audited Financial Statement for the most recent completed fiscal year as set forth below.

5.8.7. The Contractor shall file with the **City** a Statement of Management as to whether the system of internal accounting controls of the Contractor and its subsidiaries reasonably assures that:

5.8.7.1. transactions are executed in accordance with Management's general and specific authorization;

5.8.7.2. transactions are recorded as necessary to permit preparation of financial statements in conformity with generally accepted accounting principles, and to maintain accountability for assets;

5.8.7.3. access to assets is permitted only in accordance with Management's general or specific authorization; and

5.8.7.4. the recorded accountability for assets is compared with the existing assets at reasonable intervals and appropriate action is taken with respect to any difference.

5.8.7.5. The Contractor shall also file with the **City** a statement prepared and signed by an Independent Certified Public Accountant stating that s/he has examined the Statement of Management on internal accounting controls, and expressing an opinion as to:

5.8.7.5.1. whether the representation of Management in response to

this paragraph and paragraphs 5.8.2. through 5.8.6 above are consistent with the result of Management's evaluation of the system of internal accounting controls; and

5.8.7.5.2. whether such representations of Management are, in addition, reasonable with respect to transactions and assets in amounts which would be material when measured in relation to the applicant's financial statements.

5.8.8. The Contractor shall annually file with the Commissioner of the Division of Capital Asset Management during the term of the contract a financial statement prepared by an Independent Certified Public Accountant on the basis of an Audit by such accountant. The final statement filed shall include the date of final payment. All statements shall be accompanied by an accountant's report. Such statements shall be made available to the **City** upon request.

5.9. Taxes.

5.9.1 The **Contractor** shall pay all sales, consumer, use, and other similar taxes for the Work or portions thereof which are provided by the **Contractor** which are legally enacted when bids are received, whether or not yet effective or merely scheduled to go into effect. However, the **Contractor** shall not pay, and the **City** shall not reimburse or pay the **Contractor** for, any sales taxes for building supplies or materials for which an exemption is provided in M.G.L. c. 64H, §6(f). The **City's** tax exemption number to be used by the **Contractor** in this regard is E04-600-1414.

5.10. Permits, Licenses, and Fees.

5.10.1 Unless otherwise provided, the **Contractor** shall obtain and pay the fees for all permits, licenses, and inspections that are necessary for the proper execution and completion of the Work and which are customarily secured after execution of the Contract and which are legally required. All fees for permits, and inspections required by any **City** department shall be waived. Fees for licenses (e.g. drainlayer's license) are not waived. In addition the contractor shall pay for water meters and water usage. The contractor is responsible for obtaining NSTAR work orders and paying all costs and fees associated with NSTAR work.

5.11. Notices Required By Statutes, Ordinances, Codes, Rules, Regulations, and Orders of the City.

5.11.1 The **Contractor** shall give notices required by statutes, ordinances, codes, rules, regulations, and orders of the **City** bearing on performance of the Work.

5.12. Additional Information from Design Professional.

5.12.1. The **Contractor** shall perform the Work in accordance with the Contract Documents and submittals approved pursuant to Article 4.

5.12.2. The **Contractor** shall give the **Design Professional** timely notice of any additional Plans, Specifications, or instructions required to define the Work in greater detail, or

to permit the proper progress of the Work.

5.12.3. The **Contractor** shall not proceed with any Work not clearly and consistently defined in detail in the Contract Documents, but shall request additional drawings or instructions from the **Design Professional** as provided in the previous Paragraph. If the **Contractor** proceeds with such Work without obtaining further drawings, Specifications, or instructions, the **Contractor** shall correct Work incorrectly done at the **Contractor's** own expense.

5.13. “Or equal.”

5.13.1. Requirements for Substitutions. (*Reference:* M.G.L. c. 30, §39M(b).) Where products or materials are prescribed by manufacturer name, trade name, or catalog reference, the words “or approved equal” shall be understood to follow. An item shall be considered equal to the item so named or described if, in the opinion of the **Design Professional**:

5.13.1.1. it is at least equal in quality, durability, appearance, strength, and design;

5.13.1.2. it performs at least equally the function imposed by the general design for the Work;

5.13.1.3. it conforms substantially, even with deviations, to the detailed requirements for the items as indicated by the Specifications.

5.13.2. Net Savings. No proposed substitution will be permitted unless the **Contractor** certifies that the proposed substitution will yield a net savings to the **City** and will not extend the Contract Time.

5.13.3. Contractor’s Expense. Any structural or mechanical changes made necessary to accommodate substituted equipment under this paragraph (including but not limited to engineering fees) shall be at the expense of the **Contractor** or **Subcontractor** responsible for the Work item.

5.13.3.1. Any additional cost, or any loss or damage arising from the substitution of any material or any method for those originally specified shall be borne by the **Contractor**, notwithstanding approval or acceptance of such substitution by the **City** or the **Design Professional**, unless such substitution was made at the written request or direction of the **City** or the **Design Professional**.

5.13.3.2. All data to be provided by the **Contractor** in support of any proposed “or equal” or substitute item will be at the **Contractor's** expense.

5.13.4. Meeting Requirements. The **Contractor** shall be responsible for determining that all materials furnished for the Work meet all requirements of the Contract Documents. The **Design Professional** may require the **Contractor** to produce reasonable evidence that a material meets such requirements, such as certified reports of past tests by qualified testing laboratories, reports of studies by qualified experts, or other evidence which, in the opinion of the **Design Professional**, would lead to a reasonable certainty that any material used, or proposed to be used, in the Work meets the requirements of the Contract Documents. All such data shall be furnished at the **Contractor's** expense. This provision shall not require the **Contractor** to pay for periodic testing of different batches of the same material, unless such testing is specifically required by

the Contract Documents to be performed at the **Contractor's** expense.

5.13.5. Named Manufacturer's Product. In all cases in which a manufacturer's name, trade name, or other proprietary designation is used in connection with materials or articles to be furnished under this Contract, whether or not the phrase "or equal" is used after such name, the **Contractor** shall furnish the product of the name manufacturer(s) without substitution, unless a written request for a substitute has been submitted by the **Contractor** and approved in writing by the **Design Professional** as provided in the following paragraph.

5.13.6. Deviations. If the **Contractor** proposes to use a material which while suitable for the intended use, deviates in any way from the detailed requirements of the Contract Documents, the **Contractor** shall inform the **Design Professional** in writing of the nature of such deviations at the time the material is submitted for approval and shall request written approval of the deviation from the requirements of the Contract Documents.

5.13.7. Rejection of Deviations. In requesting approval of deviations or substitutions, the **Contractor** shall provide, upon request, evidence leading to a reasonable certainty that the proposed substitution or deviation will provide a quality of result at least equal to that otherwise attainable. If, in the opinion of the **Design Professional**, the evidence presented by the **Contractor** does not provide a sufficient basis for such reasonable certainty, the **Design Professional** may reject such substitution or deviation without further investigation.

5.13.8. Consistent Character and Quality of Design. The Contract Documents are intended to produce a building of consistent character and quality of design. All components of the building including visible items of mechanical and electrical equipment have been selected to have a coordinated design in relation to the overall appearance of the Project. The **Design Professional** shall judge the design and appearance of proposed substitutes on the basis of their suitability in relation to the overall design of the Project, as well as for their intrinsic merits. The **Design Professional** will not approve as equal to materials specified proposed substitutes that, in the **Design Professional's** opinion, would be out of character, obtrusive, or otherwise inconsistent with the character or quality of design of the Project. In order to permit coordinated design of color and finishes the **Contractor** shall, if required by the **Design Professional**, furnish the substituted material in any color, finish, texture, or pattern which would have been available from the manufacturer originally specified, at no additional cost to the **City**.

5.13.9. Warranty. The warranties provided herein shall be in addition to and not in limitation of any other warranty required by the Contract Documents or otherwise prescribed by law.

5.13.10. Design Professional's Approval. The **Design Professional** will be the sole judge of acceptability. No "or equal" or substitute will be ordered, installed, or utilized without the **Design Professional's** prior written acceptance which will be evidenced by either a Change Order or an approved Shop Drawing. The **City** may require the **Contractor** to furnish at

the **Contractor's** expense a special performance guarantee or other surety with respect to any “or equal” or substitute. The **Design Professional** will record the time required by the **Design Professional** and its consultants in evaluating substitutes proposed or submitted by the **Contractor** and in making changes in the Contract Documents (or in the provisions of any other direct contract with the **City** for work on the Project) occasioned thereby. Whether or not the **Design Professional** accepts a substitute item so proposed or submitted by the **Contractor**, the **Contractor** shall reimburse the **City** for the charges of the **Design Professional** and its consultants for evaluating each such proposed substitute item.

5.14. Substitute Construction Methods or Procedures.

5.14.1 If a specific means, method, technique, sequence, or procedure of construction is shown or indicated in and expressly required by the Contract Documents, the **Contractor** may furnish or utilize a substitute means, method, technique, sequence or procedure of construction acceptable to the **Design Professional**. The **Contractor** shall submit sufficient information to allow the **Design Professional**, in the **Design Professional's** sole discretion, to determine whether the substitute proposed is equivalent to that expressly called for by the Contract Documents.

5.15. Contractor's Progress Schedule.

5.15.1. Before Starting Construction. Within ten (10) days after the date of the Notice to Proceed, the **Contractor** shall submit to the **Design Professional** for review:

5.15.1.1. a preliminary progress schedule indicating the times (number of days or dates) for starting and completing the various stages of the Work;

5.15.1.2. a preliminary schedule of Shop Drawing and Sample submittals which will list each required submittal and the times for submitting, reviewing, and processing such submittal; and

5.15.1.3. a refined schedule of values for all of the Work which will include quantities and prices of items aggregating the Contract Sum and will subdivide the Work into component parts in sufficient detail to serve as the basis for progress payments during construction. Such prices will include an appropriate amount of overhead and profit applicable to each item of Work.

5.15.2. Review of Progress Schedule. At least ten (10) days prior to the commencement of construction, the **Design Professional**, the **Contractor**, and any other appropriate persons will meet to review and discuss the acceptability to the **Design Professional** of the progress schedule. The **Contractor** will have an additional ten (10) days to make corrections and adjustments and to complete and resubmit the schedule. No progress payment shall be made to the **Contractor** until the schedule is submitted to and found acceptable by the **Design Professional** as provided below.

5.15.3. Acceptability of Progress Schedule. The progress schedule will be acceptable to the **Design Professional** if, according to the **Design Professional**, it provides an orderly progression of the Work to completion within any specified time frame, but such acceptance will neither impose on the **Design Professional** responsibility for the sequencing, scheduling, or progress of the Work nor interfere with or relieve the **Contractor** from the **Contractor's** full responsibility therefore. The **Contractor's** schedule of Submittals must be acceptable to the **Design Professional** in providing a workable arrangement for reviewing and processing the required Submittals. The **Contractor's** schedule of values must be acceptable to the **Design Professional** as to form and substance.

5.15.4. Sepia and Copies. After the **Design Professional** has approved the schedule, the **Contractor** shall submit to the **Design Professional** one (1) sepia and four (4) copies bearing the **Contractor's** stamp of approval as a representation to the **City** that the **Contractor** has determined or verified all data on that progress schedule and that the **Contractor**, the Subcontractors and Suppliers have reviewed and coordinated the sequences in that progress schedule with the requirements of the Work.

5.15.5. Adjustment of Schedule. The **Contractor** shall adhere to the established progress schedule which may be adjusted from time to time as follows: the **Contractor** shall submit to the **Design Professional** for acceptance proposed adjustments in the progress schedule that will not change the Contract Time. Such adjustments will conform generally to the progress schedule then in effect and will comply with any provisions of the requirements applicable thereto.

5.15.6. During Construction. The **Contractor** shall submit monthly progress schedules to the **Design Professional**. The schedules shall stay current with the **Contractor's** approach to the Work remaining.

5.15.7. Schedule of Submittals. The **Contractor** shall prepare and keep current, for the **Design Professional's** approval, a schedule of Submittals that is coordinated with the **Contractor's** construction schedule and allows the **Design Professional** reasonable time to review Submittals.

5.16. Project Coordination.

5.16.1. In General. The **Contractor** shall be responsible for the proper coordination of the Work of all of the trades.

5.16.2. Coordination with Subcontractors. The **Contractor** shall coordinate the work of each Subcontractor with the Work of every other Subcontractor whose Work affects the other.

5.16.3. Coordination with the City's Own Forces or Separate Contractors. The

Contractor shall coordinate its operations with those of the **City's** own forces or separate contractors. The **Contractor** shall provide the **City's** own forces and separate contractors a reasonable opportunity for the handling, unloading and storage of their materials and equipment and execution of their work. The **Contractor** shall connect and coordinate its Work with theirs.

5.16.4. Coordination with Utility Companies. The **Contractor** shall coordinate its operations with all the appropriate utility companies to assure that the utilities required on the Project are available and functioning properly pursuant to the requirements of the Contract Documents.

5.17. Project Photographs.

5.17.1. In General. The **Contractor** shall take, at its own expense, interior and exterior photographs at the site, from different vantages as directed by the **Design Professional** or the **City**, before beginning any Work and thereafter, at a minimum, on the first work day of each month until final completion of the Work, including final Site photos. Photos shall be taken of any Work that will be buried or concealed while the Work is still exposed. The photographs shall be taken by a skilled commercial photographer. The number of photographs required shall be at the discretion of the **City** or the **Design Professional**. One aerial photo shall be required a) prior to commencement of the work and b) at the completion of the work. See Section 01320 – Construction Progress Documentation.

5.17.2. Prints and Digital Media. Within fourteen (14) days after the photographs have been taken, the **Contractor** shall cause prints to be made and delivered to the **City** and the **Design Professional**. All photographs shall be 8" x 10". Each print shall state the date of the photograph, the name of the Project, the description of the view and the name and address of the photographer. The **City** shall receive one glossy print of each photo as well as all prints in digital form on compact disc. The **Design Professional** shall receive one glossy print.

5.17.3. Failure to Comply. Should the **Contractor** fail to adhere to any requirement set forth in the previous two paragraphs, the **City** may have the photographs taken at the **Contractor's** expense or receive a set-off against the **Contractor's** next application for payment.

5.18. Record Documents and Samples at the Site.

5.18.1 The **Contractor** shall maintain in a safe place at the site one record copy of all Plans, Specifications, Modifications, Change Orders, **Construction Change** Directives, Field Orders and written interpretations and clarifications in good order and annotated to show all changes made during construction. These record documents together with all approved Samples and a counterpart of all approved Shop Drawings will be available to the **Design Professional** for reference. Upon completion of the Work, these record documents, Samples and Shop Drawings will be delivered by the **Contractor** to the **Design Professional** for the **City**.

5.19. Submittals.

5.19.1. Purpose. The purpose of Submittals is to demonstrate for those portions of the

Work for which Submittals are required the way the **Contractor** proposes to conform to the information given and the design concept expressed in the Contract Documents.

5.19.2. Submittal Procedure. Within ten (10) days from the Notice to Proceed, the **Contractor** shall submit to the **Design Professional** a completed Submittals schedule. The **Contractor** shall review, approve, and submit to the **Design Professional** Submittals required by the Contract Documents with reasonable promptness and in such sequence as to cause no delay in the Work or in the activities of the **City** or of separate contractors. Submittals made by the **Contractor** that are not required by the Contract Documents may be returned without action. The schedules shall be updated and resubmitted each month. All Submittals will be identified as the **Design Professional** may require and in the number specified in the General Requirements. The data shown on the Shop Drawings will be complete with respect to quantities, dimensions, specified performance and design criteria, materials, and similar data to show the **Design Professional** the materials and equipment that the **Contractor** proposes to provide and to enable the **Design Professional** to review the information for the limited purposes stated below.

5.19.3. Samples. The **Contractor** shall also submit Samples to the **Design Professional** for review and approval in accordance with said accepted schedule of Submittals. Each Sample will be identified clearly as to material, Supplier, pertinent data such as catalog numbers and the use for which it is intended and otherwise as the **Design Professional** may require to enable the **Design Professional** to review the Submittal for the limited purposed stated below. The numbers of each Sample to be submitted will be as specified in the Specifications. Unless otherwise specified in the Specifications, three (3) specimens of each Sample shall be submitted.

5.19.3.1. The Samples shall be of sufficient size to permit proper evaluation of material. Where variations in color or other characteristics are to be expected, samples showing the minimum range of variation shall be submitted. Materials exceeding the range of variation of the approved Samples will not be approved on the Work.

5.19.3.2. All costs associated with delivery of Samples will be paid by the **Contractor**.

5.19.4. Contractor's Verifications. Before submitting each Submittal, the **Contractor** shall have determined and verified:

5.19.4.1. all field measurements, quantities, dimensions specified performance criteria, installation requirements, materials, catalog numbers, and similar information with respect thereto;

5.19.4.2. all materials with respect to intended use, fabrication, shipping, handling, storage, assembly, and installation pertaining to the performance of the Work; and

5.19.4.3. all information relative to the **Contractor's** sole responsibilities in respect of means, methods, techniques, sequences, and procedures of construction and safety precautions and programs incident thereto.

5.19.5. Contractor's Representations. By approving and providing Submittals, the **Contractor** thereby represents that the **Contractor** has determined and verified all dimensions, quantities, field dimensions, relations to existing Work, coordination with Work to be installed later, coordination with information on previously accepted Submittals and verification of compliance with all the requirements of the Contract Documents. The accuracy of all such information is the responsibility of the **Contractor**. In reviewing Submittals, the **Design Professional** shall be entitled to rely upon the **Contractor's** representation that such information is correct and accurate.

5.19.6. Coordination. The **Contractor** shall also have reviewed and coordinated each Submittal with other Submittals and with the requirements of the Work and the Contract Documents.

5.19.7. Stamp or Specific Written Indication. Each Submittal will bear a stamp or specific written indication that the **Contractor** has satisfied the **Contractor's** obligations under the Contract Documents with respect to the **Contractor's** review and approval of that Submittal.

5.19.8. Written Notice of Variations. At the time of each Submittal, the **Contractor** shall give the **Design Professional** specific written notice of such variations, if any, that the Submittal may have from the requirements of the Contract Documents. Such notice is to be in a written communication separate from the Submittal. Moreover, the **Contractor** shall make a specific notation on each Submittal to the **Design Professional** for review and approval of each such variation.

5.19.9. Review and Approval by the Design Professional. The **Contractor** shall perform no portion of the Work requiring a Submittal until the respective Submittal has been approved by the **Design Professional**. Such Work shall be in accordance with approved Submittals.

5.19.9.1. The **Design Professional** will review and approve Submittals in accordance with the schedule of Submittals accepted by the **Design Professional** as required above. The **Design Professional's** review and approval will be only to determine if the items covered by the Submittals will, after installation or incorporation in the Work, conform to the information given in the Contract Documents and be compatible with the design concept of the completed Project as a functioning whole as indicated in the Contract Documents. The **Design Professional's** review and approval will not extend to means, method, technique, sequences, or procedures of construction (except where a particular means, method, technique, sequences or procedures of construction is specifically and expressly called for by the Contract Documents) or to safety precautions or programs incident thereto. The review and approval of a separate

item as such will not indicate approval of the assembly in which the item functions.

5.19.10. Deviations. The **Contractor** shall not be relieved of responsibility for deviations from requirements of the Contract Documents by the **Design Professional's** approval of Submittals unless the **Contractor** has specifically informed the **Design Professional** in writing of such deviation at the time of Submittal and the **Design Professional** has given written approval to the specific deviation. The **Contractor** shall not be relieved of responsibility for errors or omissions in Submittals by the **Design Professional's** approval thereof.

5.19.11. Revisions. The **Contractor** shall make corrections required by the **Design Professional** and shall return the required number of corrected copies of Submittals and submit as required new Submittals for review and approval. The **Contractor** shall direct specific attention, in writing or on resubmitted Submittals, to revisions other than those requested by the **Design Professional** on previous Submittals. Unless such written notice has been given, the **Design Professional's** approval of a resubmitted Submittal shall not constitute approval of any changes not requested on the prior Submittal.

5.19.12. Related Work. Where a Submittal is required by the Contract Documents or the schedule of Submittals accepted by the **Design Professional**, any related Work performed prior to the **Design Professional's** review and approval of the pertinent Submittal will be at the sole expense and responsibility of the **Contractor**.

5.19.13. Informational Submittals. Informational Submittals upon which the **Design Professional** is not expected to take responsive action may be so identified in the Contract Documents.

5.19.14. Certification. When professional certification of performance criteria of materials, systems or equipment is required by the Contract Documents, the **City** shall be entitled to rely upon such certifications, and neither the **City** nor the **Design Professional** shall be expected to make any independent examination with respect thereto.

5.20. Continuing the Work.

5.20.1. The **Contractor** shall carry on the Work and adhere to the progress schedule during all disputes or disagreements with the **City**. No Work shall be delayed or postponed pending resolution of any disputes or disagreements, except as otherwise provided herein or as the **City** and the **Contractor** may agree in writing.

5.21. Use of Site; Access to Work.

5.21.1. The right of possession of the premises and the improvements made thereon by the **Contractor** shall remain at all times in the **City**. The **Contractor's** right to entry and use thereof arises solely from the permission granted by the **City** under the Contract Documents. The **Contractor** shall confine the **Contractor's** apparatus, the storage of materials, and the

operations of the **Contractor's** workers to limits indicated by law, ordinance, the Contract Documents and permits and/or directions of the **Design Professional** and shall not unreasonably encumber the premises with the **Contractor's** materials. The **City** shall not be liable to the **Contractor**, the Subcontractors, Suppliers, or anyone else with respect to the conditions of the premises, except for a condition caused directly and solely by the negligence of the **City**.

5.21.2. At all times, the **City** and the **Design Professional** shall have access to the Work.

5.22. Protection of Persons and Property.

5.22.1. In General. The **Contractor** shall be responsible for initiating, maintaining, and supervising all health and safety precautions and programs in connection with the performance of the Contract. The **Contractor** is responsible for the implementation of all Federal, State, and local health and safety requirements.

5.22.2. The **Contractor** shall take reasonable precautions for safety of, and shall provide reasonable protection to prevent damage, injury, or loss to:

5.22.2.1. employees on the site and other persons who may be affected thereby;

5.22.2.2. the Work, materials, and equipment to be incorporated therein, whether in storage on or off the site, under the care, custody or control of the **Contractor**, Subcontractors, or Sub-subcontractors;

5.22.2.3. other property at the site or adjacent or in close proximity thereto, such as trees, shrubs, lawns, walks, pavements, roadways, structures, and utilities not designated for removal, relocation, or replacement in the course of construction; and

5.22.2.4. any other property of the **City**, whether or not forming part of the Work, located at the site or adjacent thereto in areas to which the **Contractor** has access.

5.22.3. Notices and Compliance. The **Contractor** shall give notices and comply in all other respects with applicable laws, ordinances, rules, regulations, codes, and lawful orders of public authorities bearing on the safety of persons or property or their protection from damage, injury, or loss. The **Contractor** shall notify owners of adjacent and nearby properties of underground facilities and utility owners when prosecution of the Work may affect them and shall cooperate with them in the protection, removal, relocation, and replacement of their property.

5.22.4. Erection and Maintenance of Safeguards. The **Contractor** shall erect and maintain, as required by existing conditions and the terms of the Contract, reasonable safeguards for safety and protection, including posting danger signs and other warnings against hazards,

promulgating safety regulations, and notifying owners and users of adjacent and nearby sites and utilities.

5.22.5. Hazardous Materials and Equipment. When use or storage of explosives or other hazardous materials or equipment or unusual methods are necessary for execution of the Work, the **Contractor** shall exercise utmost care and carry on such activities under the supervision of properly qualified personnel.

5.22.6. Damage to Property. The **Contractor** shall promptly remedy damage and loss to property referred to above. If the damage or loss is due in whole or in part to the **Contractor's** failure to take the precautions required herein, the **Contractor** shall bear the cost, subject to any reimbursement to which the **Contractor** is entitled under property insurance required by the Contract Documents. The **Contractor** shall be fully and solely responsible for all Work and other operations carried out on adjacent properties. The insurance required under Article 8 shall cover such Work or operations, and the **Contractor** shall indemnify and defend the **City**, the **Design Professional**, and the owners of such adjacent or nearby properties from and against all claims, suits, losses, or costs arising out of such Work or operations.

5.22.7. Fire Protection Equipment and Services. The **Contractor** shall provide and maintain in good operating condition suitable and adequate fire protection equipment and services and shall comply with all reasonable recommendations regarding fire protection made by the representatives of the fire insurance company carrying insurance on the Work or by the local fire chief or fire marshal. The area within the site limits shall be kept orderly and clean and all combustible rubbish shall be promptly removed from the site.

5.22.8. Protection of Excavations, Trenches, etc. The **Contractor** shall at all times protect excavations, trenches, buildings and materials from rain water, ground water, backup or leakage of sewers, drains and other piping, and from water of any other origin and shall remove promptly any accumulation of water. The **Contractor** shall provide and operate all pumps, piping, and other equipment necessary to this end.

5.22.9. Snow and Ice Removal. The **Contractor** shall remove snow and ice that might result in damage or delay.

5.22.10. Safety Representative. The **Contractor** shall designate a qualified and experienced safety representative at the site whose duties and responsibilities shall be the prevention of accidents and the maintaining and supervising of safety precautions and programs.

5.22.11. Weather Protection. (*Reference: M.G.L. c. 149, §44F(1).*) The **Contractor** shall install weather protection and furnish adequate heat in the protected area from November 1 through March 31.

5.22.12. Security. The **Contractor** shall provide, within the Contract Sum, a

sufficient number of security personnel at the Site at all times when the **Contractor's** personnel are not present, from commencement of the Work until Substantial Completion to assure that the Site, the facility, and the Work, and all materials and equipment stored at the Site are fully and completely protected against loss or damage due to vandalism, theft, or malicious mischief. If the **Contractor** elects, in addition, to use guard dogs for this purpose, each dog shall at all times be accompanied by an adult handler. If the **Contractor** fails to comply with the requirements of this paragraph, then the **City** may provide appropriate security and charge the cost thereof to the **Contractor**. The **City's** provision of such security, or failure to do so, shall not relieve the **Contractor** of its responsibility to pay for loss or damage due to vandalism, theft, or malicious mischief at the Site.

5.22.13. Hazard Communication Programs. The **Contractor** shall be responsible for coordinating any exchange of material safety data sheets or other hazard communications information required to be made available to or exchanged between or among employers at the site in accordance with laws, codes and regulations.

5.22.14. Noise Pollution Control. The **Contractor** shall comply with all applicable provisions of Somerville Municipal Code §9-109.

5.23. Cutting and Patching.

5.23.1. In General. Unless otherwise provided in the Contract Documents, the **Contractor** shall be responsible for cutting, fitting, or patching required to complete the Work or to make its parts fit together properly, including the work of the City or of separate contractors.

5.23.2. Damage to Work of City or of Separate Contractor. The **Contractor** shall not damage or endanger a portion of the Work or fully or partially completed construction of the **City** or separate contractors by cutting, patching, or otherwise altering such construction, or by excavation. The **Contractor** shall not cut or otherwise alter such construction by the **City** or a separate contractor except with prior written consent of the **City** and of such separate contractor; such consent shall not be unreasonably withheld. The **Contractor** shall not unreasonably withhold from the **City** or a separate contractor the **Contractor's** consent to cutting or otherwise altering the Work.

5.23.3. Damage Caused by Contractor. Should the **Contractor** cause damage to the work or property of any separate contractor at the Site, or should any claim arising out of the **Contractor's** performance of Work at the Site be made by any separate contractor against the **Contractor**, the **City**, the **Design Professional**, or any of the **Design Professional's** consultants, the **Contractor** shall promptly attempt to settle with such other contractor by agreement, or to otherwise resolve the dispute by arbitration or at law. The **Contractor** shall, to the fullest extent permitted by laws and regulations, indemnify and hold harmless the **City**, the **Design Professional**, and the **Design Professional's** consultants from and against all claims, damages, losses and expenses (including, but not limited to, fees of the Design Professional, the Design Professional's consultants, attorneys, and other professionals, and court and arbitration or mediation costs) arising directly, indirectly or consequentially out of any action, legal or equitable, brought by any separate contractor against the **City**, the **Design Professional**, or any of the **Design Professional's** consultants, to the extent based on a claim arising out of the **Contractor's** performance of the Work. Should a separate contractor cause damage to the Work or property of the **Contractor** or should the performance of work by any separate contractor at the site give rise to any other claim, the **Contractor** shall not institute any action, legal or equitable, against the **City**, the **Design Professional**, or any of the **Design Professional's** consultants, or permit any action against any of them to be maintained and continued in its name or for its benefit in any court or before any arbiter which seeks to impose liability on or to recover damages from the **City**, the **Design Professional**, or any of the **Design Professional's** consultants, on account of any such damage or claim. If the **Contractor** delays at any time in performing or furnishing Work by any act or neglect of a separate contractor and the City and the Contractor are unable to agree as to the extent of any adjustment in the Contract Time attributable thereto, the **Contractor** may make a claim for an extension of time in accordance with Article 16. An extension of the Contract Time shall be the **Contractor's** exclusive remedy with respect to the **City**, the **Design Professional**, and the **Design Professional's** consultants, for any delay, disruption, interference, or hindrance caused by any separate contractor.

5.24. Cleaning Up.

5.24.1. During the progress of the Work, the **Contractor** shall keep the premises and surrounding area free from accumulation of waste materials and rubbish caused by operations under the Contract or other debris. At the completion of the Work, the **Contractor** shall remove from and about the Project all waste materials, rubbish, and debris, and the **Contractor's** tools, construction equipment, machinery, and surplus materials. Surplus materials to be provided to the **City** by specifications shall be stored in a clean, safe and secure area as directed by the **City**. The **Contractor** shall leave the site clean and ready for occupancy by the **City** at Substantial Completion of the Work. Immediately prior to the **Design Professional's** inspection for Substantial Completion, the **Contractor** shall completely clean the premises. Concrete and ceramic surfaces shall be cleaned and washed. Resilient coverings shall be cleaned, waxed and buffed. Woodwork shall be dusted and cleaned. Sash, fixtures and equipment shall be thoroughly cleaned. Stains, spots, dust, marks and smears shall be removed from all surfaces. Hardware and all metal surfaces shall be cleaned and polished. Glass and plastic surfaces shall be thoroughly cleaned by professional window cleaners. All damaged, broken or scratched glass or plastic shall be replaced by the **Contractor** at the **Contractor's** expense. The **Contractor** shall restore to original condition all property not designated for alteration by the Contract Documents.

5.24.2. If the **Contractor** fails to clean up as provided herein, the **City** may do so and charge the cost thereof to the **Contractor**.

5.25. Royalties and Patents.

5.25.1 The **Contractor** shall pay all license fees and royalties and assume all costs incident to the use in the performance of the Work or the incorporation in the Work of any invention, design, process, product, or device which is the subject of patent rights or copyrights held by others. To the fullest extent permitted by law, the **Contractor** shall indemnify and hold harmless the **City** and the **Design Professional** from and against all claims, costs, losses, and damages arising out of or resulting from any infringement of patent rights or copyrights incident to the use in the performance of the work or resulting from the incorporation in the work of any invention, design, process, product, or device not specified in the Contract Documents.

5.26. Contractor's Obligation to Perform.

5.26.1. The **Contractor's** obligation to perform and complete the Work in accordance with the Contract Documents is absolute. None of the following will constitute an acceptance of Work that is not in accordance with the Contract Documents or a release of the **Contractor's** obligation to perform the Work in accordance with the Contract Documents:

5.26.1.1. observations by the **Design Professional**;

5.26.1.2. recommendation of any progress or final payment by the **Design Professional**;

5.26.1.3. the issuance of a certificate of Substantial Completion or any payment by the **City** to the **Contractor** under the Contract Documents;

5.26.1.4. use or occupancy of the Work, Project, or Site, or any part thereof, by the **City**;

5.26.1.5. any acceptance by the **City** or any failure to do so;

5.26.1.6. any review and approval of a Shop Drawing or Sample submittal or the issuance of a notice of acceptance by the **Design Professional**;

5.26.1.7. any inspection, test, or approval by others; or

5.26.1.8. any correction of defective Work by the **City**.

5.27. Indemnification; and Covenant Not To Sue.

5.27.1. To the fullest extent permitted by law, the **Contractor** shall assume the defense of, indemnify and hold harmless the **City**, the **Design Professional**, the **Design Professional's** consultants, and agents and employees of any of them, from and against claims, damages, losses, and expenses, including, but not limited, to attorneys' fee, arising out of or resulting from performance of the Work, provided that such claim, damage, loss, or expense is attributable to bodily injury, sickness, disease, or death, or to injury to or destruction of tangible property (other than the Work itself) including loss of use resulting there from, caused in whole or in part by alleged negligent acts or omissions of the **Contractor**, a Subcontractor, anyone directly or indirectly employed by them, or anyone for whose acts they may be liable, regardless of whether or not such claim, damage, loss, or expense is caused in part by a party indemnified hereunder. Such obligation shall not be construed to negate, abridge, or reduce other rights or obligations of indemnity which would otherwise exist as to a party or person described in this paragraph.

5.27.2. In claims against any person or entity indemnified under the foregoing paragraph by an employee of the **Contractor**, a Subcontractor, anyone directly or indirectly employed by them or anyone for whose acts they may be liable, the indemnification obligation under the foregoing paragraph shall not be limited by a limitation on the amount or type of damages, compensation or benefits payable by or for the **Contractor** or a Subcontractor under Workers' Compensation laws, disability benefit acts or other employee benefit acts.

5.27.3. The obligations of the **Contractor** in this Article shall not extend to the liability of the **Design Professional**, the **Design Professional's** consultants, and agents or employees of any of them arising out of (1) the preparation of maps, Plans, opinions, reports, surveys, Change Orders, designs, or Specifications, or (2) directions or instructions given by the **Design Professional**, the **Design Professional's** consultants and agents or employees of any of them, provided such instructions or directions are the primary cause of the injury or damage.

5.27.4. The **Contractor**, or any successor, assign, or subrogee of the **Contractor** agrees not to bring any civil suit, action, or other proceeding in law, equity or arbitration against the **Design Professional**, or the officers, employees, agents, or consultants of the **Design Professional**, for the enforcement of any action which the **Contractor** may have arising out of or in any manner connected with the Work. The **Contractor** shall assure that this covenant not to sue is contained in all subcontracts and sub-subcontracts of every tier and shall assure its enforcement. The **Design Professional**, its officers, employees, agents, and consultants are intended third-party beneficiaries of this covenant not to sue, and are entitled to enforce this covenant in law or equity.

5.28. Survival of Obligations.

5.28.1 All representations, indemnifications, warranties, and guarantees made in, required by or given in accordance with the Contract Documents, as well as all continuing obligations indicated in the Contract Documents, will survive final payment, completion and acceptance of the Work and termination or completion of the Contract.

ARTICLE 6: SUBCONTRACTORS

6.1 Use of Subcontractors.

6.1.1 The **Contractor** shall use the Subcontractors named in the **Contractor's Bid**.

6.2 Substitution of Subcontractors.

6.2.1 The **Contractor** shall not substitute another Subcontractor therefore without notice to the **City** and the **City's** prior written consent of such substitution.

6.3 Names of Subcontractors.

6.3.1 Upon execution of the Contract with the **City**, the **Contractor** shall provide in writing to the **City**, through the **Design Professional**, the names, addresses, telephone numbers, and fax numbers of all persons proposed for each principal portion of the Work.

6.4. Objections to Subcontractors.

6.4.1 The **Contractor** shall not use any Subcontractor against whom the **City** has a reasonable objection. The **Contractor** shall not be required to contract with any person or entity against whom it has a reasonable objection.

6.5. Form of the Subcontract.

6.5.1 All Work performed by a Subcontractor shall be through an appropriate subcontract. The form of subcontract shall be submitted to the **City's Law Department for its** approval, which shall not be unreasonably withheld or delayed.

6.6. Content of the Subcontract.

6.6.1. In addition to all statutorily mandated provisions and provisions required elsewhere in the Contract Documents, each subcontract shall expressly provide that:

6.6.1.1. Each subcontract agreement for a portion of the Work is assigned by the **Contractor** to the **City** provided that:

6.6.1.1.1. the assignment is effective only after termination of the Contract by the **City** or the **Contractor** and only for those subcontract agreements which the **City** accepts by notifying the Subcontractor in writing; and

6.6.1.1.2. the assignment is subject to the prior rights of the surety, if any, obligated under bond relating to the Contract.

6.6.1.2. Each Subcontractor is bound by the requirements of the Contract Documents for the express benefit of the **City**.

6.6.1.3. Each Subcontractor shall assume toward the **Contractor** all the obligations that the **Contractor** assumes toward the **City** and the **Design Professional**, unless otherwise provided by law.

ARTICLE 7: PERFORMANCE AND PAYMENT BONDS

7.1. Form of Bonds.

7.1.1 The performance and labor and material or payment bonds shall be in the form required by the **City**, copies of which are included in the Project Manual. The **City** reserves the right to reject any bond that does not conform to the **City's** requirements.

7.2. Furnished by the Contractor. *(Reference: M.G.L. c. 30, §39M(c);, M.G.L. c. 149, §29).*

7.2.1 The **Contractor** shall furnish a performance bond and a labor and materials or payment bond, each with a surety company qualified to do business under the laws of the Commonwealth and satisfactory to the **City** and each in the sum of the Contract Sum, the premiums for which are to be paid by the **Contractor** and are included in the Contract Sum. The bonds shall remain in effect until final payment is made. The sum of the performance bond shall increase each time the Contract Sum is increased as a result of a Change Order.

7.3. Submission to the City.

7.3.1 The **Contractor** must submit the performance and a labor and materials or payment bonds to the **City** upon the **Contractor's** execution of the Agreement.

ARTICLE 8: INSURANCE REQUIREMENTS

8.1 Insurance Certificates.

8.1.1 Prior to starting work on this project, the contractor shall deposit with the **City**, certificates from insurers clearly stating that the required insurance policies have been issued to the **Contractor** and will remain in effect during the time period required to complete this contract. ACCORD forms will not be accepted. The certificates must be in a form satisfactory to the **City**. The insurance shall include all major divisions of coverage, and shall be on a

comprehensive general basis including: Premises and Operations (including X-C-U), Owners and Contractors Protective, Products and Completed Operations, Owned, Non-owned or Hired and/or Leased Motor Vehicles. Such insurance shall be written for not less than any limits of liability, required by law or the following limits, whichever are greater.

8.2 Minimum Coverages. The **Contractor** shall possess and maintain throughout the contract period/project, insurance in the kinds and amounts as provided in Appendix D. The **Contractor** may purchase and maintain excess liability insurance in the in the umbrella form in order to satisfy the limits of liability required for the insurance to be purchased and maintained in accordance with the required requirements set forth above (in addition to the umbrella limits required). Evidence of such excess liability shall be delivered to the **City** in the form of a certificate and the certificate indicating the policy numbers and limits of liability of all underlying insurance.

8.3 Additional Insured. The **City** shall be named as an additional insured on each certificate, and the certificate must have the endorsement of the insurance agency.

8.4 Notice. Each certificate shall contain a notation that the insurer will give 30 days notice to the **City** prior to cancellation, change or non-renewal of policy.

8.5 Carrier Rating. Insurance carriers **MUST** have an A.M. Best rating of "A" or better.

8.6 Material Breach. Failure of the contractor to provide and continue in force such insurance shall be deemed a material breach of contract and shall operate as immediate termination thereof.

ARTICLE 9: TESTS AND INSPECTIONS

9.1. Access.

9.1.1 The **City**, the **Design Professional**, and all other persons designated by the **City** shall have access to the Work at reasonable times for observing, inspecting, and testing. The **Contractor** shall provide them with proper and safe conditions for such access and advise them of the **Contractor's** site safety procedures and programs so that they may comply therewith as applicable.

9.2. Tests and Inspections.

9.2.1. The **Contractor** shall give the **Design Professional** timely notice of readiness of the Work for all required inspections, tests, or approvals and shall cooperate with inspection and testing personnel to facilitate required inspections or tests.

9.2.2. Unless otherwise provided, the **Contractor** shall make arrangements for such tests, inspections, and approvals with an independent testing laboratory or entity acceptable to the **City**, or with the appropriate public authority and shall bear all related costs of tests, inspections, and approvals. If the laws or regulations of any public body having jurisdiction

require any Work or part thereof specifically to be inspected, tested, or approved by an employee or other representative of such public body, the **Contractor** shall assume full responsibility for arranging and obtaining such inspections, tests, or approvals, pay all costs in connection therewith and furnish the **Design Professional** with the required certificates of inspection, testing, or approval.

9.2.3. The **Contractor** shall be responsible for arranging and obtaining and shall pay all costs in connection with any inspections, tests, or approvals required for the **Design Professional's** acceptance of materials or equipment to be incorporated into the Work, or of materials, mix designs, or equipment submitted for approval prior to the **Contractor's** purchase thereof for incorporation into the Work.

9.2.4. If any Work that is to be inspected, tested, or approved is covered by the **Contractor**, Subcontractor, or Sub-subcontractor without the prior written consent of the **Design Professional**, it must be uncovered for observation, inspection, testing, or approval, if requested by the **Design Professional**. The **Contractor** must recover the Work at its own expense.

9.2.5. The **Contractor** shall not be relieved of obligations to perform the Work in accordance with the Contract Documents either by activities or duties of the **Design Professional** in the **Design Professional's** administration of the Contract or by tests, inspections, or approvals required or performed by persons other than the **Contractor**.

ARTICLE 10

UNCOVERING AND CORRECTING WORK

10.1. Uncovering Work.

10.1.1. If a portion of the Work is covered contrary to the **Design Professional's** request or to requirements specifically expressed in the Contract Documents, it must, if required in writing by the **Design Professional**, be uncovered for the **Design Professional's** observation and be replaced, both at the **Contractor's** expense and without change in the Contract Time.

10.1.2. If a portion of the Work has been covered which the **Design Professional** has not specifically requested to observe prior to its being covered, the **Design Professional** may request to see such Work, and it shall be uncovered by the **Contractor**. If it is found that such Work is in accordance with the Contract Documents, costs of uncovering and replacing shall, by appropriate Change Order, be charged to the **City**. If it is found that such Work is defective or not in accordance with the Contract Documents, the **Contractor** shall pay all claims, costs, losses, and damages caused by, arising out of or resulting from such uncovering, exposure, observation, inspection, and testing and of satisfactory replacement of reconstruction (including, but not limited to, all costs of repair or replacement of work of others); and the **City** shall be entitled to an appropriate decrease in the Contract Sum. The **City** may take such decrease by reducing the then current application for payment accordingly or subsequent applications, if necessary, until

the decrease is paid in full.

10.2. Correcting Work.

10.2.1. The **Contractor** shall promptly correct Work rejected by the **Design Professional** or failing to conform to the requirements of the Contract Documents, whether observed before or after Substantial Completion and whether or not fabricated, installed, or completed. The **Contractor** shall bear all costs of correcting such rejected Work including additional testing and inspections and compensation for the **Design Professional's** services and expenses made necessary thereby and any cost, loss, or damages to the **City** resulting from such failure or defect.

10.2.2. If, within one (1) year after the date of Substantial Completion of the Work or designated portion thereof, or after the date for commencement of warranties established in Article 15, or by terms of an applicable special warranty required by the Contract Documents, any of the Work is found to be not in accordance with the requirements of the Contract Documents, the Contractor shall correct it promptly after receipt of written notice from the **City** to do so, unless the **City** has previously given the **Contractor** a written acceptance of such condition. This period of one (1) year shall be extended with respect to portions of Work first performed after Substantial Completion by the period of time between Substantial Completion and the actual performance of the Work. This obligation to correct under this paragraph shall survive acceptance of the Work under the Contract and termination of the Contract. The **City** shall give such notice promptly after discovery of the condition.

10.2.3. The **Contractor** shall correct, remove, or replace portions of the Work that are not in accordance with the requirements of the Contract Documents and are neither corrected by the **Contractor** nor accepted by the **City**.

10.2.4. If the **Contractor** fails within a reasonable time to correct nonconforming Work, or to remove and replace rejected Work, or fails to perform the Work in accordance with the Contract Documents, the **City** may correct it in accordance with the provisions herein. If the **Contractor** does not proceed with correction, removal, or replacement of such nonconforming Work within seven (7) days from the date of written notice from the **Design Professional**, the **City** may correct it and store any salvageable materials or equipment at the **Contractor's** expense. If the **Contractor** does not pay costs of any such removal and storage within ten (10) days after written notice, the **City** may upon ten (10) additional days' written notice sell such materials and equipment at auction or at private sale and shall account for the proceeds thereof, after deducting costs and damages that should have been borne by the **Contractor**, including compensation for the **Design Professional's** services and expenses made necessary thereby. If such proceeds of sale do not cover all the costs that the **Contractor** should have born, the Contract Sum shall be reduced by the deficiency. If payments then or thereafter due the **Contractor** are not sufficient to cover such amount, the **Contractor** shall pay the difference to the **City**.

10.2.5. The **Contractor** shall bear the cost of correcting destroyed or damaged construction, whether completed or partially completed, of the **City** or separate contractors caused by the **Contractor's** correction or removal of Work which is not in accordance with the requirements of the Contract Documents.

10.2.6. Nothing contained in this paragraph shall be construed to establish a period of limitation with respect to other obligations that the **Contractor** might have under the Contract Documents. Establishment of the time period of one (1) year as described in the above paragraph related only to the specific obligation of the **Contractor** to correct the Work and has no relationship to the time within which the obligation to comply with the Contract Documents may be sought to be enforced nor to the time within which proceedings may be commenced to establish the **Contractor's** liability with respect to the **Contractor's** obligations other than specifically to correct the Work.

10.3. Acceptance of Nonconforming Work.

10.3.1 If, instead of requiring correction or removal and replacement of defective or nonconforming Work, the **City** prefers to accept Work which is not in accordance with the requirements of the Contract Documents, the **City** may do so instead of requiring its removal and correction, in which case the **Contractor** shall pay all claims, costs, losses, and damages attributable to the **City's** evaluation of and determination to accept such defective or nonconforming Work. The Contract Sum will be reduced as appropriate. Such adjustment shall be effected whether or not final payment has been made.

ARTICLE 11:CHANGES IN THE WORK

11.1. In General.

11.1.1. The Contract Sum constitutes the total compensation (subject to authorized adjustments) payable to the **Contractor** for performing the Work. All duties, responsibilities and obligations assigned to or undertaken by the **Contractor** shall be at the **Contractor's** expense without any change in the Contract Sum.

11.1.2. Without invalidating the Contract and without notice to any surety, the **City** may, at any time or from time to time, order additions to, deletions from, or revisions in the Work. Such additions, deletions, or revisions will be authorized by a Change Order, a Modification or a **Construction Change Directive**. Upon receipt of any such document, the **Contractor** shall promptly proceed with the Work involved that will be performed under the applicable conditions of the Contract Documents (except as otherwise specifically provided).

11.1.3. The **Contractor** shall not be entitled to an increase in the Contract Sum or an extension of the Contract Time with respect to any Work performed that is not required by the Contract Documents as amended, modified, or supplemented, except as otherwise provided herein.

11.2. Change Orders.

11.2.1. (*Reference: M.G.L. c. 30, §39I;*). The **Contractor** shall perform all the Work required by this Contract in conformity with the Plans and Specifications contained herein. No willful and substantial deviation from said Plans and Specifications shall be made unless authorized in writing by the **City** and the **Design Professional** in charge of the Work who is duly authorized by the **City** to approve such deviations. In order to avoid delays in the prosecution of the Work required by such Contract, such deviation from the Plans or Specifications may be authorized by a written order of the **City** or the **Design Professional** so authorized to approve such deviation. Within thirty (30) days thereafter, such written order shall be confirmed by a certificate of the **City** stating: (1) If such deviation involves any substitution or elimination of materials, fixtures or equipment, the reasons why such materials, fixtures, or equipment were included in the first instance and the reasons for substitution or elimination, and, if the deviation is of any other nature, the reasons for such deviation, giving justification therefore; (2) that the specified deviation does not materially injure the Project as a whole; (3) that either the work substituted for the Work specified is of the same cost and quality, or that an equitable adjustment has been agreed upon between the **City** and the **Contractor** and the amount in dollars of said adjustment; and (4) that the deviation is in the best interest of the **City**.

11.3. Construction Change Directive.

11.3.1. A **Construction Change** Directive shall be used in the absence of total agreement on the terms of a Change Order.

11.3.2. Upon request of the **City** or the **Design Professional**, the **Contractor** shall without cost to the **City** submit to the **Design Professional** in such form as the **Design Professional** may require, an accurate written estimate of the cost of any proposed extra work or change. The estimate shall indicate the quantity and unit cost of each item of materials, and the number of hours of work and hourly rate for each class of labor, as well as the description and amounts of all other costs chargeable under the terms of this Article. Unit labor costs for the installation of each item of materials shall be shown if required by the **Design Professional**. If required by the **Design Professional**, in order to establish the exact cost of new Work added or of previously required Work omitted, the **Contractor** shall obtain and furnish to the **Design Professional** bona fide proposals from recognized Suppliers for furnishing any material included in such Work. Such estimates shall be furnished promptly so as to occasion no delay in the Work, and shall be furnished at the **Contractor's** expense.

11.3.3. The **Contractor** shall state in the estimate any extension of time required for the completion of the Work if the change or extra Work is ordered. The **Contractor** shall document, through a critical path analysis, or some other clearly delineated explanation, how the proposed change affects other aspects of the Work, and why it would require an extension of time. The **Contractor** shall promptly revise and resubmit such estimate if the **Design Professional** determines that it is not in compliance with the requirements of this Article, or that it contains errors of fact or mathematical errors.

11.3.4. If the **Construction Change** Directive provides for an adjustment to the Contract

Sum, the adjustment shall be based on one of the following methods, as selected by the **City**, selection of which does not require the consent of the **Contractor**:

11.3.4.1. by unit prices stated in the Contract Documents or otherwise mutually agreed upon; or

11.3.4.2. by Cost and Percentages estimated by the **Contractor** as provided herein and accepted by the **City**, whereupon the **Contractor's** estimate shall become a fixed price which shall not be changed by any variation in the actual cost of executing the Work covered by the change; or

11.3.4.3. by actual Cost determined after the Work covered by the change is completed, plus Percentage; or

11.3.4.4. by submission to arbitration or a court, which shall determine the fair value of the Work covered by the change.

11.3.5. “Cost” shall mean the estimated or actual net increase or decrease in cost to the **Contractor**, Subcontractor, or Sub-subcontractor for performing the Work covered by the change, including actual payments for materials, equipment rentals, expendable items, wages, and associated benefits to the workers and to supervisors employed full time at the Site, insurance, bonds, and other provable direct costs, but not including any administrative, accounting or expediting costs, or other indirect or overhead costs, or any wages or benefits of supervisory personnel not assigned full time to the Site, or any amount for profit or fee to the **Contractor**, Subcontractor, or Sub-subcontractor.

11.3.6. “Percentage” shall mean an allowance to be added to or subtracted from the Cost in lieu of overhead and profit and of any other expense that is not included in the Cost of the Work covered by the change, as defined above. Percentage for a Sub-subcontractor shall be 8% of any net increase or decrease of Cost of any Work performed by the Sub-subcontractor’s own forces plus 4% of any net increase or decrease in Cost of any Work performed for the Sub-subcontractor by lower tier Sub-subcontractors. Percentage for a Subcontractor shall be 12% of any net increase or decrease of Cost of any Work performed by the Subcontractor’s own forces plus 4% of the Cost of Work performed by Sub-subcontractors. Percentage for the **Contractor** shall be 15% of any net increase or decrease of Cost of any Work performed by the **Contractor's** own forces plus 5% of any net increase or decrease in the Cost for all other Work covered by the change. When the **Contractor** is also performing Work as a Subcontractor or Sub-subcontractor, the **Contractor** shall only be entitled to a total of no more than 15% of any net increase or decrease of Cost of any Work.

11.3.7. When in the reasonable judgment of the **Design Professional** a series of **Construction Change** Directives or Change Orders effect a single change, Percentage shall be calculated on the cumulative net increase or decrease in Cost, if any.

11.3.8. If unit prices are stated in the Contract Documents or are subsequently agreed upon, and if quantities originally contemplated are so changed in a Proposed Change Order or **Construction Change** Directive that the application of such unit prices to quantities of Work proposed will cause substantial inequity to the **City** or the **Contractor**, the applicable unit prices shall be equitably adjusted.

11.3.9. If the **City** elects to determine the Cost of the Work as provided in method (11.3.4.1) using unit prices stated in the Contract Documents or subsequently agreed upon, the unit prices shall be subject to the prior paragraph. Notwithstanding the inclusion of unit prices in the Contract Documents, it shall be the **City's** option to require the Cost of any given change to be determined by one of the other methods stated in 11.3.4. If the **City** elected to determine the Cost of the change by unit prices and the nature of the work is such that its extent cannot readily be measured after the completion of such work or any subsequent Work, the **Contractor** shall keep daily records, available at all times to the **Design Professional** for inspection, of the actual quantities of such Work put in place, and delivery receipts or other adequate evidence, acceptable to the **Design Professional**, indicating the quantities of materials delivered to the Site for use in such unit price Work, and distinguishing such from other similar material delivered for use in Work include in the base Contract Sum. If so required by the **Design Professional**, materials for use in unit price Work shall be stored apart from all other materials on the Project.

11.3.10. If the **City** elects to determine the Cost of the Work as provided in methods 11.3.4.3. or 11.3.4.4. or if the method of determining the Cost has not been established before the Work is begun, the **Contractor** shall keep detailed daily records of labor and material costs applicable to the Work.

11.3.11. Upon receipt of a **Construction Change** Directive, the **Contractor** shall promptly proceed with the change in the Work involved and advise the **Design Professional** in writing of the **Contractor's** agreement or disagreement with the method, if any, provided in the **Construction Change** Directive for determining the proposed adjustment in the Contract Time.

11.3.12. A **Construction Change** Directive signed by the **Contractor** indicates the agreement of the **Contractor** therewith, including adjustment in the Contract Sum and Contract Time or the method for determining them. Such agreement shall be effective immediately and shall be recorded as a Change Order.

11.3.13. If the **Design Professional** and the **Contractor** do not agree with the adjustment in the Contract Time or the method for determining it, the adjustment or the method shall be referred to the **Design Professional** for determination.

11.4. Minor Changes in the Work.

11.4.1. The **Design Professional** has the authority to order minor changes in the Work.

“Minor changes” as used in this paragraph mean changes which are so insignificant as to not affect the Contract Sum or the Contract Time and which are not inconsistent with the intent of the Contract Documents. Any minor change shall be committed to a written order which shall be binding on both the **City** and the **Contractor** and which shall be promptly carried out by the **Contractor**.

11.5. Certificate of Appropriations. (*Reference: M.G.L. c. 44, §31C;*). This Contract shall not be deemed to have been made until the **City's** auditor has certified thereon that an appropriation in the amount of this Contract is available therefor and that an officer or agent of the **City** has been authorized to execute said Contract and approve all requisitions and change orders. No order to the **Contractor** for a change in or addition to the Work, whether in the form of a drawing, plan, detail or any other written instruction, unless it is an order which the **Contractor** is willing to perform without any increase to the Contract price, shall be deemed to be given until the auditor has certified thereon that an appropriation in the amount of such order is available therefore; but such certificate shall not be construed as an admission by the **City** of its liability to pay for such work. The certificate of the auditor that an appropriation in the amount of this Contract or in the amount of such order is available shall bar any defense by the **City** on the grounds of insufficient appropriation.

ARTICLE 12: CHANGE IN THE CONTRACT TIME

12.1. Date of Commencement.

12.1.1 The date of commencement of the Work is the date established in the Notice to Proceed. The date shall not be postponed by the failure to act of the **Contractor** or persons or entities for whom the **Contractor** is responsible.

12.2. Progress and Completion.

12.2.1. Time is of the essence; all time limits stated in the Contract Documents are of the essence of the Contract. By executing the Agreement, the **Contractor** confirms that the Contract Time is a reasonable period for performing the Work.

12.2.2. The **Contractor** shall proceed expeditiously with adequate forces and shall achieve Substantial Completion within the Contract Time.

12.2.3. Within five (5) working days of award of contract, the **Contractor** shall submit to the **Design Professional** a progress schedule showing for each class of Work included in the schedule of values, the percentage of completion to be obtained and the total dollar value of Work to be completed as of the first of each month until Substantial Completion. All calculations shall be on the basis of Work in place, but may include, at the **Design Professional's** discretion, the value of materials delivered but not in place.

12.2.4. The progress schedule shall be based on an orderly progression of the Work, allowing adequate time for each operation (including adequate time for submission and review of submittals), and leading to a reasonable certainty of Substantial Completion by the date

established in the Agreement. The progress schedule will be reviewed by the **Design Professional** for compliance with the requirements of this Article and will be accepted by the **Design Professional** or returned to the **Contractor** for revision and resubmittal. Unless specifically required by law, no payment under this Contract shall be due until the progress schedule has been approved by the **Design Professional**. The **Design Professional's** review of the progress schedule shall not impose any duty on the **Design Professional** or the **City** with respect to the timing, planning, scheduling, or execution of the Work. In particular, if the **Contractor** proposes a progress schedule indicating a date of Substantial Completion which is earlier than the Contract Time, the **Contractor** shall not be entitled to additional payment or compensation of any kind if, for any reason, the full Contract Time is required to achieve Substantial Completion of the Work.

12.2.5. If in any Application for Payment, the total value of the completed Work in place, as certified by the **Design Professional**, is less than 90% of the total value of the Work in place estimated in the progress schedule, the **City** may, at the **City's** option, require the **Contractor** to accelerate the progress of the Work without cost to the **City** by increasing the workforce or hours or Work or by other reasonable means approved by the **Design Professional**.

12.2.6. If each of three successive applications, as certified by the **Design Professional**, indicate that the actual Work completed is less than 90% of the values estimated in the progress schedule to be completed by the respective dates, the **City** may at the **City's** option, treat the **Contractor's** delinquency as a default justifying the action permitted under Article 18.

12.2.7. If the **Design Professional** has determined that the **Contractor** should be permitted to extend the time for completion as provided below, the calendar dates in the progress schedule shall be adjusted accordingly to retain their same relationship to the adjusted date of Substantial Completion, and the dollar value of the Work to be completed as of the first of each month shall be adjusted pro rata.

12.2.8. If the **Contractor** fails to submit any application for payment in any month, the **Design Professional** shall, for the purpose of this evaluation of progress, certify separately to the actual value of the Work in place completed as of the first of the month to the best of the **Design Professional's** knowledge.

12.2.9. Nothing herein shall limit the **City's** right to liquidated or other damages for delays by the **Contractor** or to any other remedy which the **City** may be entitled or may possess under other provisions of the Contract Documents or by law.

12.3. Delays and Extensions of Time.

12.3.1. If the **Contractor** is delayed at any time in the progress of the Work by an act or neglect of the **City** or the **Design Professional**, or of an employee of either, or of a separate contractor employed by the **City**, or by changes ordered in the Work, or by labor disputes, fire, unusual delay in deliveries, unavoidable casualties, or other causes (except weather) beyond the

Contractor's control, or by delay authorized by the **City**, or by other causes which the **Design Professional** determines may justify delay, then the Contract Time shall be extended by Change Order or **Construction Change Directive** for such reasonable time as the **Design Professional** may determine.

12.3.2. Claims relating to time shall be made in accordance with applicable provisions of Article 16.

12.3.3. No claim for extension of time shall be allowed on account of failure of the **Design Professional** to furnish Plans, Specifications or instructions or to return Shop Drawings or Samples until fifteen (15) days after receipt by the **Design Professional** by registered or certified mail of written demand for such instructions, Plans, Specifications, or Samples, and then not unless such claim is reasonable.

12.3.4. No extensions of time shall be granted because of seasonal or abnormal variations in temperature, humidity or precipitation, which conditions shall be wholly at the risk of the **Contractor**, whether occurring within the time originally scheduled for completion or within the period of any extension granted. There shall be no increase in the Contract Sum on account of any additional costs of operations or conditions resulting therefrom.

12.3.5. The **Contractor** hereby agrees that the **Contractor** shall have no claim for damages of any kind against the **City** or the **Design Professional** on account of any delay in the commencement of the Work and/or any hindrance, delay, or suspension of any portion of the Work, whether such delay is caused by the **City**, the **Design Professional**, or otherwise, except as and to the extent expressly provided under M.G.L. c. 30, §39O, in the case of written orders by the **City**. The **Contractor** acknowledges that the **Contractor's** sole remedy for any such delay and/or suspension will be an extension of time as provided in this Article.

12.3.6. (*Reference: M.G.L. c. 30, §39O;*). (a) The **City** may order the **Contractor** in writing to suspend, delay, or interrupt all or any part of the Work for such period of time as it may determine to be appropriate for the convenience of the **City**, provided however that if there is a suspension, delay, or interruption for fifteen (15) days or more due to a failure of the **City** to act within the time specified in this Contract, the **City** shall make an adjustment in the Contract prices for any increase in the cost of performance of this Contract under this provision for any suspension, delay, interruption, or failure to act to the extent that such is due to any cause for which this Contract provides for an equitable adjustment of the Contract price under any other Contract provisions.

(b) The **Contractor** must submit the amount of a claim under provision (a) to the **City** in writing as soon as practicable after the end of the suspension, delay, interruption, or failure to act and, in any event, not later than the date of final payment under this Contract and, except for costs due to a suspension order, the **City** shall not approve any costs in the claim incurred more than twenty (20) days before the **Contractor** notified the **City** in writing of the act or a failure to

act involved in the Claim.

In the event a suspension, delay, interruption, or failure to act of the **City** increases the cost of performance to any Subcontractor, that Subcontractor shall have the same rights against the **Contractor** for payment for an increase in the cost of its performance as provisions (a) and (b) give the **Contractor** against the **City**, but nothing in provisions (a) and (b) shall in any way change, modify, or alter any other rights which the **Contractor** or the Subcontractor may have against each other.

12.4. Liquidated Damages.

12.4.1. If the **Contractor** shall fail to achieve Substantial Completion within the Contract Time, it shall be liable to pay the **City** the daily amount specified in the Agreement, not as a penalty, but as a fixed and agreed upon damages for breach of contract. The said amount is fixed and agreed upon because of the difficulty of ascertaining the **City's** actual damages. It is mutually understood that the said amount is a reasonable approximation or estimate thereof as of the date of the Agreement. The **City** may elect to withhold said amount from periodic or final payments due to the **Contractor**, in addition to retainage and other back charges.

12.5. Changes in the Contract Time.

12.5.1. In Writing. The Contract Time may only be changed by a Change Order or a Modification. Any claim for an adjustment of the Contract Time shall be based on a written notice delivered to the party making the claim to the other party and to the **Design Professional** promptly (but in no event later than seven (7) days) after the occurrence of the event giving rise to the claim and stating the general nature of the claim. Notice of the extent of the claim with supporting data shall be delivered within thirty (30) days after such occurrence and shall be accompanied by the claimant's written statement that the adjustment claimed is the entire adjustment to which the claimant has reason to believe it is entitled as a result of the occurrence of said event. All claims for adjustment in the Contract Time shall be determined by the **Design Professional** in accordance with Article 16. No claim for an adjustment in the Contract Time will be valid if not submitted in accordance with the requirements of this paragraph.

12.5.2. Early Completion. The Contract Time shall not be changed due to a delay in the **Contractor's** early completion date.

ARTICLE 13: PAYMENTS

13.1. Schedule of Values.

13.1.1. The **Contractor** shall submit to the **Design Professional** a schedule of values which shall subdivide the Work into its component parts and shall include quantities, direct craft labor worker hours, labor cost and material/equipment cost. Labor cost shall include an appropriate amount of construction equipment costs, supplemental costs, administrative expenses, contingencies, and profit. The **Contractor** shall prepare the schedule of values in such

form and supported by such data to substantiate its accuracy as the **Design Professional** may require and shall be revised if later found by the **Design Professional** to be inaccurate. This schedule, unless objected to by the **Design Professional**, shall be used as a basis for reviewing the **Contractor's** applications for payment.

13.2. Content and Submission of Applications for Payment.

13.2.1. At least ten (10) days before the date established for each progress payment, the **Contractor** shall submit to the **Design Professional** six (6) copies of an itemized application for payment for Work completed in accordance with the schedule of values. Such application shall be in a form or format established or approved by the **Design Professional** and shall be supported by documentation substantiating the **Contractor's** right to payment.

13.2.2. When **Construction Change** Directives have set forth an adjustment to the Contract Sum but have not yet been included in Change Orders, the value established by the **City** may be included in the application.

13.2.3. Applications covering Work of Subcontractors or Suppliers shall not include requests for payments of amounts the **Contractor** does not intend to pay to a Subcontractor or Supplier because of a dispute or other reason. The **Contractor** shall not be paid for any Work performed by a Subcontractor unless and until the **City** receives for that Subcontractor a certificate of insurance that conforms to the requirements of the Contract Documents .

13.2.4. Unless otherwise provided in the Contract Documents, payments shall be made on account of materials and equipment delivered and suitably stored at the Site for subsequent incorporation in the Work. If approved in advance by the **City**, payment may similarly be made for materials and equipment suitably stored off the Site at a location agreed upon in writing. Payment for materials and equipment stored on or off the Site shall be conditioned upon the application for payment being accompanied by a bill of sale, an invoice, or other documentation warranting that the **City** has received the materials and equipment free and clear of all liens, claims, security interests, or encumbrances, hereinafter collectively referred to as "liens," and evidence that the materials and equipment are covered by appropriate insurance and other arrangements to protect the **City's** interest therein.

13.2.5. Each application for payment or periodic estimate requesting payment shall be accompanied by, at the **City's** option, a certificate from each Subcontractor stating that the Subcontractor has been paid all amounts due the Subcontractor on the basis of the previous periodic payment to the **Contractor**, or else stating the amount not so paid and the reason for the discrepancy. In the event of any such discrepancy, the **Contractor** shall furnish the **Contractor's** own written explanation to the **City** through the **Design Professional**. Such waiver or certificate shall be in a form acceptable to the **City**.

13.3. False Applications for Payment.

13.3.1. (*Reference: M.G.L. c. 266, §§67B*). Any person who makes or presents to any

claim upon or against any employee or department of the **City**, knowing such claim to be false, fictitious, or fraudulent shall be punished by a fine or not ore than ten thousand dollars (\$10,000) or by imprisonment in the state prison for not more than five (5) years, or in the house of correction for not more than two and one-half years, or both.

13.4. Review of Applications for Payment.

13.4.1. The **Design Professional** shall review each application for payment and will reject any application that (1) is not accompanied by the required documentation or (2) contains errors, mathematical or otherwise.

13.4.2. Within five (5) business days after receipt of an application for payment, the **Design Professional** will either (1) return the application to the **Contractor** with a written explanation as to why it was rejected or (2) issue to the **City** a certificate for payment, with a copy to the **Contractor**, for such amount as the **Design Professional** determines is properly due. In the event an application is returned to the **Contractor**, the date of receipt of the application shall be the date of receipt of the corrected application.

13.4.3. The **Design Professional** or the **City** may make changes to any application submitted by the **Contractor**.

13.4.4. By recommending any payment, the **Design Professional** will not thereby be deemed to have represented that: (1) exhaustive or continuous on-site inspections have been made to check the quality or the quantity of the Work beyond the responsibilities specifically assigned to the **Design Professional** in the Contract Documents or (2) that there may not be other matters or issues between the parties that might entitle the **Contractor** to be paid additionally by the **City** or entitle the **City** to withhold payment to the **Contractor**. The **Design Professional's** approval of the application for payment and the accompanying documentation shall indicate that to the best of the **Design Professional's** knowledge, information, and belief, the Work has progressed to the point indicated by the **Contractor**, and that the quality of the Work is in accordance with the Contract Documents, subject to an evaluation of the Work as a functioning whole prior to or upon Substantial Completion, the results of any subsequent tests specified in the Contract Documents, final determination of quantities and classifications for unit price work and any other qualifications so stated.

13.4.5. The **Design Professional's** recommendation of any payment shall not mean that the **Design Professional** is responsible for the **Contractor's** means, methods, techniques, sequences, or procedures of construction, or the safety precautions and programs incident thereto, or for any failure of the **Contractor** to comply with laws and regulations applicable to the furnishing or performance of Work, of for any failure of the **Contractor** to perform or furnish Work in accordance with the Contract Documents.

13.4.6. No certificate given or payment made shall be evidence of the performance of this

Contract, either wholly or in part and no payment, whether made upon the final certificate or otherwise, shall be construed as an acceptance of defective work or materials.

13.5. Decisions to Withhold Certification.

13.5.1. The **Design Professional** may refuse to recommend the whole or any part of any payment if, in the **Design Professional's** opinion, it would be incorrect to make the representations to the **City** referred to above.

13.5.2. If the **Contractor** and the **Design Professional** cannot agree on a revised amount, the **Design Professional** will promptly approve a certificate for payment for the amount for which the **Design Professional** is able to make such representations to the **City**. The **Design Professional** may also decide not to certify payment or, because of subsequently discovered evidence or subsequent observations, may nullify the whole or a part of a certificate for payment previously issued, to such extent as may be necessary in the **Design Professional's** opinion to protect the **City** from loss because of:

13.5.2.1. defective Work not remedied;

13.5.2.2. third party claims filed or reasonable evidence indicating probable filing of such claims;

13.5.2.3. failure of the **Contractor** to make payments properly to Subcontractors or for labor, materials or equipment;

13.5.2.4. reasonable evidence that the Work cannot be completed for the unpaid balance of the Contract Sum;

13.5.2.5. damage to the **City** or another contractor;

13.5.2.6. reasonable evidence that the Work will not be completed within the Contract Time, and that retainage currently held by the **City** would not be adequate to cover actual or liquidated damage for the anticipated delay;

13.5.2.7. persistent failure to carry out the Work in accordance with the Contract Documents; or

13.5.2.8. failure of mechanical trade or electrical trade subcontractors to comply with mandatory requirements for maintaining record drawings. The **Contractor** shall check record drawings each month. Written confirmation that the record drawings are current will be required by the **Design Professional** before approval of the **Contractor's** monthly payment requisition.

13.5.3. When the above reasons for withholding certification are removed, certification will be made for amounts previously withheld.

13.6. Progress Payments.

13.6.1. After the **Design Professional** has issued a certificate for payment, the **City** shall make payment in the manner and within the time provided in the Contract Documents.

13.6.2. (*Reference: M.G.L. c. 30, §39G;*). The **City** shall pay the amount due pursuant to any periodic, Substantial Completion or final estimate within thirty-five (35) days after receipt of written acceptance for such estimate from the **Contractor**. In the case of periodic payments, the **City** may deduct from its payment a retention based on its estimate of the fair value of its claims against the **Contractor**, a retention for direct payments to Subcontractors based on demands for same in accordance with M.G.L. c. 30, §39F; and a retention to secure satisfactory performance of the contractual work, not exceeding five percent (5%) of the approved amount of any periodic payment, and the same right to retention shall apply to bonded Subcontractors entitled to direct payment under M.G.L. c. 30, §39F; provided, that a five percent (5%) value of all items that are planted in the ground shall be deducted from the periodic payments until final acceptance.

13.6.3. No periodic, Substantial Completion or final estimate or acceptance or payment thereof shall bar the **Contractor** from reserving all rights to dispute the quantity and amount of, or the failure of the **City** to approve a quantity and amount of, all or part of any Work item or extra Work item.

13.7. Final Payment.

13.7.1. After final inspection and after the **Contractor** has completed all the required corrections to the satisfaction of the **Design Professional** and the **City** and delivered in accordance with the Contract Documents all maintenance and operating instructions, schedules, guarantees, bonds, certificates, or other evidence of insurance, certificates of inspection, marked-up record documents, and all other documents called for in the Contract Documents, as well as any surplus materials requested by the **City**, the **Contractor** may make an application for final payment as provided below.

13.7.2. (*Reference: M.G.L. c. 30, §39G;*). Within thirty (30) days after receipt by the **City** of a notice from the **Contractor** stating that all of the Work required by the Contract has been completed, the **City** shall prepare and forthwith send to the **Contractor** for acceptance a final estimate for the quantity and price of the Work done and all retainage on the Work less all payments made to date, unless the **City's** inspection shows that Work required by the Contract remains incomplete or unsatisfactory, or that documentation required by the Contract has not been completed.

13.7.3. The making and acceptance of final payment will constitute a waiver of all claims by the **Contractor** against the **City** other than those previously made in writing and still unsettled.

13.8. Payments to Subcontractors.

13.8.1. Neither the **City** nor the **Design Professional** shall have an obligation to pay or see to the payment of money to a Subcontractor, Sub-subcontractor, or Supplier except as may otherwise be required by law.

13.8.2. (*Reference: M.G.L. c. 30, §39F;*) (1)(a) Forthwith after the **Contractor** receives payment on account of a periodic estimate, the **Contractor** shall pay to each Subcontractor the amount paid for the labor performed and the materials furnished by that Subcontractor, less any amount specified in any court proceedings barring such payment and also less any amount claimed due from the Subcontractor by the **Contractor**.

(b) Not later than the sixty-fifth day after each Subcontractor substantially completes its Work in accordance with the Plans and Specifications, the entire balance due under the subcontract, less amounts retained by the **City** as the estimated cost of completing the incomplete and unsatisfactory items of Work, shall be due the Subcontractor; and the **City** shall pay that amount to the **Contractor**. The **Contractor** shall forthwith pay to the Subcontractor the full amount received from the **City** less any amount specified in any court proceeding barring such payment and also less any amount claimed due from the Subcontractor by the **Contractor**.

(c) Each payment made by the **City** to the **Contractor** pursuant to paragraphs (a) and (b) of M.G.L. c. 30, §39F(1);, for the labor performed and the materials furnished by a Subcontractor shall be made to the **Contractor** for the account of that Subcontractor; and the **City** shall take reasonable steps to compel the **Contractor** to make each such payment to each such Subcontractor. If the **City** has received a demand for direct payment from a Subcontractor for any amount which has already been included in a payment to the **Contractor** or which is to be include in a payment to the **Contractor** for payment to the Subcontractor as provided in paragraphs (a) and (b) of M.G.L. c. 30, §39F(1), the **City** shall act upon the demand as provided in M.G.L. c. 30, §39F.

(d) If, within seventy (70) days after the Subcontractor has substantially completed the subcontract Work, the Subcontractor has not received from the **Contractor** the balance due under the subcontract including any amount due for extra labor and materials furnished to the **Contractor**, less any amount retained by the **City** as the estimated cost of completing the incomplete and unsatisfactory items of Work, the Subcontractor may demand direct payment of that balance from the **City**. The demand shall be by a sworn statement delivered to or sent by certified mail to the **City**, and a copy shall be delivered to or sent by certified mail to the **Contractor** at the same time.

The demand shall contain a detailed breakdown of the balance due under the subcontract and also a statement of the status of completion of the subcontract Work. [The demand letter shall indicate the certified mail number assigned by the postal service or the date of delivery to the **Contractor**.] Any demand made after substantial completion of the subcontract Work shall be valid even if delivered or mailed prior to the seventieth day after the Subcontractor has substantially completed the subcontract Work. Within ten (10) days after the Subcontractor has delivered or so mailed the demand to the **City** and delivered or so mailed a copy to the **Contractor**, the **Contractor** may reply to the demand. The reply shall be by a sworn statement delivered to or sent by certified mail to the **City**, and a copy shall be delivered to or sent by certified mail to the Subcontractor at the same time. The reply shall contain a detailed breakdown of the balance due under the subcontract, including any amount due for extra labor and materials furnished to the **Contractor** and of the amount due for each claim made by the **Contractor** against the Subcontractor.

(e) Within fifteen (15) days after receipt of the demand by the **City**, but in no event prior to the seventieth day after substantial completion of the subcontract Work, the **City** shall make direct payment to the Subcontractor of the balance due under the subcontract, including any amount due for extra labor and materials furnished to the **Contractor**, less any amount (i) retained by the **City** as the estimated cost of completing the incomplete or unsatisfactory items of Work, (ii) specified in any court proceedings barring such payment, or (iii) disputed by the **Contractor** in the sworn reply; provided that the **City** shall not deduct from a direct payment any amount as provided in part (iii) if the reply is not sworn to or for which the sworn reply does not contain the detailed breakdown required by the previous paragraph. The **City** shall make further direct payments to the Subcontractor forthwith after the removal of the basis for deductions from direct payments made as provided in parts (i) and (ii) of this paragraph.

(f) The **City** shall forthwith deposit the amount deducted from a direct payment as provided in part (iii) of the previous paragraph in an interest-bearing joint account in the names of the **Contractor** and the Subcontractor in a bank in Massachusetts selected by the **City** or agreed upon by the **Contractor** and the Subcontractor and shall notify the **Contractor** and the Subcontractor of the date of the deposit and the bank receiving the deposit. The bank shall pay the amount in the account, including accrued interest, as provided in an agreement between the **Contractor** and the Subcontractor or as determined by decree of a court of competent jurisdiction.

(g) All direct payments and all deductions from demands for direct payments deposited in an interest-bearing account or accounts in a bank pursuant to the previous paragraph shall be made out of amounts payable to the **Contractor** at the time of receipt of a demand for direct payment from a Subcontractor and out of amounts which later become payable to the **Contractor** and in the order of receipt of such demands from Subcontractors. All direct payments shall discharge the obligation of the **City** to the

Contractor to the extent of such payment.

(h) The **City** shall deduct from payments to a **Contractor** amounts that, together with the deposits in interest-bearing accounts pursuant to paragraph (f), are sufficient to satisfy all unpaid balances of demands for direct payment received from Subcontractors. All such amounts shall be earmarked for such direct payments, and the Subcontractors shall have a right in such deductions prior to any claims against such amounts by creditors of the **Contractor**.

(i) If the Subcontractor does not receive payment as provided in paragraph (a) or if the **Contractor** does not submit a periodic estimate for the value of the labor or materials performed or furnished by the Subcontractor and the Subcontractor does not receive payment for same when due less the deductions provided for in paragraph (a), the Subcontractor may demand direct payment by following the procedure in paragraph (d) and the **Contractor** may file a sworn reply as provided in that same paragraph. A demand made after the first day of the month following that for which the Subcontractor performed or furnished the labor and materials for which the Subcontractor seeks payment shall be valid even if delivered or mailed prior to the time payment was due on a periodic estimate from the **Contractor**. Thereafter the **City** shall proceed as provided in paragraphs (e), (f), (g), and (h). "Subcontractor" as used in this paragraph (1)(i) shall mean a person approved by the **City** in writing as a person performing labor or both performing labor and furnishing materials pursuant to a contract with the **Contractor**.

(2) Any assignment by a Subcontractor of the rights under this section to a surety company furnishing a bond under the provisions of M.G.L. c. 149, §29; shall be invalid. The assignment and subrogation rights of the surety to amounts included in a demand for direct payment which are in the possession of the **City** or which are on deposit pursuant to paragraph (g) shall be subordinate to the rights of all Subcontractors who are entitled to be paid under this section and who have not been paid in full.

(3) A **Contractor** or a Subcontractor shall enforce a claim to any portion of the amount of a demand for direct payment deposited as provided in herein by a petition in equity in the superior court against the other and the bank shall not be a necessary party. A Subcontractor shall enforce a claim for direct payment or a right to require a deposit as provided in paragraph (f) by a petition in equity in the superior court against the **City** and the **Contractor** shall not be a necessary party. Upon motion of any party the court shall advance for speedy trial any petition filed as provided in this paragraph. M.G.L. c. 231, §§59 and 59B shall apply to such petitions. The court shall enter an interlocutory decree upon which execution shall issue for any part of a claim found due pursuant to §§59 and 59B and, upon motion of any party, shall advance for speedy trial the petition to collect the remainder of the claim. Any party aggrieved by such interlocutory decree shall have the right to appeal therefrom as from a final decree. The court shall not consolidate for trial the petition of any Subcontractor with the petition of

one or more Subcontractors or the same general contract unless the court finds that a substantial portion of the evidence of the same events during the course of construction (other than the fact that the claims sought to be consolidated arise under the same general contract) is applicable to the petitions sought to be consolidated and that such consolidation will present unnecessary duplication of evidence. A decree in any such proceeding shall not include interest on the disputed amount deposited in excess of the interest earned for the period of any such deposit. No person except a Subcontractor filing a demand for direct payment for which no funds due the **Contractor** are available for direct payment shall have a right to file a petition in court of equity against the **City** claiming a demand for direct payment is premature, and such Subcontractor must file the petition before the **City** has made a direct payment to the Subcontractor and has made a deposit of the disputed portion as provided in part (iii) of paragraph (e) and in paragraph (f).

(4) In any petition to collect any claim for which a Subcontractor has filed a demand for direct payment the court shall, upon motion of the **Contractor**, reduce by the amount of any deposit of a disputed amount by the **City** as provided in part (iii) of paragraph (e) and in paragraph (f) any amount held under a trustee writ or pursuant to a restraining order or injunction.

ARTICLE 14: SUBSTANTIAL COMPLETION

14.1. Substantial Completion.

14.1.1. Upon Substantial Completion of the Work, the **Contractor** shall present in writing to the **City** its certification that the Work has been substantially completed and include in its certification (1) a list of items to be completed or corrected, (2) all special warranties required by the Contract Documents, endorsed by the **Contractor** and in a form reasonably acceptable to the **Design Professional** and (3) the permits and certificates referred to in 13.7.1., or elsewhere. The failure to include any item on the list mentioned in the preceding sentence does not alter the responsibility of the **Contractor** to complete all Work in accordance with the Contract Documents. When the **Design Professional** on the basis of an inspection determines that the Work or designed portion thereof is substantially complete and the other conditions have been met, the **Design Professional** will then prepare a certificate of Substantial Completion which shall establish the date of Substantial Completion, shall state the responsibilities of the **City** and the **Contractor** for security, maintenance, heat, utilities, damage to the Work, and insurance, and shall fix the time within which the **Contractor** shall complete the items listed therein. The certificate of Substantial Completion shall be submitted to the **City** and the **Contractor** for their written acceptance of the responsibilities assigned to them in such certificate.

14.1.2. Within twenty-one (21) days after receipt of the certification from the **Contractor**, the **City** shall present to the **Contractor** either a written declaration that the Work has been substantially completed or an itemized list of incomplete or unsatisfactory work items required by the Contract sufficient to demonstrate that the Work has not been substantially completed. The **City** may include with such list a notice setting forth a reasonable time within

which the **Contractor** must achieve Substantial Completion of the Work. If the **City** fails to respond, by presentation of a written declaration or itemized list as aforesaid, to the **Contractor's** certification within the twenty-one (21) day period, the **Contractor's** certification shall take effect as the **City's** declaration that the Work has been substantially completed.

14.2. Partial Use or Occupancy of the Premises.

14.2.1. The **City** may occupy or use any completed or partially completed portion of the Work at any stage. Such partial occupancy or use may begin whether or not the portion is substantially complete, provided that the respective responsibilities of the **City** and the **Contractor** with respect to payments, retainage, if any, security, maintenance, heat, utilities, damage to the Work, insurance, correction of the Work, and warranties shall be established by agreement of the **City** and the **Contractor** or, absent such agreement, shall be determined by the **Design Professional** subject to the right of either party to contest such determination as provided in Article 16.

14.2.2. Immediately prior to such partial occupancy or use, the **City**, the **Contractor** and the **Design Professional** shall jointly inspect the area to be occupied or portion of the Work to be used in order to determine and record the condition of the Work.

14.2.3. Unless otherwise agreed upon, partial occupancy or use of a portion or portions of the Work shall not constitute acceptance of Work not complying with the requirements of the Contract Documents.

14.2.4. (*Reference: M.G.L. c. 30, §39G*). Within sixty-five (65) days after the effective date of a declaration of Substantial Completion, the **City** shall prepare and send to the **Contractor** for acceptance a Substantial Completion estimate for the quantity and price of the Work done and all but one percent (1%) retainage on that Work, including the quantity, price and all but one percent (1%) retainage for the undisputed part of each item and extra work item in dispute, but excluding the disputed part thereof, less the estimated cost of completing all incomplete and unsatisfactory items and less the total periodic payments made to date for the Work. The **City** shall also deduct from the Substantial Completion estimate an amount equal to the sum of all demands for direct payment filed by Subcontractors and not yet paid to Subcontractors or deposited in joint accounts pursuant to M.G.L. c. 30, §39F.

14.2.5. (*Reference: M.G.L. c. 30, §39G*). If the **City** fails to prepare and send to the **Contractor** any Substantial Completion estimate required by the provisions herein on or before the date specified, the **City** shall pay to the **Contractor** interest on the amount which would have been due to the **Contractor** pursuant to such Substantial Completion estimate at the rate of three (3) percentage points above the rediscount rate then charged by the Federal Reserve Bank of Boston from such date to the date on which the **City** sends that Substantial Completion estimate to the **Contractor** for acceptance or to the date of payment therefor, whichever occurs first. The **City** shall include the amount of such interest in the Substantial Completion estimate.

14.2.6. (*Reference: M.G.L. c. 30, §39G*). Within fifteen (15) days after the effective date of the declaration of Substantial Completion, the **City** shall send to the **Contractor** by certified mail, return receipt requested, a complete list of all incomplete or unsatisfactory items, and unless delayed by causes beyond its control, the **Contractor** shall complete all such items within forty-five (45) days after the receipt of such list or before the date for final payment and acceptance, whichever is later. If the **Contractor** fails to complete such Work within such time, the **City** may, subsequent to seven (7) days' written notice to the **Contractor** by certified mail, return receipt requested, terminate the Contract and complete the incomplete or unsatisfactory items and charge the cost of same to the **Contractor**.

14.3. Final Inspection.

14.3.1. Upon written notice from the **Contractor** that the entire Work or an agreed portion thereof is complete, the **Design Professional** will make a final inspection with the **City** and the **Contractor** and will notify the **Contractor** in writing of all particulars which this inspection reveals that the Work is incomplete or defective. The **Contractor** shall immediately take such measures as are necessary to complete such Work or remedy such deficiencies.

ARTICLE 15: GUARANTEES AND WARRANTIES

15.1. In General.

15.1.1. All guarantees and warranties specifically called for by the Specifications shall expressly run to the benefit of the **City**.

15.2. Warranties.

15.2.1. Warranties required by the Contract Documents shall commence on the date of Substantial Completion of the Work or designated portion thereof, unless otherwise provided in the certificate of Substantial Completion.

15.2.2. The **Contractor** warrants that the materials and equipment furnished under the Contract will be new and of recent manufacture unless otherwise specified, and that all Work will be of good quality, free from faults and defects, and in conformance with the Contract Documents. Work not conforming to these requirements, including substitutions not properly approved and authorized, may be considered defective. The **Contractor's** warranty excludes remedy for damage or defect caused by abuse, Modifications not executed by the **Contractor**, improper or insufficient maintenance, improper operation, or normal wear and tear under normal usage. If required by the **Design Professional**, the **Contractor** shall furnish satisfactory evidence as to the kind and quality of material and equipment.

15.2.3. The **Contractor** warrants that title to all Work covered by an application for payment will pass to the **City** either by incorporation in the construction or upon the receipt of payment by the **Contractor**, whichever occurs first, free and clear of all liens. The **Contractor** further agrees that the submission of any application for payment shall conclusively be deemed to waive all liens with respect to said Work to which the **Contractor** may then be entitled,

provided that such waiver of the lien rights shall not waive the **Contractor's** right to payment for such Work.

15.2.4. The **Contractor** warrants and guarantees that title to all Work, materials, and equipment covered by any application for payment, whether incorporated in the Project or not, will pass to the **City** no later than the time of payment free and clear of all liens.

15.2.5. No materials or supplies for the Work shall be purchased by the **Contractor** or Subcontractor subject to any chattel mortgage or under a conditional sale contract or other agreement by which an interest is retained by the seller. The **Contractor** warrants that it has good title to all materials and supplies used by it in the Work, free from all liens.

15.2.6. The **Contractor** shall indemnify and hold the **City** harmless from all claims growing out of the lawful demands of Subcontractors, laborers, workers, mechanics, material persons, and furnishers of machinery and parts thereof, equipment, power tools, and all supplies, including commissary, incurred in the furtherance of the performance of this Contract. The **Contractor** shall at the **City's** request, furnish satisfactory evidence that all obligations of the nature hereinabove designated have been paid, discharged, or waived. If the **Contractor** fails to do so, then the **City** may, after having served written notice on the **Contractor** either pay unpaid bills, of which the **City** has written notice, direct, or withhold from the **Contractor's** unpaid compensation a sum of money deemed reasonably sufficient to pay any and all such lawful claims until satisfactory evidence is furnished that all liabilities have been fully discharged whereupon payment to the **Contractor** shall be resumed, in accordance with the terms of this

Contract, but in no event shall the provisions of this sentence be construed to impose any obligations on the **City** to either the **Contractor** or its surety. In paying any unpaid bills of the **Contractor**, the **City** shall be deemed the agent of the **Contractor** and any payment so made by the **City** shall be considered as payment made under the Contract by the **City** to the **Contractor** and the **City** shall not be liable to the **Contractor** for any such payment made in good faith.

15.3. Extended Warranties and Guarantees.

15.3.1. Any defective Work that is either corrected or replaced will be warranted and guaranteed for a period of three (3) years from the date of such correction or replacement.

ARTICLE 16: CLAIMS

16.1. In General.

16.1.1. Written Notice. A Claim must be made by written notice to the other party.

16.1.2. Content of Notice. The notice must include all written supporting data.

16.1.3. Burden of Proof. The party making the Claim must substantiate the Claim.

16.2. Time Limits on Claims.

16.2.1. Unless otherwise provided, all Claims must be made within twenty-one (21) days

after the occurrence of the event giving rise to such Claim or within twenty-one (21) days after the claimant first recognizes the condition giving rise to the Claim, whichever is later. Any change or addition to a previously made Claim shall be made by a written notice within the twenty-one-day period in order to be valid.

16.3. Continuing Contract Performance.

16.3.1. Pending final resolution of a Claim including arbitration, unless otherwise agreed in writing, the **Contractor** shall proceed diligently with performance of the Contract and the **City** shall continue to make payments in accordance with the Contract Documents.

16.4. Types of Claims.

16.4.1. Claims for Differing Subsurface or Latent Physical Conditions. (*Reference: M.G.L. c. 30, §39N;*). If, during the progress of the Work, the **Contractor** or the **City** discovers that the actual subsurface or latent physical conditions encountered at the Site differ substantially or materially from those shown on the Plans or indicated in the Contract Documents, either the **Contractor** or the **City** may request an equitable adjustment in the Contract Sum of the Contract applying to Work affected by the differing Site conditions. A request for such an adjustment shall be in writing and shall be delivered by the party making such claim to the other party as soon as possible after such conditions are discovered. Upon receipt of such a claim from a **Contractor**, or upon its own initiative, the **City** shall make an investigation of such physical conditions, and if they differ substantially or materially from those shown on the Plans or indicated in the Contract Documents or from those ordinarily encountered and generally recognized as inherent in Work of the character provided for in the Plans and Contract Documents and are of such a nature as to cause an increase or decrease in the cost of performance of the Work or a change in the construction methods required for the performance of the Work which results in an increase or decrease in the cost of the Work, the **City** shall make an equitable adjustment in the Contract Sum and the Contract shall be modified in writing accordingly.

16.4.2. Claims for Additional Cost. If the **Contractor** claims that any acts or omissions of the **City** or the **Design Professional**, including any instructions or orders, whether oral, written, by drawings, or otherwise, involve extra cost or time, and the **Contractor** has not received a written acknowledgment by the **City** or the **Design Professional** that extra payment will be made or time extended on account thereof, the **Contractor** shall promptly so notify the **Design Professional** in writing of such Claim and shall proceed with the Work relating to such Claim and all rights of both parties with respect to such Claim shall be deemed to have been reserved. No Claim by the **Contractor** on account of such acts, omissions, instructions, or orders shall be valid unless the **Contractor** has so notified the **Design Professional** before proceeding.

16.4.2.1. Under no circumstances shall a Claim be made for additional cost where adverse weather conditions are the basis for the Claim.

16.4.3. Claims for Additional Time. If the **Contractor** wishes to make a Claim for an

increase in the Contract Time, written notice as provided herein shall be given. The **Contractor** shall have the burden of demonstrating the effect of the claimed delay on the Contract Time and shall furnish the **Design Professional** with such documentation relating thereto as the **Design Professional** may reasonably require. Under no circumstances shall the **Contractor** make a Claim for an increase in the Contract Time due to a change in the **Contractor's** early completion date. If the increase in the Contract Time extends beyond the Contract Time established by the **City**, only the time that so extends beyond the Contract Time shall be reviewed and considered. In the case of a continuing delay, only one Claim is necessary.

16.4.3.1. Under no circumstances shall a Claim be made for additional time where adverse weather conditions are the basis for the Claim.

16.4.4. Claims for Injury to Person or Damage to Property. Should either party to the Contract suffer injury to person or damage to property because of any error, omission, or act of the other party or of any of the other party's employees or agents or others for whose acts the other party is legally liable, a Claim will be made in writing to the other party within twenty-one (21) days of the occurrence of the act giving rise to the injury or damage.

16.5. Review of Claims.

16.5.1. Initial Referral. All Claims, the bases of which arise prior to final payment or the earlier termination of the Contract, shall be referred initially to the **Design Professional** for action as provided herein.

16.5.2. Time Period and Action. The **Design Professional** shall review Claims and shall do one of the following within fourteen (14) days of receipt of the Claim:

16.5.2.1. defer any action with respect to all or any part of a Claim for the purpose of requesting and receiving additional information from either party;

16.5.2.2. decline in writing to render a decision for any reason which it deems appropriate (including, but not limited to, the fact that the Claim involves allegations of fault on the part of the **Design Professional**); or

16.5.2.3. render a decision on all or a part of the Claim.

16.5.3. If the **Design Professional** requests additional information, the **Design Professional** shall take action with respect to the Claim no later than fourteen (14) days after receipt of the additional information. The **Design Professional** shall notify the parties in writing of its disposition of such Claim. If the **Design Professional** renders a decision or declines to render a decision, either party may proceed in accordance with paragraph 16.7.

16.6. Decisions.

16.6.1. Decisions by the City or the Design Professional. (*Reference: M.G.L. c. 30, §39P;*). In every case in which this Contract requires the **City**, any official, or its **Design Professional** to make a decision on interpretation of the Specifications, approval of equipment, material or any other approval, or progress of the Work, the decision shall be made promptly and, in any event, no later than fourteen (14) days after the written submission for decision; but if such decision requires extended investigation and study, the **City**, the official, or the **Design Professional** shall, within fourteen (14) days after the receipt of the submission, give the party making the submission written notice of the reasons why the decision cannot be made within the thirty-day period and the date by which the decision will be made.

16.6.2. When Decision of the Design Professional is Final and Binding. The decision of the **Design Professional** shall be final and binding on the parties, unless a party files suit or a demand for arbitration within thirty (30) days after the date of the decision.

16.6.3. When Decision of the Design Professional is Not Final and Binding. (*Reference: M.G.L. c. 30, §39J.*) Notwithstanding any contrary provision of this Contract, no decision by the **City** or by the **Design Professional** on a dispute, whether of fact or of law, arising under said Contract shall be final or conclusive if such decision is made in bad faith, fraudulently, capriciously, arbitrarily, is unsupported by substantial evidence, or is based upon error of law.

16.6.4. Resolved Claims. If a Claim is resolved, the **Design Professional** shall obtain or prepare the appropriate documentation and provide the **City** and the **Contractor** with a copy of same.

16.7. Arbitration.

16.7.1. Controversies and Claims Subject to Arbitration. Any controversy or Claim arising out of or related to the Contract, or the breach thereof, shall be settled by arbitration in accordance with the Construction Industry Arbitration Rules of the American Arbitration Association, and judgment upon the award rendered by the arbitrator or arbitrators may be entered in any court having jurisdiction thereof, except controversies or Claims relating to aesthetic effect, subject to the provisions of paragraph 16.7.7. In any such arbitration in which the amount stated in the demand is \$100,000 or less, the American Arbitration Association shall appoint a single arbitrator in accordance with such Rules, who shall be a lawyer. In any such arbitration in which the amount stated in the demand is in excess of \$100,000, the demand shall include the name of an arbitrator appointed by the claimant. The respondent shall appoint a second arbitrator and shall notify the claimant in writing of such appointment within thirty (30) days of receipt of the demand, failing which the matter shall be decided by the arbitrator named in the claimant's demand. Within thirty (30) days after the claimant's receipt of notice of the appointment of the second arbitrator, the two arbitrators shall appoint a neutral arbitrator and shall notify the parties in writing of such appointment, failing which either party may apply to the American Arbitration Association to appoint such neutral arbitrator. If such neutral arbitrator is appointed by the American Arbitration Association, he or she shall be a lawyer.

16.7.2. Rules for Arbitration. If the neutral arbitrator is appointed by the American Arbitration Association, the said Association shall administer the arbitration and its Construction Industry Arbitration Rules shall govern all aspects of the proceeding including the enforcement of any award. If the neutral arbitrator is not appointed by the American Arbitration Association, then the panel of arbitrators shall act as the administrator of the arbitration but the Construction Industry Arbitration Rules of the Association shall nonetheless govern all aspects of the proceeding, including the enforcement of any award, provided however that the arbitration panel shall have all of the powers and duties conferred on the Association pursuant to said rules. In addition, the following rules shall govern the selection of arbitrators and the proceedings:

16.7.2.1. Neither party may appoint as arbitrator an employee or an owner of that party, nor the parent, spouse, or child of an employee or owner of that party.

16.7.2.2. After the neutral arbitrator has been appointed, neither party may engage in *ex parte* communication with any arbitrator.

16.7.3. When Arbitration May Be Demanded. Demand for arbitration of any Claim, the basis of which arises prior to final payment or the earlier termination of the Contract may not be made before the earlier of (1) the date on which the **Design Professional** has rendered a written decision on the Claim or has notified the parties in writing that such decision will not be rendered or (2) forty-five (45) days following receipt by the **Design Professional** of a written request for a decision sent by registered or certified mail to both the **Design Professional** and the other party to this Contract.

16.7.3.1. In no event shall a demand for arbitration be made after the date when the institution of legal or equitable proceedings based on such Claim would be barred by the applicable statute of limitations.

16.7.4. Limitation on Consolidation or Joinder. No arbitration arising out of or relating to the Contract Documents shall include, by consolidation or joinder or in any other manner, the **Design Professional**, the **Design Professional's** employees or consultants, except by written consent containing specific reference to the Contract and signed by the **Design Professional**, the **City**, the **Contractor**, and any other person or entity sought to be joined. No arbitration shall include, by consolidation or joinder or in any other manner, parties other than the **City**, the **Contractor**, a separate contractor, and other persons substantially involved in a common question of fact or law whose presence is required if complete relief is to be accorded in arbitration. No person or entity other than the **City**, the **Contractor**, or a separate contractor shall be included as an original third party or additional third party to an arbitration whose interest or responsibility is insubstantial. Consent to arbitration involving an additional person or entity shall not constitute consent to arbitration of a dispute not described therein or with a person or entity so named or described herein. The foregoing agreement to arbitrate and other agreements to arbitrate with an additional person or entity duly consented to by parties to the Contract shall

be specifically enforceable under applicable law in any court having jurisdiction thereof.

16.7.5. Claims and Timely Assertion of Claims. A party who files a notice of demand for arbitration must assert in the demand all Claims then known to that party on which arbitration is permitted to be demanded. When a party fails to include a Claim through oversight, inadvertence, or excusable neglect, or when a Claim has matured or been acquired subsequently, the arbitrator or arbitrators may permit amendment.

16.7.6. Award Final. The award rendered by the arbitrator or arbitrators shall be final, and judgment may be entered upon it in accordance with applicable law in any court having jurisdiction thereof.

16.7.7. The City's Reservation of Rights. Notwithstanding any provision contained in this Article 16 or elsewhere in the Contract Documents, the **City** reserves the following rights in connection with Claims between the **City** and the **Contractor**, which rights may be exercised by the **City** unilaterally, in the **City's** sole discretion, and without the consent of the **Contractor**:

16.7.7.1. the right to institute legal action against the **Contractor** in any court of competent jurisdiction in lieu of demanding arbitration, in which case the dispute or disputes which are the subject of such action shall be decided by such court, and not by arbitration;

16.7.7.2. the right to obtain from any court of competent jurisdiction a stay of any arbitration instituted by the **Contractor**, provided that the application for such stay is made before the appointment of the neutral arbitrator in such arbitration, in which case the dispute or disputes which are the subject of such arbitration shall be decided by such court and not by arbitration;

16.7.7.3. the right to require the **Contractor** to join as a party in any arbitration between the **City** and the **Design Professional** relating to the Project, in which case the **Contractor** agrees to be bound by the decision of the arbitrator or arbitrators in such arbitration.

16.7.8. In case the **City** elects to proceed in accordance with 16.7.7.1. or 16.7.7.2. above, the word "litigation" shall be deemed to replace the word "arbitration" wherever the latter word appears in the Contract Documents.

ARTICLE 17: EMERGENCIES

17.1. In an emergency affecting the health and safety of persons or property, the **Contractor** shall act to prevent threatened damage, injury, or loss.

17.2. In emergencies affecting the health, safety, or protection of persons, the Work or property at the Site or adjacent thereto, the **Contractor**, without special instruction or authorization from

the **City** or the **Design Professional**, is obligated to act to prevent threatened damage, injury, or loss. The **Contractor** shall give the **Design Professional** prompt written notice if the **Contractor** believes that any significant changes in the Work or variations from the Contract Documents have been caused thereby. If the **Design Professional** determines that a change in the Contract Documents is required because of the action taken by the **Contractor** in response to such an emergency, a **Construction Change** Directive or Change Order will be issued to document the consequences of such action.

ARTICLE 18: TERMINATION OR SUSPENSION OF THE CONTRACT

18.1. Suspension by the City.

18.1.1. At any time and without cause, the **City** may suspend the Work or any portion thereof for a period of not more than ninety (90) days by notice in writing to the **Contractor** and the **Design Professional** that will fix the date on which Work will be resumed. The **Contractor** shall resume Work on the date so fixed. The **Contractor** shall be allowed an adjustment in the Contract Sum or an extension of the Contract Time, or both, directly attributable to any such suspension if the **Contractor** makes an approved Claim therefor.

18.1.2. If the Work is defective, if the **Contractor** fails to provide a sufficient number of skilled workers or suitable materials or equipment, or if the **Contractor** defaults or neglects to carry out the Work in accordance with the Contract Documents and fails within a seven-day period after receipt of written notice from the **City** to begin and prosecute correction of such default or neglect with diligence and promptness, the **City** may correct such deficiencies, without prejudice to other remedies the **City** may have. In such case, an appropriate **Construction Change** Directive shall be issued deducting from payments then or thereafter due to the **Contractor** the cost of correcting such deficiencies including compensation for the **Design Professional's** additional services and expenses made necessary by such default, neglect, or failure and any and all direct, indirect, or consequential costs associated with the order to stop the Work. If such payments then or thereafter due the **Contractor** are not sufficient to cover such amounts, the **Contractor** shall immediately pay the difference to the **City**. The **Contractor** shall remain responsible for maintaining progress and shall not be entitled to any increase in the Contract Time or the Contract Sum.

18.2. Termination by the Contractor.

18.2.1. If, through no act or fault of the **Contractor**, a Subcontractor, or a Sub-subcontractor, the Work is suspended for a period of more than ninety (90) days by the **City**, or under an order of court or other public authority, or the **Design Professional** fails to act on any application for payment within thirty (30) days after it is submitted in proper form and content or the **City** fails for thirty (30) days to pay the **Contractor** any sum finally determined to be due, then the **Contractor** may terminate the Contract upon seven (7) days' written notice to the **City**, provided that the **City** does not remedy such suspension or failure within that time.

18.3. Termination by the City.

18.3.1. If the **Contractor** is adjudged a bankrupt, or if the **Contractor** makes a general

assignment for the benefit of the **Contractor's** creditors, or if a receiver is appointed on account of the **Contractor's** insolvency, or if the **Contractor** persistently or repeatedly refuses or fails, except in cases for which extension of time is provided, to supply enough properly skilled workers or proper materials, or if the **Contractor** fails to make prompt payment to Subcontractors or for materials or labor, or persistently disregards laws, ordinances, rules, regulations, or orders of any public authority having jurisdiction or disregards an instruction, order, or decision of the **Design Professional**, or otherwise is guilty of substantial violation of any provision of the Contract, then the **Contractor** shall be in default, and the **City** may, without prejudice to any other right or remedy and upon written notice to the **Contractor**, take possession of all materials, tools, appliances, equipment, construction equipment and machinery and vehicles, offices and other facilities on the Project Site, and all materials intended for the Work, wherever stored, and, seven (7) days after such notice, may terminate the employment of the **Contractor**, accept assignment of any or all subcontracts pursuant to Paragraph __, and finish the Work by whatever method the **City** may deem expedient. The **City** shall be entitled to collect from the **Contractor** all direct, indirect, and consequential damages suffered by the **City** on account of the **Contractor's** default, including without limitation additional services and expenses of the **Design Professional** made necessary thereby. The **City** shall be entitled to hold all amounts due to the **Contractor** at the date of termination until all of the **City's** damages have been established, and to apply such amounts to such damages.

18.3.2. (*Reference: Somerville Municipal Code Chapter 2.117, Section 2.117.110C*). In the event the **Contractor** or any of its agents or employees violates any provision of Somerville Municipal Code Chapter 2.117 that is applicable to **City** contractors in connection with the awarding, administration, or performance of the Contract, the **City** may terminate the Contract.

ARTICLE 19: AMERICANS WITH DISABILITIES ACT; (42 U.S. 12131)

19.1. On July 26, 1994, the Americans with Disabilities Act ("the Act") became effective for employers of fifteen or more employees.

19.2. The Act protects against discrimination on the basis of "disability," which is defined as a physical or mental impairment that substantially limits at least one "major life activity;" or discrimination against an individual who has a record of such impairment; or discrimination against an individual being regarded - even if inaccurately - as having such impairment. The Act also expressly prohibits job discrimination that is based on any individual's relationship or association with a disabled person.

19.3. If the **Contractor** is subject to the Act, it must comply with its provisions.

ARTICLE 20: WRITTEN NOTICE TO THE PARTIES

20.1. In General.

20.1.1. All written communications from the **Design Professional** to the **Contractor** shall be copied to the **City**. All written communications from the **Contractor** to the **Design**

Professional shall be copied to the **City**. All written communications from the **Contractor** to the **City** shall be copied to the **Design Professional**.

20.2. Addresses.

20.2.1. To the City. Written notice to the **City** shall be sent or hand-delivered to:

Purchasing Director
City of Somerville
93 Highland Avenue
Somerville, MA 02143

City Solicitor
Law Department
93 Highland Avenue
Somerville, MA 02143

Executive Director
Office of Strategic Planning & Community Development 93
Highland Avenue
Somerville, MA 02143

20.2.2. To the Contractor. Both the address given on the bid form upon which the Agreement is founded and the **Contractor's** office at or near the Site of the Work are hereby designated as places to either of which notices, letters, and other communications to the **Contractor** shall be certified, mailed, or delivered. Delivery of any notice, letter, or other communication to the **Contractor** at or depositing same in a postpaid wrapper directed to either place shall be deemed sufficient service thereof upon the **Contractor**. Written notice shall be deemed to have been duly served on the **Contractor** if it is sent or hand-delivered to any member or officer of the **Contractor**. The date of said service shall be the date of such delivery or mailing. The address may be changed at any time by an instrument in writing, executed and acknowledged by the **Contractor** and delivered to the **City** and to the **Design Professional**. Nothing herein contained shall be deemed to preclude or render inoperative the service of any notice, letter, or other communication upon the **Contractor** personally. Moreover, any notice, letter, or other communication required under the Contract may be served on the **Contractor's** representative at job meetings. The **Contractor** shall provide the **City** with its change of address seven (7) days prior to its effective date.

20.2.3. To the Design Professional. Written notice to the **Design Professional** shall be sent or hand-delivered to the address appearing on the Project Manual. Written notice shall be deemed to have been duly served on the **Design Professional** if it is sent or hand-delivered to any member or officer of the **Design Professional**.

ARTICLE 21: MISCELLANEOUS PROVISIONS

21.1. Governing Law.

21.1.1. This Contract shall be governed by the laws of the Commonwealth of Massachusetts.

21.2. Venue.

21.2.1. Venue for any court action or proceeding shall be Middlesex County in the Commonwealth of Massachusetts only. The **Contractor**, all Subcontractors, and Suppliers waive any and all jurisdictional and venue defenses.

21.3. Successors and Assigns.

21.3.1. The **Contractor** shall not assign, in whole or in part, its rights and obligations under the Contract Documents without prior written consent of the **City**. An assignment without the prior written consent of the **City** shall not relieve the **Contractor** of its obligations thereunder.

21.3.2. The **City** and the **Contractor** respectively bind themselves, their partners, successors, assigns, and legal representatives to the other party hereto and to partners, successors, assigns, and legal representatives of such other party in respect to covenants, agreements, and obligations contained in the Contract Documents.

21.4. Statutory Limitation Period.

21.4.1. It is expressly agreed that the obligations of the **Contractor** hereunder arise out of contractual duties, and that the failure of the **Contractor** to comply with the requirements of the Contract Documents shall constitute a breach of contract, not a tort, for the purpose of applicable statutes of limitations and repose. Any cause of action which the **City** may have on account of such failure shall be deemed to accrue only when the **City** has obtained actual knowledge of such failure, not before.

21.5. Rights and Remedies.

21.5.1. Duties and obligations imposed by the Contract Documents and rights and remedies available thereunder shall be in addition to and not a limitation of duties, obligations, rights, and remedies otherwise imposed or available by law.

21.5.2. No action or failure to act by the **City**, the **Design Professional**, or the **Contractor** shall constitute a waiver of a right or duty afforded them under the Contract, nor shall such action or failure to act constitute approval of or acquiescence in a breach thereunder, except as may be specifically agreed in writing.

Part 1, Section 4: OTHER BID DOCUMENTS

Capuano Field Lights
00430

PART 2 - SAMPLE CONSTRUCTION CONTRACT

IMPORTANT INFORMATION REGARDING CERTIFICATE OF GOOD STANDING

- Sample Contract
- Certificate of Authority
- Appendix A – Scope of Work (including Technical Specifications)
- Appendix B – Contractor's Bid Price; Form for General Bid (From Bid Book)
- Appendix C – General Terms and Conditions
- Appendix D – Insurance Requirements
- Appendix E – Wage Rates and Living Wage (From Bid Book)
- Appendix F – Certificate of Good Standing (for corporations; from Bid Book)
- Appendix G – Procurement documentation (Advertisements and Notice to Bidders)
- Appendix H – Statement of Management
- Appendix I – Performance Bond and Payment Bond, if contract over \$2000

S A M P L E C O N T R A C T

CONTRACT NUMBER

A-

PURCHASE ORDER # AND AMOUNT

BID NUMBER

OSPCD

ISSUING DEPARTMENT

FUNDING DEPARTMENT (Division)

CONTRACT PERIOD

CITY OF SOMERVILLE
MAYOR'S OFFICE OF STRATEGIC PLANNING AND COMMUNITY DEVELOPMENT

PUBLIC CONSTRUCTION CONTRACT

FOR: Capuano Field Lights

CONTRACTOR: Vendor
Address
Townname, Ma

ACCORDING TO SPECIFICATIONS CONTAINED HEREIN

**CITY OF SOMERVILLE
OWNER-CONTRACTOR PUBLIC CONSTRUCTION AGREEMENT**

AGREEMENT made this --- day of _____, by and between the City of Somerville, a Massachusetts municipal corporation, acting by and through its Purchasing Department, with a usual address of 93 Highland Ave., Somerville, MA 02143 (“City”, “Owner” or “Awarding Authority”) and the following General Contractor ("Contractor" or "General Contractor"):

GENERAL CONTRACTOR:

Name:

Address:

Telephone:

Fax:

E-Mail:

PROJECT: Capuano Field Lights Construction.

The work consists of field light construction.

PROJECT MANAGER:

Name: Arn Franzen

Address: City Hall, 3rd floor, 93 Highland Avenue, Somerville, MA 02143

Telephone: 617-625-6600, x.2545 Fax: 617-625-0722

E-Mail: afranzen@somervillema.gov

DESIGN PROFESSIONAL:

Name: **CBA Landscape Architects**

Address: **24 Thorndike Street
Cambridge, MA 02141**

Contact: D.J. Chagnon

Phone: 617-945-9760

dj@cband.com

Profession: Architect [] Landscape Architect [X] Engineer []

FUNDING SOURCE: Federal [] State [] City [X]

THIS CONTRACT IS A:

X Public Works Contract estimated to cost more than \$10,000 subject to the bidding requirements of G.L. c. 30, § 39M

Sample Contract

Part 1, Section 4: OTHER BID DOCUMENTS

- Public Building Contract estimated to cost under \$10,000, subject to the price quote requirements of G.L. c. 149 §44A (2)(A)
- Public Building Contract estimated to cost more than \$10,000 but less than \$25,000, subject to the written response requirements of G.L. c. 149, §44A(2)(B) of the General Laws
- Public Building Contract estimated to cost more than \$25,000 but less than \$100,000, subject to the bidding requirements of G.L. c. 149, §44A(2)(C) and G.L. c. 30, § 39M
- Public Building Contract estimated to cost more than \$100,000, subject to the bidding requirements of G.L. c. 149, §44A(D).

Section 1: CONTRACT DOCUMENTS/APPENDICES

The Contract Documents consist of this Agreement; the notice of award of the Contract; the Notice to Proceed; the entire Project Manual; Change Orders; Construction Change Directives; the Contractor's Bid and all accompanying documents; and the Design Professional's written interpretations and clarifications issued on or after the issuance of the Notice to Proceed. Shop Drawing submittals and reports or drawings utilized by the Design Professional in preparing the Contract Documents are not Contract Documents.

The following Appendices are hereby incorporated by reference as part of this Agreement.

- X Certificate of Authority
- * Appendix A - Scope of Services - Misc. Bid Documents: includes a brief description of the Project, the Plans and Technical Specifications (Plans on File) and Addenda issued during the bid process
- X Appendix B - Contractor's Bid Price; Form for General Bid
- X** Appendix C - General Conditions
- X** Appendix D - Insurance Requirements with Contractor's Insurance Certificate(s)
- X Appendix E - Wage Rates; Living Wage
- X Appendix F - Certificate of Good Standing (for corporations)
- X Appendix G - Procurement Documentation (includes Advertisement; Notice to Bidders)

Part 1, Section 4: OTHER BID DOCUMENTS

- X Appendix H - Statement of Management (over \$100,000)
- X Appendix I - Performance Bond and Payment Bond, if contract is over \$2,000
- X Appendix J - Section 3 Requirements
- X Appendix K – Laws Applicable to Federally Funded Contracts

- X = Attached
- * = Included in the Project Manual and incorporated herein by reference
- ** = Attached and also duplicated in the Project Manual

Section 2: THE CONTRACTOR’S WORK.

The Contractor’s “Work” refers to the services and the entire completed construction or the various separately identifiable parts thereof required by the Contract Documents, including all labor, materials, and equipment furnished, furnished and incorporated into the Project, or to be provided by the Contractor to fulfill the Contractor's obligations. The Work may constitute the whole or a part of the Project.

Section 3: PROJECT DATES.

- (a) Contract Period: The Contract shall begin on September 15, 2014 and end on November 30, 2014.
- (b) Date of Commencement of Work: The Date of Commencement of the Work shall be stipulated by a written Notice to Proceed given by the City to the Contractor.
- (c) Date of Substantial Completion: The Contractor shall achieve Substantial Completion of the Work on or before _____ or --- calendar days after the Date of Commencement of the Work, time being of the essence. Substantial Completion means that the Work has been completed and the Site or the facility is opened for full and intended public use, except for minor incomplete or unsatisfactory items that do not materially impair the usefulness of the Work. The Design Professional shall decide what constitutes “minor,” “incomplete,” “unsatisfactory,” and “materially” and the Design Professional's decision shall be final.
- (d) Date of Final Completion:
The Date of Final Completion shall be _____.

Section 4. CONTRACT SUM/LIQUIDATED DAMAGES

- (a) Contract Sum: The Contract Sum shall be \$_____ .
- (b) Liquidated Damages: The Contractor and the City agree to a Liquidated Damages sum of \$250.00 per calendar day.

SIGNATURE PAGE FOLLOWS

Part 1, Section 4: OTHER BID DOCUMENTS

IN WITNESS WHEREOF, the City and the Contractor have executed this Contract as a sealed instrument as of the date first written above.

CITY OF SOMERVILLE

I hereby certify that an unencumbered balance of \$_____ is available for this Contract and I further certify that the sum of \$_____ is hereby encumbered against the appropriate account for the purposes of this contract.

Edward Bean, City Auditor

Joseph A. Curtatone
Mayor

Michael F. Glavin, OSPCD
Executive Director

Angela M. Allen, Purchasing Director

Approved as to form:

Francis X. Wright, Jr., City Solicitor

VENDOR:

Signature of Authorized Agent of Vendor

Printed Name: _____

Title: _____

Vendor Address: _____

Federal Tax ID: # _____

FOR CORPORATIONS ONLY:

Clerk's Signature

Clerk's Name

SAMPLE CERTIFICATE OF AUTHORITY

____, 2014.
(Contract Date)

At a meeting of the directors of _____ duly
(Name of Corporation)
called and held at _____ on _____, 2010.
(Address) (Date)

which a quorum was present and acting, it was voted that _____
(Name)

the _____ of this corporation is hereby authorized and empowered to
(Office)

make, enter into, sign, seal and deliver on behalf of this corporation a contract for

_____ with the City of Somerville, Mayor's (Describe Service)

Office of Strategic Planning and Community Development. I do hereby certify that the above

is a true and correct copy of the record that said vote has not been amended or repealed and is in

full force and in effect at of this date, and that _____ is duly elected
(Name)

_____ of this corporation.
(Office)

(Clerk) (Secretary) of the Corporation

Attest:

(Affix Corporation Seal Here)

APPENDIX A

Scope of Services – Miscellaneous Bid Documents

Includes a brief description of the project
The Plans and Technical Specifications (Plans on File)
And all addenda issued during the bid process.

Sample Contract

APPENDIX B
Contractor's Bid Price - Form for General Bid
(From Bid Book)

APPENDIX C
General Conditions
(From Bid Book)

**APPENDIX D
INSURANCE REQUIREMENTS**

**APPENDIX D - INSURANCE REQUIREMENTS
INSURANCE SPECIFICATIONS**

INSURANCE REQUIREMENTS FOR AWARDED VENDOR ONLY:

Prior to commencing performance of any work or supplying materials or equipment covered by these specifications, the contractor shall furnish to the Office of the Purchasing Director a Certificate of Insurance evidencing the following:

A. GENERAL LIABILITY - Comprehensive Form

Bodily Injury Liability.....\$ Two Million

Property Damage Liability.....\$ Two Million

**B. COVERAGE FOR PAYMENT OF WORKER'S COMPENSATION BENEFIT
PURSUANT TO CHAPTER 152 OF THE MASSACHUSETTS GENERAL LAWS
IN THE AMOUNT AS LISTED BELOW:**

WORKER'S COMPENSATION.....\$ Statutory

EMPLOYERS' LIABILITY.....\$ Statutory

C. AUTOMOBILE LIABILITY INSURANCE AS LISTED BELOW:

AGGREGATE.....\$ One Million

1. A contract will not be executed unless a certificate (s) of insurance evidencing above-described coverage is attached.

2. Failure to have the above-described coverage in effect during the entire period of the contract shall be deemed to be a breach of the contract.

3. All applicable insurance policies shall read:

"CITY OF SOMERVILLE" as a certificate holder and as an additional insured for general liability only along with a description of operation in the space provided on the certificate.

Certificate Should Be Made Out To:

City Of Somerville

Purchasing Department

93 Highland Avenue

Somerville, Ma. 02143

Note: If your insurance expires during the life of this contract, you shall be responsible to submit a new certificate(s) covering the period of the contract. No payment will be made on a contract with an expired insurance certificate.

APPENDIX E
PREVAILING AND DAVIS BACON WAGE RATES
AND LIVING WAGE FORM

PREVAILING AND DAVIS BACON WAGE RATES

INSERT MANUALLY



SOMERVILLE LIVING WAGE ORDINANCE CERTIFICATION FORM
CITY OF SOMERVILLE CODE OF ORDINANCES SECTION 2-397 et seq².

Instructions: This form shall be included in all Invitations for Bids and Requests for Proposals which involve the furnishing of labor, time or effort (with no end product other than reports) by vendors contracting or subcontracting with the City of Somerville, where the contract price meets or exceeds the following dollar threshold: \$10,000. If the undersigned is selected, this form will be attached to the contract or subcontract and the certifications made herein shall be incorporated as part of such contract or subcontract. **Complete this form and sign and date where indicated below on page 2.**

Purpose: The purpose of this form is to ensure that such vendors pay a "Living Wage" (defined below) to all covered employees (i.e., all employees except individuals in a city, state or federally funded youth program). In the case of bids, the City will award the contract to the lowest responsive and responsible bidder paying a Living Wage. In the case of RFP's, the City will select the most advantageous proposal from a responsive and responsible offeror paying a Living Wage. In neither case, however, shall the City be under any obligation to select a bid or proposal that exceeds the funds available for the contract.

Definition of "Living Wage": For this contract or subcontract, as of **7/1/2013** "Living Wage" shall be deemed to be an hourly wage of no less than **\$11.89** per hour. From time to time, the Living Wage may be upwardly adjusted and amendments, if any, to the contract or subcontract may require the payment of a higher hourly rate if a higher rate is then in effect.

CERTIFICATIONS

1. The undersigned shall pay no less than the Living Wage to all covered employees who directly expend their time on the contract or subcontract with the City of Somerville.
2. The undersigned shall post a notice, (copy enclosed), to be furnished by the contracting City Department, informing covered employees of the protections and obligations provided for in the Somerville Living Wage Ordinance, and that for assistance and information, including copies of the Ordinance, employees should contact the contracting City Department. Such notice shall be posted in each location where services are performed by covered employees, in a conspicuous place where notices to employees are customarily posted.

²Copies of the Ordinance are available upon request to the Purchasing Department.

Part 1, Section 4: OTHER BID DOCUMENTS

3. The undersigned shall maintain payrolls for all covered employees and basic records relating hereto and shall preserve them for a period of three years. The records shall contain the name and address of each employee, the number of hours worked, the gross wages, a copy of the social security returns, and evidence of payment thereof and such other data as may be required by the contracting City Department from time to time.
4. The undersigned shall submit payroll records to the City upon request and, if the City receives information of possible noncompliance with the provisions the Somerville Living Wage Ordinance, the undersigned shall permit City representatives to observe work being performed at the work site, to interview employees, and to examine the books and records relating to the payrolls being investigated to determine payment of wages.
5. The undersigned shall not fund wage increases required by the Somerville Living Wage Ordinance by reducing the health insurance benefits of any of its employees.
6. The undersigned agrees that the penalties and relief set forth in the Somerville Living Wage Ordinance shall be in addition to the rights and remedies set forth in the contract and/or subcontract.

CERTIFIED BY:

Signature: _____
(Duly Authorized Representative of Vendor)

Title: _____

Name of Vendor: _____

Date: _____

INSTRUCTIONS: PLEASE POST

**NOTICE TO ALL EMPLOYEES
REGARDING PAYMENT OF LIVING WAGE**

Under the Somerville, Massachusetts' Living Wage Ordinance (Ordinance No. 1999-1), any person or entity who has entered into a contract with the City of Somerville is required to pay its employees who are involved in providing services to the City of Somerville no less than a "Living Wage".

The Living Wage as of **7/1/2013** is **\$11.89** per hour. The only employees who are not covered by the Living Wage Ordinance are individuals in a Youth Program. "Youth Program" as defined in the Ordinance, "means any city, state or federally funded program which employs youth, as defined by city, state or federal guidelines, during the summer, or as part of a school to work program, or in any other related seasonal or part-time program."

For assistance and information regarding the protections and obligations provided for in the Living Wage Ordinance and/or a copy of the Living Wage Ordinance, all employees should contact the City of Somerville's Purchasing Department directly.

APPENDIX F
CERTIFICATE OF GOOD STANDING
(FOR CORPORATIONS)

INSERT DOCUMENT FROM BID BOOK HERE

Certificate of Good Standing: If the bidder is a corporation, a Certificate of Good Standing should accompany the bid. Certificate of Good Standing available online at:
http://corp.sec.state.ma.us/corp/Certificates/Certificate_Request.asp
or call Tel: (617) 727-9640 for more information.

CERTIFICATE OF GOOD STANDING

TO: Vendor

FROM: Purchasing Department

RE: **CERTIFICATE OF GOOD STANDING**

The **Awarded Vendor** must comply with our request for a **CURRENT “Certificate of Good Standing”**.

If you require information on how to obtain the “Certificate of Good Standing” or Certificate of Registration (Foreign Corporations) from the Commonwealth of Massachusetts, please call the Secretary of State’s Office at (617) 727-2850 (Press #1) located at One (1) Ashburton Place, 17th Floor, Boston, MA 02133 or you may access their web site at: www.MA.GOV/SEC/COR

If your company is incorporated outside of Massachusetts and therefore is a “foreign corporation”, but is registered to do business in Massachusetts, please comply with our request for the Certificate of Registration from the Commonwealth of Massachusetts. If your company is a foreign corporation, but is not registered to do business in Massachusetts, please provide the Certificate of Good Standing from your state of incorporation.

Please note that without the above certificate (s), the City of Somerville cannot execute your contract.

IMPORTANT NOTICE

Requests for Certificates of Good Standing by mail may take a substantial amount of time. A certificate may be obtained immediately in person at the Secretary’s Office at the address above. Also, at this time, the Secretary of State’s Office may not have your current annual report recorded. If this is the case, and you are therefore unable to obtain the Certificate of Good Standing, please forward a copy of your annual report filing fee check with your signed contracts. Please forward your original Certificate of Good Standing to the Purchasing Department upon receipt.

Thank You,

Purchasing Director

APPENDIX G
PROCUREMENT DOCUMENTATION
ADVERTISEMENTS, NOTICE TO BIDDERS, ETC.

Part 1, Section 4: OTHER BID DOCUMENTS

Sample Contract

APPENDIX H
STATEMENT OF MANAGEMENT
FOR CONTRACTS OVER \$100,000

STATEMENT OF MANAGEMENT

In accordance with M.G.L. Chapter 30, Section 39R, the undersigned successful bidder states that its system of internal accounting controls and that of its subsidiaries reasonably assure (1) that transactions are executed in accordance with management's general and specific authorization; (2) that transactions are recorded as necessary to permit preparation of financial statements in conformity with generally accepted accounting principles, and to maintain accountability for assets; (3) that access to assets is permitted only in accordance with management's general or specific authorization, and (4) that the recorded accountability for assets is compared with the existing assets at reasonable intervals and appropriate action was taken with respect to any difference.

Executed this _____ day of _____ 2014

On behalf of _____
(Successful bidder name)

(Address and telephone of successful bidder)

(Name and title of person signing statement)

By: _____
(Signature)

CERTIFIED PUBLIC ACCOUNTANT STATEMENT

In accordance with M.G.L. 30, Section 39R I, _____
a certified public accountant, state that I have examined the above Statement of Management on internal accounting controls, and that in my opinion (1) the representations of management are consistent with the result of management's evaluation of the system of internal accounting controls; and (2) that such representations of management are, in addition, reasonable with respect to transactions and assets in amounts which would be material when measured in relation to the above referenced successful bidder's financial statements.

(Signature)

Part 1, Section 4: OTHER BID DOCUMENTS

(Business name, address and telephone number)

Sample Contract

APPENDIX I
PERFORMANCE BOND AND PAYMENT BOND
FOR CONTRACTS OVER \$2000

PERFORMANCE BOND

We, the undersigned,

_____,
(Name of Contractor)

_____,
(Address of Contractor)

_____, hereinafter called Principal, and
(Corporation, Partnership, or Individual)

_____,
(Name of Surety)

_____, (Address of Surety)

hereinafter called Surety, are held and firmly bound unto CITY OF SOMERVILLE, 93
Highland Avenue Avenue, Somerville, MA 02139, hereinafter called Owner, in the penal
sum of _____ Dollars

(\$___) in lawful money of the United States, for the payment of which sum well and truly to
be made. We hereby jointly and severally bind ourselves, our heirs, executors,
administrators, successors, and assigns.

The condition of this obligation is such that the Principal entered into a certain
contract with the Owner, dated the ___day of __, 20__, a copy of which is attached hereto and
made a part hereof, for the project known as Zero New Washington Street Community Park
and Off-Leash Recreation Area and the Principal and Surety bind themselves to the Owner
for the performance of the contract.

Now, therefore, if the Principal shall well, truly and faithfully perform its duties, all
the undertakings, covenants, terms, conditions, and agreements of said contract during the

Sample Contract

Part 1, Section 4: OTHER BID DOCUMENTS

original term thereof, and any extensions thereof which may be granted by the Owner, with or without notice to the Surety and during the guaranty period set forth in the contract, and if it shall satisfy all claims and demands incurred under such contract, and shall fully indemnify and save harmless the Owner from all costs and damages which it may suffer by a reason of failure to do so, and shall reimburse and repay the Owner all outlay and expenses which the Owner may incur in making good any default, then this obligation shall be void; otherwise, this bond shall remain in full force and effect; provided, further, that the said Surety for value received hereby agrees that no change, extension of time, alteration or addition to the terms of the contract or to the work to be performed thereunder of the specifications accompanying the same shall in any wise affect its obligation on this Bond, and it does hereby waive notice of any such change, extension of time, alteration or addition to the terms of the contract or to the work or to the specifications. Provided, further, that no final settlement between the Owner and the Contractor shall abridge the right of any beneficiary hereunder whose claim may be unsatisfied.

IN WITNESS WHEREOF, this instrument is executed on this __day of __,2014.

CONTRACTOR AS PRINCIPAL

SURETY

(Signature)
Name and Title:

(Signature)
Name and Title:

SEAL

SEAL

Payment Bond

We, the undersigned,

_____,
(Name of Contractor)

_____,
(Address of Contractor)

_____, hereinafter called Principal, and
(Corporation, Partnership, or Individual)

_____,
(Name of Surety)

_____, (Address of Surety)

hereinafter called Surety, are held and firmly bound unto CITY OF SOMERVILLE, 93
Highland Avenue, Somerville, MA 02139, hereinafter called Owner, in the penal sum of
Dollars

(\$__) in lawful money of the United States, for the payment of which sum well and truly to
be made. We hereby jointly and severally bind ourselves, our heirs, executors,
administrators, successors, and assigns.

The condition of this obligation is such that the Principal entered into a certain
contract with the Owner, dated the __day of __, 20__, a copy of which is attached hereto and
made a part hereof, for the project known as Zero New Washington Street Community Park
and Off-Leash Recreation Area.

Now, therefore, if the Principal shall promptly make payment to all persons, firms,
subcontractors, and corporations furnishing materials for or performing labor in the
prosecution of the work provided for in such contract, and any authorized extension or

Part 1, Section 4: OTHER BID DOCUMENTS

modification thereof, including all amounts due for materials used in connection with the work, and all insurance premiums on said work, and for all labor, performed in such work whether by subcontractor or otherwise, then this obligation shall be void; otherwise this bond is remain in full force and effect. Provided, further, that the said Surety for value received hereby agrees that no change, extension of time, alteration or addition to the terms of the contract or to the work to be performed thereunder of the Specifications accompanying the same shall in any wise affect its obligation on this Bond, and it does hereby waive notice of any such change, extension of time, alteration or addition to the terms of the contract or to the work or to the specifications.

Provided, further, that no final settlement between the Owner and the Contractor shall abridge the right of any beneficiary hereunder, whose claim may be unsatisfied.

IN WITNESS WHEREOF, this instrument is executed on this _day of __, 2014.

CONTRACTOR AS PRINCIPAL

SURETY

(Signature)

(Signature)

Name and Title:

Name and Title:

SEAL

SEAL

MEETING OF THE BOARD OF DIRECTORS

CERTIFICATE OF AUTHORITY

__20

At a meeting of the Directors of the
_____ duly called and held at _____ on the _ day of __20_, at which a quorum was present and
acting, it was

VOTED THAT

the ____ of this corporation is hereby authorized and empowered to make, enter into, sign, seal
and deliver, in behalf of this corporation, a Contract for Site Improvements at Perry Park and
Stone Place Park with the City of Somerville, and performance and payment bonds (each in
the full amount of the Contract) in connection with such Contract.

I DO HEREBY CERTIFY that the above is a true and correct copy of the record, that
said vote has not been amended or repealed and is in full force and effect on this date, and
that _____ is duly elected _ of this corporation.

ATTEST:

Clerk or Secretary of the Corporation

(Affix Corporate Seal Here)

Part 1, Section 4: OTHER BID DOCUMENTS

Sample Contract

THIS PAGE INTENTIONALLY
LEFT BLANK

SECTION 01 22 00 UNIT PRICES

PART 1 - GENERAL

1.1 GENERAL NOTES

- A. The Unit Prices set forth herein shall, at the option of the City, be used to determine any equitable adjustment of the Contract Price in connection with the changes or extra work performed under this Contract as directed by the City.
- B. It is mutually understood and agreed that such Unit Prices include all items of costs, equipment, taxes and insurance of every kind, overhead, and profit for the Contractor and they shall be used uniformly, without modification for addition and deductions. Prices listed under ADDITIONS and DEDUCTIONS are to be the complete total price billed to and paid by the City therefor. There can be no more than fifteen (15) percent difference in price between the additions and deductions.

1.2 UNIT PRICES FORM

ITEM DESCRIPTION (All references to items shall correspond to work as described in the relevant portions of the Construction Documents.)		UNIT	ADDITIONS	DEDUCTIONS	ApprovalOwner
1	Trenching for utilities, no pavement	C.Y.	\$	\$	
2	Saw Cut bituminous concrete pavement	L.F.			
3	Removal and disposal of bituminous concrete pavement (assume 3½" depth)	S.F.	\$	\$	
4	Bituminous concrete: removal by grinding, top course only	S.F.	\$	\$	
5	Ordinary gravel borrow/clean fill, complete in place	C.Y.	\$	\$	
6	Dense Graded Gravel, complete in place	C.Y.	\$	\$	
7	¾" Crushed Stone/Drainage Stone, complete in place	C.Y.	\$	\$	
8	Clean screened loam, complete in place	C.Y.	\$	\$	
9	Planting Medium, complete in place	C.Y.	\$	\$	
10	Bituminous concrete paving, complete in place including base and subbase preparation	S.F.	\$	\$	
11	Bituminous concrete top course over existing base course	S.F.	\$	\$	
12	Cast-In-Place Concrete footing, 4000 PSI, without reinforcements, complete in place	C.F.	\$	\$	
13	Additional 16' High 3.5" Nom. Dia. Sched. 40 Aluminum Pole, for Sports Net, complete in place incl. footing and all connections	Ea.	\$	\$	
14	Additional 15' High Sports Netting	L.F.	\$	\$	
15	Electrical connection (exterior), incl. conduit & sand embedment	L.F.	\$	\$	
16	Shredded Pine Bark Mulch	C.Y.	\$	\$	
17	Seeded lawn, installed and maintained	S.Y.	\$	\$	
18	Tree Removal, less than 5" caliper (none in base scope)	Ea.	\$	\$	
19	Tree Removal, 5" to 10" caliper (none in base scope)	Ea.	\$	\$	
20	Tree Removal, greater than 10" caliper (none in base scope)	Ea.	\$	\$	

1.3 UNIT PRICE REQUIREMENTS

- A. Sufficient prior notice shall be given in accordance with the General Conditions so that proper measurements of materials removed or to be replaced may be taken. All quantities used in the determination of additions to or deductions from the Contract Price due to Unit Prices shall only be those that have been determined and approved by the City in advance.

- B. The unit price bid shall be taken to include all labor and materials necessary to make the item of work complete in place.
- C. In case of substitution of items shown on the Drawings or called for in the Contract Documents, the change to the Contract Price for both item deleted and the item added, if of the same class of work, shall be based on the addition column.

1.4 METHOD OF MEASUREMENT OF EARTH EXCAVATION

- A. Attention is directed to the instructions in section 31 00 00.1.2.B.6, regarding assumed quantities of removal for unsuitable base material excavation and prices for additional removal or credit for unperformed removal.
- B. For walls, the excavation will be computed from the surface of the ground as it existed at the time of commencing work to the underside of the structure and to vertical planes 2'-0" outside of the footings of the structure, except where the limit of payment is specifically shown or specified.
- C. For pipe line trenches in earth, except as otherwise indicated on the Drawings or directed by the Designer, the excavation will be computed from the existing surface of the ground, as mentioned above, to the bottom of the barrel of the pipe measured vertically and between vertical planes to width of 24" plus the outside diameter of the pipe regardless of the actual width of the trench. In rock, where the excavation shall be carried 6" below the bottom of the barrel of the pipe and to vertical planes as specified for the trenches in earth.
- D. Where concrete or gravel fill under foundations is required, the excavation will be computed to the bottom of such foundations.
- E. No payment will be made for the excavation of bell or coupling holes.
- F. Excavation outside the specified lines, whether due to slides or other causes, or made for any reason, will not be paid for. Any material sliding into the excavation shall be removed by the Contractor at his/her own expense.
- G. Excavation in each excavation shall be measured to nearest cubic yard.
- H. Basis of Payment: The unit price per cubic yard for excavation shall include the cost of all labor, materials, and equipment necessary to complete the earth excavation work, except shoring, sheeting and bracing required by state and local codes.
- I. Rock Excavation (See also 31 00 00, EARTHWORK)
 - 1. Attention is directed to the instructions in section 31 00 00.1.2.B.7, regarding assumed quantities of removal for rock/ledge/foundation excavation and prices for additional removal or credit for unperformed removal.
 - 2. Material to be excavated is assumed to be earth and other materials that can be removed by power excavation equipment. The following items, if they can be removed by power excavation equipment and require the use of drills or explosives, as defined as rock excavation (a) rock or stone in original ledge; (b) hard shale in original ledge; (c) boulders over one cubic yard.
 - 3. When during the process of general excavation rock is encountered, uncover and expose it and notify the Designer before proceeding further. The areas in question shall then be cross-sectioned as specified. Any rock removed prior to notification to the Designer and the subsequent cross-sectioning shall be considered "general excavation" and the requirements and prices for rock excavation shall not apply.

4. Carefully examine rock excavation for foundations and remove loose or shaken rock down to solid bearing; level the rock surface or shelve it to a slope not exceeding 1" per foot or, as directed, leaving no undrained pockets in the surface.
5. Remove all excavated rock from the site and legally dispose of same.
6. Blasting: Obtain written permission and approval of method from local or other authorities having jurisdiction before proceeding with rock excavation. Store, handle, and employ explosives in accordance with state and local regulations or, in the absence of such, in accordance with the provisions of the Manual of Accident Prevention in Construction of the Associated General Contractors of America, Inc.
 - a. In general, no blasting will be allowed within 100 feet of new or existing construction or in trenches within 25 feet of laid utility piping. Notify the Designer at least 48 hours before any intended blasting and do no blasting operation until the Designer has had the opportunity to perform an inspection. However, such inspection shall not relieve the Contractor of any of his/her obligations or liabilities under the Contract. Cover all rock blasting with heavy mats or timber chained together and do not damage existing buildings, foundations, and glazed areas. Repair any damage caused by this work to the satisfaction of the City. Use time delay fuses as possible to reduce shock.
7. If any part of the rock excavation at footings is carried beyond the depth and the dimensions indicated on the Drawings or called for in the Specifications, the Contractor shall at his/her own expense furnish and install concrete of the same strength as footings to the required level. Where rock excavation is carried below depths and dimensions indicated or specified at other areas, the Contractor shall at his/her expense furnish and install compacted fill, as specified herein, to the required level.
8. Method of Measurement: The quantity of rock excavation to be paid for by the City under this item will be the number of cubic yards of rock excavation measured in its original position.
9. Payment lines for wall footings shall be vertical line 1 foot from the toe of the footings; the depth shall be measured at 6 inches below the bottom elevations shown on the Drawings. Payment lines for manholes and catch basins shall be 1 foot outside of the outerwalls and 6 inches below the bottom of the structure.

END OF SECTION

THIS PAGE INTENTIONALLY
LEFT BLANK

SECTION 01 23 00 ALTERNATES

PART 1 - GENERAL

1.1 RELATED DOCUMENTS

- A. All of the Contract Documents, including the conditions and general requirements of the Contract, Division 0 and applicable parts of Division 1, apply to the work under this Section.
- B. The Contractor shall carefully examine all the Contract Documents for requirements that affect the work of this Section. The exact scope of this Section cannot be determined without a thorough review of all specification sections and other Contract Documents.

1.2 SUMMARY

- A. The Schedule of Alternates included in this Section lists all the Alternates that appear in the Contract Documents, and the Specification Sections which are affected by each Alternate.
- B. For each of the Alternates scheduled at the end of this Section, bidders shall state the amount in the proposal to be added to or deducted from the Contract Sum for the work.
- C. Consult the individual Specification Sections and the Drawings for detailed requirements of each Alternate.

1.3 GENERAL INSTRUCTIONS

- A. Each Bidder shall be held fully responsible for examining the scope of the Alternates generally defined herein and for recognizing any modifications to his work caused by any Alternate.
- B. The Bid Alternate Price shall be complete cost, including overhead, profit, bonds, insurance, transportation, and all other costs connected with, or incidental to, the work described.
- C. Alternates listed below in the Schedule of Alternates are listed in order. The Contract will be awarded on the basis of the Base Bid only, or the Base Bid plus any number of Alternates strictly added in order.
- D. All dimensional and quantity estimates provided in the descriptions of the work below (noted with "approx.") are provided for initial reference only; exact dimensions and quantities for the full extent of the work as described in the Drawings and Specifications shall be confirmed in field by the Contractor before submitting the price. The Contractor shall be responsible for the full extent of the work described, not to be limited by the approximate quantities.

1.4 ALTERNATES

- A. Definition: "Alternates" are alternate products, materials, equipment, systems, methods, units of work, or major elements of the construction, which may, at the Authority's option and under the terms established by the Contract or Agreement, be selected for the work in lieu of the corresponding requirements of the Contract Documents or in addition to the work of the Base Bid as noted.

- B. Alternate Requirements: A Schedule of Alternates is included at the end of this Section. Each Alternate is defined using abbreviated language, recognizing that the Contract Documents define the requirements. Coordinate related work to ensure that work affected by each Alternate is complete and properly interfaced with work of each selected Alternate.
- C. Provide written proposals for each Alternate on the Bid Form for the Authority's consideration. Each proposal amount shall include the entire cost of the Alternate portion of the work, including overhead, profit, and other costs including cost of interfacing and coordinating the Alternate with related and adjacent work.

1.5 SCHEDULE OF ALTERNATES

- A. Alternate No. 1 – Sports Protective Netting
 - 1. Work:
 - a. ADD the required excavations for Sports Netting Support Posts as shown on Drawing L-2 and Detail 5/L-3.
 - b. ADD the furnishing and installation of new 15' high Ball Safety Netting System powdercoated posts, netting, cables, hardware, storm protection measures, and appropriate footings in the area indicated on the Drawings (approx. 155 linear feet), per Drawing L-2 and Detail 5/L-3.
 - 2. Refer to the following Specification sections for the work of Alternate No. 1:
 - a. Section 11 68 33 – Athletic Field Equipment

END OF SECTION

SECTION 01 33 00 SUBMITTALS

PART 1 - GENERAL

1.1 SCOPE OF WORK

- A. The work to be performed under this Section shall include the compilation and submittal of all required shop drawings, manufacturer's cuts, specifications, and certifications of all materials and equipment for the Landscape Architect's approval. Actual product samples may also be required as stipulated in the technical specifications sections.
- B. All submittals shall be submitted within four (4) weeks after the award of the contract, and may be made and distributed digitally with the approval of the Owner via email or File Transfer Protocol (FTP) site. Alternatively, submittals may be made in hard copy form; four (4) copies (Contractor, Owner's Rep, Landscape Architect, and Other City Department) shall be in four (4) submittal packages so that manuals can be prepared for office and field reference.

PART 2 - SUBMITTALS

2.1 REQUIREMENTS

- A. References are made throughout the Specifications and Drawings where submittals are required. All finishes, colors, and patterns are to be reviewed and approved by submittal or field sample.
- B. Where the Contractor's intention is to furnish the materials or equipment as specified, a list of all such elements, by Specification section, shall accompany the submittals so that the entire submittal is complete for the project.

PART 3 - EXECUTION

3.1 SUBMISSIONS

- A. Submit all documents and data either in a collated, manual format, with four (4) manuals to be submitted; OR distributed digitally with the approval of the Owner. Include a Table of Contents of the material for reference. The submittal is to be entire and complete, addressing all furnishings and installation.
- B. Submit all required product or material samples concurrent with the materials/equipment information manuals described above. Each submittal shall reference its appropriate specification section, part and paragraph.

END OF SECTION

THIS PAGE INTENTIONALLY
LEFT BLANK

SECTION 01 41 00 PERMITS

PART 1 - GENERAL

1.1 GENERAL REQUIREMENTS

- A. The conditions and general requirements of the Contract, Division 0 and applicable parts of Division 1, apply to the work under this Section.
- B. The Contractor shall perform the work in accordance with the Contract Documents, and any applicable municipal requirements.

1.2 SCOPE OF WORK

- A. The Contractor shall be responsible for obtaining all permits required to complete the work of this contract, to provide all coordination and furnish all bonds, assurances and required warranties. As applicable, the Contractor shall be responsible for any/all fees associated with the securing of permits necessary for the execution of the work of this contract. Should any street work be required, a contractor specifically approved by the City shall perform it.

1.3 PERMITS BY CONTRACTOR

- A. The Contractor shall prepare permit applications and obtain applicable permits after the contract is awarded, bearing all expenses. All required permits shall be obtained, INCLUDING BUT NOT LIMITED TO the following:
 - 1. Trench Permit for trenching in the Public Way (520 CMR 14.00) if needed
 - 2. Electrical Permit
 - 3. Building Permit if needed
 - 4. Parking Permits as needed and appropriate.

1.4 DIGSAFE

- A. Contact Digsafe seventy-two (72) hours prior to initiating work at #1-888-344-7233.

PART 2 - MATERIALS

2.1 GENERAL

- A. All materials and equipment shall conform to permit requirements and the City's standards for utilities, excavation, backfill, patching, and surveying or other work unless otherwise stated in these specifications. Coordinate as necessary with the appropriate City official and/or private utility.

PART 3 - EXECUTION

3.1 GENERAL

- A. Execute all work per permit requirements. All plumbing and electric work to be approved by City Inspectors; sidewalk ramps to be approved by City Engineer.

PART 4 - GUARANTEE

4.1 GENERAL

- A. Guarantee all work per permit requirements.

END OF SECTION

SECTION 01 55 00 VEHICULAR ACCESS AND PARKING

PART 1 - GENERAL

1.1 SCOPE

- A. The conditions and general requirements of the Contract, Division 0, apply to the work under this Section.
- B. This section addresses requirements, restrictions, and available options for the Contractor, subcontractors, work crews, and delivery vehicles during the duration of the project.

PART 2 - MATERIALS - NOT APPLICABLE

PART 3 - EXECUTION

3.1 ON-SITE PARKING

- A. Site soils in unpaved or cleared areas shall be protected from compaction, spills, and other damage at all times. The Contractor shall be responsible for ensuring that no vehicles are parked and no equipment or materials are stored on existing pavements intended to remain, or on areas intended as lawn or planting bed.
- B. Vehicular access for fire prevention shall remain unblocked by parked vehicles or stored equipment and materials at all times.
- C. The Contractor shall be solely responsible for all vehicles, materials, and equipment left on the premises outside working hours.
- D. The Contractor shall repair or replace, at no cost to the Owner, any existing pavement or curbing intended to remain which is damaged by vehicular use or entry into the project site.

3.2 ON-STREET PARKING

- A. The Contractor is responsible for observing all regulations of the Somerville Traffic and Parking Department. The majority of the surrounding streets are Residential Permit Parking Only streets in the vicinity of the Project Site, and additional parking regulations related to the School use are in effect on portions of Glen Street.
 - 1. "Contractor Permits" valid for a 31-day period in the neighborhood of a specific address or addresses are available (with a valid Building Permit) from the Traffic and Parking office at 133 Holland Street. (As of the Bid Date, the permits are \$35/vehicle/month.) See the City website at <http://www.parksomerville.com/parking-permits> for further information.

END OF SECTION

THIS PAGE INTENTIONALLY
LEFT BLANK

SECTION 01 56 00 TEMPORARY BARRIERS AND ENCLOSURES

PART 1 - GENERAL

1.1 GENERAL REQUIREMENTS

- A. The conditions and general requirements of the Contract, Division 0 and applicable parts of Division 1, apply to the work under this Section.
- B. All references to products by manufacturer, trade name or performance Specifications bearing the connotation "or Approved Equal" shall be as determined by the Landscape Architect and the City, per MGL c. 30 s. 39M, part b, criteria 1.

1.2 WORK INCLUDED

- A. Provide all labor, equipment, implements and materials required to furnish, install, construct and perform all site improvements complete as shown on the Drawings and specified herein.
- B. To be included, but not limited to the following:
 - 1. Temporary Construction Perimeter Fencing;
 - 2. Tree or Plant Protection Fencing as indicated on the Drawings;
 - 3. All other temporary barriers and controls needed for protection of the public during construction.

1.3 REFERENCES

- A. Examine all other Sections of the Specifications and all Drawings for the relationship of the work under this Section and the work of other trades. Cooperate with all trades and all departments of the City and coordinate all work under this Section therewith.
- B. The following related items are included under the Sections listed below:
 - 1. Section 01 57 00 – Environmental Protections;
 - 2. Section 02 41 00 – Site Preparation and Demolition;
 - 3. Section 10 14 00 – Project Signage.

1.4 SUBMITTALS

- A. Shop Drawings and Samples
 - 1. Provide complete Shop Drawings and/or samples and catalog cuts for all items called for on the Drawings and as specified and in accordance with applicable requirements under Division 1.

1.5 PRODUCT DELIVERY, STORAGE AND HANDLING

- A. Deliver materials in manufacturer's original unopened and undamaged packages with labels legible and intact.
- B. Store materials in unopened packages in a manner to prevent damage from the environment and construction operations.
- C. Handle in accordance with manufacturer's instructions.

- D. The Contractor shall be solely responsible for all materials stored on the site once delivered. Any materials left unsecured at the job site shall be solely at the contractor's own risk.

1.6 DEFINITIONS

- A. The following items are included herein and shall mean:
 - 1. NCLMA – National Chain Link Manufacturers' Association;
 - 2. OSHA – Occupational Safety and Health Act.

PART 2 - MATERIALS

2.1 BARRIERS AND BARRICADES

- A. Provide barriers to prevent unauthorized entry to construction areas to allow for Owner's use of site, and to protect existing facilities and adjacent properties from damage from construction operations.
 - 1. Comply with standards and code requirements for erection of structurally adequate barriers.
 - 2. Install barriers of a neat and uniform appearance.
 - 3. Provide graphics and signs warning of the hazard being protected against.
 - 4. Where appropriate and needed provide lighting, including flashing red or amber lights.
 - 5. Provide barriers at public rights-of-way and for public access to existing buildings when adjacent to construction operations.
- B. Provide barricades with blinking beacon light at all open trenches and other excavations.
- C. Provide protection as specified below for plant life designated to remain.
- D. Protect non-owned vehicular traffic, stored materials, site and structures from damage.

2.2 TEMPORARY CONSTRUCTION FENCING

- A. Prior to any excavation work the Contractor shall provide temporary construction fencing as shown on the Drawings and/or as required to completely protect the work area and injury to persons or property.
- B. The Contractor shall furnish and install temporary fencing of the following type in all areas where existing fencing lengths are inadequate to enclose the construction.
 - 1. Chain link fencing, eight feet (8') high, fabricated from No. 9 gauge galvanized wire woven in a 2" diamond mesh with top knuckled selvage and having galvanized steel H or pipe intermediate and terminal posts. Post spacing shall not exceed eight feet (8') on center. Cross bracing, reinforcing gates and other parts of fencing shall conform to standard Specifications of the National Chain Link Manufacturers Association. All posts shall be set into temporary footings or on temporary chain link fencing stands as approved by the Landscape Architect.
- C. The Contractor shall furnish and install matching gates equipped with suitable locks and other hardware where necessary to provide access for construction apparatus or

fire fighting equipment. The Owner shall be provided with a copy of the key used for all locks.

2.3 TEMPORARY WORK IN PUBLIC WAYS

- A. Prior to commencing any work in public ways and other areas which are legally used by vehicles or pedestrians, the Contractor shall submit in writing the proposed methods of protection to the Official. Work shall not be commenced in these areas until written approval is received from the Official.
- B. In general, all excavations in public ways shall be protected by substantial barriers which will offer complete protection against accidents for pedestrian and vehicular traffic without interrupting the normal flow of traffic. All barriers must be properly lighted with electric or battery powered safety lights and must be maintained in good working order by the Contractor for the duration of the time such barriers are required.
- C. Trenches across sidewalks shall be completely covered with a temporary walkway, comprised of properly supported nominal 2" thick lumber laid with butt joints and covered with exterior grade plywood, 1/2" minimum thickness. Provide continuous 2" x 4" rails and posts secured to the temporary walkway conforming to the requirements of the Occupational Safety and Health Act (OSHA).
- D. Wherever temporary chutes are to be extended over sidewalks or other pedestrian or vehicular traffic areas, the bottom and sides of the chutes shall be provided with continuous dustproof and weatherproof lining, applied to the exterior surfaces.
- E. The Contractor will be required to furnish, install, and maintain in good condition, at no increase in Contract Price or Contract Time, all other safety measures which in the judgment of the Official are required to protect the public from accidents due to work performed under this Contract. This requirement is supplementary to the Contractor's rights and obligations to provide and employ safety measures as s/he may deem necessary or as may be required by law or standard safety practices.

2.4 TREE PROTECTION FENCING

- A. Where indicated on the Drawings or as specified elsewhere, tree protection fencing shall be installed to protect existing trees to remain, in accordance with 01 57 00 and 02 41 00, and with the Detail shown on the Drawings.
- B. Wood fencing (if not otherwise specified elsewhere):
 - 1. Posts: 4 inch by 4 inch pressure treated wood.
 - 2. Rails: 2 inch by 4 inch pressure treated wood.
 - 3. Exposed height above grade: 6 feet.

PART 3 - EXECUTION

3.1 BARRIERS, BARRICADES AND ENCLOSURES

- A. Install temporary items as specified herein and in the Drawings or, where not specified, to level of quality suitable for the intended purpose as judged by the Project Consultant.

3.2 REMOVAL OF TEMPORARY BARRIERS, ENCLOSURES AND PROTECTIONS

- A. Remove temporary barriers, barricades, fencing, enclosures and protections as warranted by the progress of the Work and prior to Substantial Completion.
- B. Remove underground installations to a minimum depth of 2 feet. Grade site as noted.
- C. Clean and repair damage caused by installation or use of temporary work.
- D. Restore existing facilities used during construction to original condition at start of work or as specified elsewhere in the Contract Documents.
- E. Restore permanent facilities used during construction to specified condition.

END OF SECTION

SECTION 01 57 00 ENVIRONMENTAL PROTECTIONS

PART 1 - GENERAL

1.1 GENERAL REQUIREMENTS

- A. The conditions and general requirements of the Contract, Division 0 and applicable parts of Division 1, apply to the work under this Section.
- B. All references to products by manufacturer, trade name or performance Specifications bearing the connotation "or Approved Equal" shall be as determined by the Landscape Architect and the City, per MGL c. 30 s. 39M, part b, criteria 1.

1.2 SCOPE OF WORK

- A. The work covered by this section of the specifications consists of furnishing all labor, materials, tools and equipment and performing all work required for the prevention of environmental pollution during and as a result of construction operations under this contract.
 - 1. Implementation
 - 2. Area of Construction Activity
 - 3. Protection of Water Resources
 - 4. Protecting and Minimizing Exposed Areas
 - 5. Location of Storage Areas
 - 6. Protection of Landscape
 - 7. Clearing and Grubbing
 - 8. Discharge of Dewatering Operations
 - 9. Dust Control
 - 10. Separation and Replacement of Topsoil
 - 11. Baled Hay or Straw
 - 12. Silt Fence
 - 13. Noise Control

1.3 NOTIFICATION

- A. The Landscape Architect or Owner's Representative will notify the Contractor in writing of any non-compliance with the foregoing provisions. The Contractor shall, after receipt of such notice, immediately take corrective action. Such notice, when delivered to the Contractor or his authorized representative at the site of the work, shall be deemed sufficient for the purpose. If the Contractor fails to act promptly, the Landscape Architect or Owner's Representative may order stoppage of all or part of the work until satisfactory corrective action has been taken. No claim for an extension of time or for excess costs or damage incurred by the Contractor as a result of time lost due to any stop work orders shall be made unless it was later determined that the Contractor was in compliance.

PART 2 - MATERIALS

2.1 BALED HAY OR STRAW

- A. To trap sediment and to prevent sediment from clogging drainage systems, baled hay or straw shall be used where shown on Drawing L-1 – Demolition and Removals Plan. Care shall be taken to keep the bales from breaking apart. The bales should be securely staked to prevent overturning, flotation, or displacement. All deposited sediment shall be removed periodically.

2.2 SILT FENCE

- A. If so indicated on the drawings or where directed by the Landscape Architect or Owner's Representative, the Contractor shall erect and maintain a temporary silt fence. In areas designated as wetlands, the Contractor shall line the limits of the construction easement with a silt fence. The silt fence shall be used specifically to contain sediment from runoff water and to minimize environmental damage caused by construction.
- B. The silt fence shall be Mirafi Envirofence manufactured by Mirafi, Inc. or approved equal.
- C. The silt fence shall consist of a 3-foot wide continuous length sediment control fabric, stitched to a 22-foot wide, continuous length support netting, and stapled to preweathered oak posts installed as shown on the drawings. The oak posts shall be 1½" by 1½" (Minimum Dimension) by 48" and shall be tapered. The support netting shall be industrial strength polypropylene. The bottom edge of the sediment control fabric shall be buried as shown on the drawings. The sediment control fabric shall conform to the following properties:

Property	Value	Test Method
1. Grab Strength (lbs.)	124	ASTM D-4632
2. Elongation (%)	15%	ASTM D-4632
3. Puncture Strength (lbs.)	65	ASTM D-4833
4. Burst Strength (psi)	300	ASTM D-3786
5. Trapezoid Tear (lbs.)	60	ASTM D-4533
6. Equivalent Opening Size (U.S. Sieve)	No. 30	ASTM D-4571
7. Permittivity (sec-1)	0.10	ASTM D-4491
8. Water Flow Rate (gal/min/sf.)	10	ASTM D-4491
9. UV Resistance (%)	70	ASTM D-4355

2.3 DUST CONTROL MEASURES

- A. If the Landscape Architect or Owner's Representative decides it is necessary to use calcium chloride for more effective dust control, the Contractor shall furnish and spread the material, as directed herein.
- B. Calcium Chloride
 - 1. Calcium chloride shall conform to the requirements of AASHTO-M 144, Type I or Type II and Specification for Calcium Chloride, ASTM D98. The calcium chloride shall be packaged in moisture proof bags or in airtight drums with the manufacturer, name of product, net weight, and percentage of calcium chloride guaranteed by the manufacturer legibly marked on each container.
 - 2. Calcium chloride failing to meet the requirements of the aforementioned specifications or that which has become caked or sticky in shipment, may be rejected by the Landscape Architect and Owner's Representative.
- C. Water shall not be brackish and shall be free from oil, acid, and injurious alkali or vegetable matter.

PART 3 - EXECUTION

3.1 IMPLEMENTATION

- A. Prior to commencement of work, the Contractor shall meet with the Landscape Architect and Owner's Representative to develop mutual understandings relative to compliance of the environmental protection program.
- B. The Contractor shall submit for approval details and literature fully describing environmental protection methods to be employed in carrying out construction activities.

3.2 AREA OF CONSTRUCTION ACTIVITY

- A. Insofar as possible, the Contractor shall confine his construction activities to those areas defined by the Contract Drawings and Specifications. All land resources within the project boundaries and outside the limits of permanent work performed under this contract shall be preserved in their present condition or be restored to a condition, after completion of construction, at least equal to that which existed prior to work under this contract. The Contractor shall keep the active vehicular access to the site clear of debris, equipment and vehicles at all times for Fire Department access.

3.3 PROTECTION OF WATER RESOURCES

- A. The Contractor shall not pollute streams, lakes or reservoirs with fuels, oils, bitumens, calcium chloride, acids, solvents, or other harmful materials. The Contractor shall also prevent the transport of soil, dirt, and salt to surface streams, wetlands, and/or catch basins. It is the Contractor's responsibility to comply with all applicable Federal, State, County and Municipal laws regarding pollution of rivers and streams.
- B. Special measures should be taken to insure against spillage of any pollutants into public waters, and run-off of demolition site sediments into stormwater collection systems. Measures shall include placement of haybales around catchbasins and along temporary construction fencing, and where so indicated on Drawing L-1 – Demolition & Removals Plan.

3.4 PROTECTING AND MINIMIZING EXPOSED AREAS

- A. The Contractor shall limit the area of land which is exposed and free from vegetation during construction. In areas where the period of exposure will be greater than two (2) months, temporary vegetation, mulching or other protective measures shall be provided as specified.
- B. The Contractor shall take account of the conditions of the soil where temporary cover crop will be used to insure that materials used for temporary vegetation are adaptive to the sediment control. Materials to be used for temporary vegetation shall be approved by the Landscape Architect and Owner's Representative.

3.5 LOCATION OF STORAGE AREAS

- A. The location of the Contractor's storage areas for equipment and/or materials shall be placed upon cleared portions of the job site or areas to be cleared as a part of this project, and shall require written approval of the Landscape Architect and Owner's Representative. Plans showing storage facilities for equipment and materials shall be submitted for approval of the Landscape Architect and Owner's Representative.
- B. No excavated materials or materials used in backfill operations shall be deposited within a minimum distance of one hundred (100) feet of any watercourse or any drainage facility. Adequate measures for erosion and sediment control such as the placement of baled hay or straw around the downstream perimeter of stockpiles shall be employed to protect any downstream areas from siltation.
- C. The Landscape Architect or Owner's Representative may designate a particular area or areas where the Contractor may store materials used in his operations. Temporary storage trailers, if used, shall be installed at Contractor's cost.

3.6 PROTECTION OF LANDSCAPE

- A. The Contractor shall not deface, injure, or destroy trees or shrubs nor remove or cut them without written authority from the Owner. No ropes, cables, or guys shall be fastened to or attached to any existing nearby trees for anchorages unless specifically authorized by the Landscape Architect or Owner's Representative. Excavating machinery and cranes shall be of suitable type and be operated with care to prevent injury to trees which are not to be removed, particularly overhanging branches and limbs. The Contractor shall, in any event, be responsible for any damage resulting from such use.
- B. Branches, limbs, and roots shall not be cut except by permission of the Landscape Architect or Owner's Representative. All cutting shall be smoothly and neatly done without splitting or crushing. When there is unavoidable injury to branches, limbs and trunks of trees, the injured portions shall be neatly trimmed according to proper pruning procedures. DO NOT use grafting wax or tree healing paint.
- C. Where, in the opinion of the Landscape Architect or Owner's Representative or as indicated on the Drawings, trees may possibly be defaced, bruised, injured, or otherwise damaged by the Contractor's equipment or by his blasting or other operations, the Contractor shall protect such trees by placing protective measures as shown on the drawings. Any trees or landscape feature scarred or damaged by the Contractor's equipment or operations shall be restored as nearly as possible to its original condition at the expense of the Contractor. The Landscape Architect or Owner's Representative will decide what method of restoration shall be used, and whether damaged trees shall be treated and healed or removed and disposed of.

- D. Cultivated hedges, shrubs, and plants which could be injured by the Contractor's operations shall be protected by suitable means or shall be dug up, balled and temporarily replanted and maintained. After construction operations have been substantially completed, they shall be replanted in their original positions and cared for until growth is re-established. If cultivated hedges, shrubs, and plants are injured to such a degree as to affect their growth or diminish their beauty or usefulness, they shall be replaced by items of a kind and quality at least equal to that existing at the start of the work.

3.7 CLEARING AND GRUBBING

- A. The Contractor shall clear and grub only on the Owner's land or the Owner's easements, and only the area required for demolition operations, as approved by the Landscape Architect or Owner's Representative.

3.8 DISCHARGE OF DEWATERING OPERATIONS

- A. Any water that is pumped and discharged from a trench and/or excavation as part of the Contractor's water handling shall be filtered by an approved method prior to its discharge into a receiving water or drainage system.
- B. Under no circumstances shall the Contractor discharge water to any areas designated as wetlands.
- C. The pumped water shall be filtered through baled hay, a vegetative filter strip or a vegetated channel to trap sediment occurring as a result of the construction operations. The vegetated channel shall be constructed such that the discharge flow rate shall not exceed a velocity of more than 1 foot per second. Accumulated sediment shall be cleared from the channel periodically.
- D. Contaminated dewatering effluent shall be handled, and if necessary, disposed of in accordance with applicable regulations and permits. Any required monitoring and analysis of the effluent shall be performed by the Contractor and the laboratory results shall be submitted to the Landscape Architect and Owner's Representative.
- E. Water pumped or drained from excavations, water courses, or other structures encountered in the work shall be disposed of in strict compliance with pertinent federal, state and local environmental regulations. Any damage caused by or resulting from dewatering operations shall be the sole responsibility of the Contractor.

3.9 DUST CONTROL

- A. During the progress of the work, the Contractor shall conduct his operations and maintain the area of his activities, including sweeping and sprinkling of streets as necessary, to minimize creation and dispersion of dust. If the Landscape Architect or Owner's Representative decides it is necessary to use calcium chloride for more effective dust control, the Contractor shall furnish and spread the material, as directed herein.
- B. Application
 - 1. Calcium chloride shall be applied when ordered by the Landscape Architect or Owner's Representative and only in areas which will not be adversely affected by the application.
 - 2. Calcium chloride shall be uniformly applied at the rate of 1-1/2 pounds per square yard or at any other rate as directed by the Landscape Architect or

Owner's Representative. Application shall be by means of a mechanical spreader, or other approved methods. The number and frequency of applications shall be determined by the Landscape Architect and Owner's Representative.

3. Water may be sprinkler applied with equipment including a tank with gauge-equipped pressure pump and a nozzle-equipped spray bar.
4. Water shall be dispersed through the nozzle under a minimum pressure of 20 pounds per square inch, gauge pressure.

3.10 SEPARATION AND REPLACEMENT OF TOPSOIL

- A. Topsoil for reuse shall be carefully removed from areas where excavations are to be made, and separately stored to be used again as directed. The topsoil shall be stored in an area acceptable to the Landscape Architect or Owner's Representative and adequate measures shall be employed to prevent erosion of said material.

3.11 NOISE CONTROL

- A. The Contractor shall adhere to the City ordinances for Noise Control (Article VII, Division 2) throughout the construction period. Noise control will be strictly enforced by the City.
- B. No construction shall occur between 7pm-7am Monday through Saturday, or any time on Sunday. Any exemption to prohibited construction hours must be authorized by a City representative.
- C. Contractor shall not permit engine idling on the job site. This shall be enforced through random, unannounced periodic inspections.

END OF SECTION

SECTION 01 57 16 RODENT CONTROL

PART 1 - GENERAL

1.1 GENERAL REQUIREMENTS

- A. The conditions and general requirements of the Contract, Division 0 and applicable parts of Division 1, apply to the work under this Section.

1.2 WORK INCLUDED:

- A. This section specifies requirements for rodent control activities by the Contractor at all work and laydown (or staging) areas in connection with this Contract.
- B. The Contractor shall retain the services of a licensed rodent exterminator to conduct an inspection of the work and laydown areas and report on the presence of rodents and take any necessary measures to eliminate existing rodent populations prior to start of work. All rodent control to be in place and approved prior to any equipment delivery or demolition.

1.3 SUBMITTALS:

In accordance with requirements of general specifications, submit the following:

- A. Within ten days after Notice to Proceed, submit to the Landscape Architect and Owner's Representative a written description of rodent control measures to be used and the areas to be included in the program.
- B. Provide the name and background of the licensed rodent exterminator retained to provide any necessary rodent eradication measures prior to start of work. The licensed rodent exterminator must be approved by City Director of Inspectional Services.

PART 2 - MATERIALS

2.1 CONTAINERS:

- A. Use metal or heavy-duty plastic refuse containers with tight-fitting lids for disposal of all garbage, or trash associated with food. These containers shall not have openings that allow access by rodents.

PART 3 - EXECUTION

3.1 WORK AND LAYDOWN AREAS WITHIN THE CONTRACT AREA:

- A. Before mobilization begins, obtain written verification from the rodent exterminator that rodent populations have been effectively controlled in areas to be occupied.
- B. Following site clearing and before demolition, excavation, or construction, inspect work and laydown areas and remove all remaining trash, debris, and weeds.
- C. Maintain work and laydown areas free of trash, garbage, weeds, and debris. Provide and enforce proper use of refuse containers to ensure that rodents and other pests are not harbored or attracted.

- D. Designate specific locations as lunch and coffee break areas to prevent random disposal of garbage and trash. Keep those areas free of litter and garbage, and provide refuse containers as described in 2.1 of this section. Keep refuse containers upright with their lids shut tight.
- E. Have all refuse containers emptied daily to maintain site sanitation.
- F. Notify the Owner's Representative within 24 hours whenever rodents (rats or mice) or signs of rodent activity (burrows or droppings) are observed in work or laydown areas. Take appropriate action to locate and control the rodents.

3.2 LAYDOWN AREAS OUTSIDE THE CONTRACT AREA:

- A. Implement pest control at all laydown areas that are not areas of this Contract, but that are used by the Contractor in connection with this Contract. Undertake rodent control at least two weeks prior to use of the area and with time to ensure that the site is free of rodent populations (rats and mice) prior to site occupancy. Maintain the site free of rodents throughout the duration of its use.
- B. Clear laydown areas of trash, debris, and weeds prior to occupancy. Initiate those actions only after rodent populations have been effectively controlled.
- C. Maintain laydown areas free of trash, garbage, weeds, and debris. Provide and enforce proper use of refuse containers to ensure that rodents and other pests are not harbored or attracted.
- D. Dispose of all garbage or trash associated with food in refuse containers with tight-fitting lids as described in 2.1 of this Section. Have refuse containers emptied daily to maintain site sanitation.

END OF SECTION

SECTION 01 71 00 CONSTRUCTION LAYOUT

PART 1 - GENERAL

1.1 SCOPE OF WORK

- A. The conditions and general requirements of the Contract, Division 0 and applicable parts of Division 1, apply to the work under this Section.
- B. The work under this section shall consist of field staking the horizontal and vertical alignment of all essential features and proposed work, including fields, courts, sidewalks, fencing, drainage, electrical and utility structures, plantings, and other related features as shown on the plans, by a registered Engineer or Land Surveyor. The Contractor shall familiarize himself with the existing conditions and shall be responsible for locating or re-establishing survey field ties, property lines, and benchmarks indicated on the plans.
- C. Existing survey tie information if available shall be provided by the City, or the Owner's Representative upon request.

PART 2 - MATERIALS

2.1 LAYOUT AND STAKING

- A. The Contractor shall be responsible for furnishing all stakes, pins, and grade markings as required to implement the work of layout and staking and shall make all field adjustments ordered by the Landscape Architect or Owner's Representative at no extra cost to the Owner.
- B. Upon request by the Landscape Architect or Owner's Representative, the Contractor shall make available to the Owner survey instruments and operator necessary to check the proposed vertical and horizontal alignments at no extra cost.

PART 3 - EXECUTION

3.1 SURVEY LAYOUT

- A. The Contractor shall use the alignments shown on the plans to establish the layout of all proposed features and shall perform field adjustments as ordered by the Landscape Architect or Owner's Representative.
- B. All layout shall be by the dimensions noted on the Drawings; do not scale directly from the plans. If clarification regarding a dimension or intended layout procedure is required, contact the Landscape Architect.
- C. All dimensions marked on the Drawings with "+/-" or "(Confirm)" are intended for confirmation of conformance to the expected conditions and (where applicable) that acceptable slopes and clearances are provided. Once layout has been established using other dimensions, the Contractor shall verify these dimensions (to within a tolerance of 1/2") and report any discrepancy to the Landscape Architect for acceptance or instruction regarding adjustment. These confirmation dimensions should not be used to lay out elements.
- D. The Surveyor shall lay out the essential or necessary grades and locations of site furnishings, footings, pavements, utilities, structures and other proposed elements.

- The surveyor shall verify the location of any existing spikes, stakes, pipes, drill holes, etc. and shall be responsible for their accuracy. Proposed features shall be located in relation to dimensions shown on the drawings and as adjusted by the Landscape Architect.
- E. The Contractor shall inform the Landscape Architect and Owner's Representative when the general layout is completed and shall not begin excavation until the Landscape Architect approves the various alignments. Any discrepancies encountered in field conditions shall be reported to the Landscape Architect and Owner's Representative immediately and shall be adjusted as directed.
 - F. The Contractor shall be responsible for maintaining the correct vertical and horizontal alignment of all elements, which responsibility shall not be waived by the Landscape Architect's approval of basic layout and stakeout.

END OF SECTION

SECTION 01 78 00 CLOSEOUT DOCUMENTATION

PART 1 - GENERAL

1.1 SCOPE OF WORK

- A. The work to be performed under this Section shall include the compilation and submittal of all required maintenance manuals, maintenance and repair products, warranty information, detailed procedures, product information, submittal records, as-built drawings, and certifications of all materials and equipment for the Landscape Architect's approval. Additional submissions may also be required as stipulated in the technical specifications sections.
- B. Upon Final Completion of all park construction, the contractor shall submit: three complete copies of a park maintenance manual, and three copies of an as-built drawing set, with three compact disc (CD) copies of the as-built drawings.
- C. The City will not issue the final check for park retainage until the submittal and approval of the maintenance manual and as-built drawings.

PART 2 - SUBMITTALS

2.1 MAINTENANCE MANUAL

The Maintenance shall be in the form of a three ring binder, organized and tabbed into appropriate sections, and shall include the following items:

- A. A complete maintenance plan with recommended maintenance schedules and procedures for all new systems including: site lighting maintenance procedures; sports netting maintenance procedures; and winterization procedures;
- B. A letter from the contractor stating the period of warranty for all parts, materials, and workmanship, from the date of Final Completion;
- C. All product information, product directions, and warranties;
- D. Copies of City permits with signatures of inspectors;
- E. Contact information for all subcontractors including email addresses; and
- F. A record of all submittals and dates of approvals.
- G. References are made throughout the Specifications and Drawings where additional record submittals are required.

2.2 PARK MAINTENANCE KIT

- A. At the completion of construction, the Contractor shall provide to the City Department of Public Works, Parks Maintenance Division, a Maintenance Kit containing all touch-up paint, maintenance instructions, spare parts, and other maintenance materials provided by the manufacturers of all improvements.
- B. The Maintenance Kit shall be delivered in a single container clearly labeled with the Park Name, and each item shall be identified as to the source.

2.3 AS-BUILT DRAWINGS

- A. As-Built drawing shall be a complete and accurate record that incorporate any and all changes to the construction plan set issued at the time of contract initiation. As-built drawings shall be clearly marked and annotated and shall include but not be limited to: all field changes, change orders, and supplemental drawings provided by the Landscape Architect.
- B. As-Built Drawings shall include complete records of all water, drainage, and electric utilities installed, including sizing, location, and inverts of all drainage pipes and structures, and sizing and location of all water service lines and electrical conduits.
- C. The Compact Discs shall include an electronic copy of all as-built drawings.

PART 3 - EXECUTION

3.1 SUBMISSIONS

- A. Submit all documents and data in a collated, manual format, with three (3) manuals to be submitted. Include a Table of Contents of the material for reference. The submittal is to be entire and complete, addressing all requirements listed above.

END OF SECTION

SECTION 02 41 00 DEMOLITION AND REMOVALS

PART 1 - GENERAL

1.1 GENERAL REQUIREMENTS

- A. The conditions and general requirements of the Contract, Division 0 and applicable parts of Division 1, apply to the work under this Section.
- B. The Contractor shall, prior to any removal of rubbish or debris from the site, furnish written evidence satisfactory to the Owner's Representative that he/she has an approved dumping location for debris and/or spoil from all removals and excavation activities.
- C. On-site cleaning of materials for the purpose of salvage shall not be permitted.
- D. The Contractor shall secure all necessary permits from the City of Somerville before starting this project.
- E. The City of Somerville shall have the right of first refusal on all removed materials, at the direction of the City's Project Manager. All materials refused by the City shall become the property of the Contractor.

1.2 WORK INCLUDED

- A. Provide all labor, equipment, implements and materials required to furnish, install, construct and perform all Site Preparation work complete, as shown on the Drawings and as specified herein.
- B. Work includes, but is not limited to the following:
 - 1. Sawcutting, removal, and disposal of indicated bituminous concrete pavements to the full depth;
 - 2. Removal of indicated shrub, including all roots, and excavation of plant bed for installation of concrete pad;
 - 3. Trenching for utility work, including horizontal drilling where appropriate to protect existing pavements;
 - 4. Protection of all utilities except as specifically noted;
 - 5. Protection of all furnishings, features, pavements, fence material, and other items not indicated for removal, and all pavements and surfaces outside the Limit Of Work;
 - 6. Installation and maintenance of temporary construction fencing and other necessary measures to ensure the protection of the general public;
 - 7. Any other necessary preparations for installation of improvements.

1.3 REFERENCES

- A. Examine all other Sections of the Specifications and all Drawings for the relationship of the work under this Section and the work of the other trades. Cooperate with all trades and all departments of City of Somerville and coordinate all work under this Section.
- B. The following related items are included under the Sections listed below
 - 1. Section 01 56 00 – Temporary Barriers

2. Section 01 57 00 – Environmental Protection
3. Section 31 00 00 – Earthwork
4. Section 32 90 00 – Planting
5. Section 33 70 00 – Electric Utilities

1.4 LAWS, ORDINANCES, PERMITS AND FEES

The Contractor shall:

- A. Give necessary notices, obtain all permits and pay all governmental fees and other costs in connection with this work, file all necessary plans (including Traffic Management Plan for all street and other work affecting the Public Right-Of-Way), prepare documents and obtain all necessary approvals.
- B. Obtain all required certificates of inspection for this work and deliver same to the Landscape Architect before request for acceptance and final payment for the work.
- C. Include in the work, without extra cost to the Owner, any labor, materials, services, apparatus, drawings (in addition to contract drawings and documents) in order to comply with all applicable laws, ordinances, rules and regulations, whether or not shown on the drawing and/or specified. The disturbed areas shall be secured with a 8'-0" high chain link construction fence and fence shall be maintained at all times while site is under construction.
- D. Provide all safety controls during construction including temporary walkways, fencing, barricades, etc. at no additional cost to the Owner. All such controls affecting the Public Right-Of-Way must meet with the approval of the City (coordinated through the Owner's Representative).
- E. Completely remove from the project area all demolition materials, except as designated for stockpiling for re-use or as requested by the City of Somerville, and dispose of all materials off the site. Disposal of the materials shall be done in such a manner that there shall be no accumulation of any demolition material which may, in the opinion of the Owner's Representative, the Fire Department or any other public agency having jurisdiction, constitute a hazard.
- F. Comply with all Federal, State, and Local Codes for all utility removals.

1.5 SITE CONDITIONS

- A. The Contractor shall visit and accept the site as he/she finds it and shall inform him- or herself of the character and the type of structures to be removed. The Owner assumes no responsibility for the condition of the site. Damage to the site (whether by reason of fire, theft, or other happenings) shall be at the risk of the Contractor from and after the date of Contract execution and no such damage or loss shall relieve the Contractor from any obligation under the Contract.
- B. Environmental Requirements: Contractor shall not work on or with soils when they are dry, wet, or frozen. Field Test: Form soil in palm of hand; if soil retains shape and crumbles upon touching, then it may be worked (if it will not retain its shape, it is too dry; if it does not crumble, it is too wet). Landscape Architect shall be final authority on condition of soil.

1.6 PROTECTION

- A. All rules and regulations governing the respective utilities shall be observed in executing all work under this Section. All work shall be executed in such a manner

as to prevent any damage to existing streets, curbs, paving, service utility lines and structures, drainage lines and structures, and adjoining property. Monuments and benchmarks shall be carefully maintained and, if disturbed or destroyed, replaced as directed.

- B. The Contractor shall assume full responsibility for damages caused by his Subcontractor's equipment and personnel to the existing grounds as well as adjoining private property. The Contractor shall obtain approval for subsurface construction from DIGSAFE (1-800-322-4844) before proceeding within the Contract limits.
- C. The work of this Section shall be performed in such a manner as to cause no interference with access by the Subcontractors or other Contractors to all portions of the site as is necessary for the normal conduct of their work.
- D. The Contractor shall take adequate precautions to protect all walks, roads, streets, curbs, pavements, trees and planting, on or off the premises, and shall repair and replace or otherwise make good, as directed by the Owner's Representative, any damage so caused.
- E. Trees not indicated for removal that are damaged during construction shall be removed by the Contractor at his expense if instructed to do so by the Landscape Architect, and the Contractor shall, at the Owner's sole discretion, either replace each such tree with a comparable specimen or pay for each damaged and removed tree based on the following schedule:
 - 1. \$1,500. per tree for 2" through 6" caliper
 - 2. \$2,000. per tree for over 6", through 12" caliper
 - 3. \$4,000. per tree for over 12", through 18" caliper
 - 4. \$5,000. per tree for over 18" caliper.

1.7 SPECIAL PROTECTION FOR MAINTAINING STREETS AND PUBLIC WAYS

- A. Do not close or obstruct streets without a permit. Do not place or store material in streets, alleyways or sidewalks.
- B. Conduct operations with minimum interference to street.
- C. Furnish, erect and maintain fences, planking, bracing, shoring, sheathing, lights, barricades, warning signs, and guards as necessary for the protection of the public, streets, sidewalks, and adjoining property.
- D. Ensure that all current accessible routes around the perimeter of the site remain ADA compliant at all times (surfacing, width of passage, and slope) and that alterations to the accessible route are clearly marked during sidewalk and street work.
- E. Completely remove all protection when the work is completed or when ordered in writing to do so by the Owner.

1.8 UTILITIES

- A. All work shall be performed in accordance with federal, state, and local codes.
- B. Discontinuance or Interruption: Before starting demolition, the Contractor shall be solely responsible for making all necessary arrangements and for performing any necessary work involved in connection with the discontinuance or interruption of all public and private utilities or services under the jurisdiction of the utility companies or corporations, and the Owner. These include gas, electricity, steam, refrigeration, low

tension system, telephone, telegraph, police signal, fire alarm, water, sanitary sewer, storm drainage, and without limiting the generality of the foregoing, including any system or systems which will be affected by the work to be performed under this Contract.

- C. Protection: Preserve in operating condition any active utilities found to be traversing the project site which are to remain. Should any damage occur to a utility which is to remain as a result, in the judgment of the Owner's Representative, of this operation, the Contractor shall at his/her own expense, repair all damage to any such utility to the satisfaction of the Owner.

PART 2 - MATERIALS - NOT USED

PART 3 - EXECUTION

3.1 REMOVALS

- A. Tree, stump, and shrub removal: In areas where the finish condition shall be lawn or planting bed, the existing stump shall be ground and roots over 1/4 inch in diameter within 5 feet of the stump shall be removed, all to a minimum of 24 inches below new finish grade. In areas where the finish condition shall be pavement, the stump and roots shall be completely removed.
- B. All holes and trenches resulting from removals shall be backfilled as appropriate with topsoil or fill material and compacted as specified in Section 31 00 00 - Earthwork.

3.2 TEMPORARY CONSTRUCTION FENCING

- A. Eight foot (minimum) high temporary chain link fence shall be installed and maintained by the contractor around the perimeter of site from the commencement of the job through substantial completion. See 01 56 00, Temporary Barriers.

3.3 DUST CONTROL

- A. Wet down thoroughly all work during excavation to prevent spread of dust; see Section 01 57 00 – Environmental Protection, for more information. Make all arrangements and pay for all water use and necessary water connections.

3.4 CLEAN-UP

- A. Remove from the project site all materials and debris resulting from the work of excavation. Storage of such materials on the project site will not be permitted. The project site shall be safe, clean and holes filled and compacted with clean fill upon completion of the excavation and site clearance work.

END OF SECTION

SECTION 03 30 00 CAST-IN-PLACE CONCRETE

PART 1 - GENERAL

1.1 GENERAL REQUIREMENTS

- A. The conditions of the Contract apply to the work under this Section.
- B. The Contractor shall prior to any removal of surplus fill, excavated material, or debris from the site, furnish written evidence satisfactory to the owner or owner's representative that he has an approved dumping location for debris and/or spoil from his/her excavation activities.
- C. All references to products by manufacturer, trade name or performance Specifications bearing the connotation "or Approved Equal" shall be as determined by the Landscape Architect and the City, per MGL c. 30 s. 39M, part b, criteria 1.

1.2 WORK INCLUDED

- A. Provide all labor, equipment, implements and materials required to furnish, install, construct and perform Earthwork as shown on the Drawings and as specified herein.
- B. To be included:
 - 1. Concrete for concrete paving, edges, and walls, and for all footings for furnishings, play equipment, etc.
- C. Examine all other Sections of the Specifications and all Drawings for the relationship of the work under this Section and the work of other trades. Cooperate with all trades and all departments of the City of Somerville and coordinate all work under this Section therewith.
- D. The following related items are included under the Sections listed below.
 - 1. Section 11 68 33 – Athletic Field Equipment
 - 2. Section 26 56 68 – Exterior Athletic Lighting
 - 3. Section 31 00 00 – Earthwork
 - 4. Section 32 10 00 – Bases, Ballasts, and Paving
 - 5. Section 33 70 00 – Electric Utilities

1.3 SUBMITTALS

- A. All manufacturers' product literature.
- B. Submit written reports to Landscape Architect of each proposed mix for each class of concrete at least 15 days prior to start of work. Do not begin concrete production until mixes have been reviewed by the Landscape Architect.
- C. Provide batch ticket for each batch discharged and use in work indicating project identification name and number, date, mix type, mix time, quantity, and amount of water introduced.
- D. Compressive Strength Test Results and other applicable tests as noted in 3.1.K, Field Quality Control, below.

1.4 LAWS, ORDINANCES, PERMITS AND FEES

The Contractor shall:

- A. Give necessary notices, obtain all permits and pay all governmental taxes, fees and other costs in connection with this work, file all necessary plans, prepare documents and obtain all necessary approvals.
- B. Obtain all required certificates of inspection for this work and deliver same to the Landscape Architect before request for acceptance and final payment for the work.
- C. Include in the work, without extra cost to the Owner, any labor, materials, services, apparatus, drawings (in addition to contract drawings and documents) in order to comply with all applicable laws, ordinances, rules and regulations of the City of Somerville and the Commonwealth of Massachusetts, whether or not shown on the Drawings and/or specified.

1.5 DEFINITIONS

- A. The following related items are included herein and shall mean:
 - 1. S.S.H.B. - Standard Specifications for Highways and Bridges, the Commonwealth of Massachusetts, Department of Public Works, latest edition
 - 2. A.S.T.M. - American Society for Testing and Materials
 - 3. A.A.S.H.T.O. - American Association of State Highway and Transportation Officials

1.6 SUBSURFACE INFORMATION

- A. The Owner assumes no responsibility for the Contractor's failure to make his own site investigation and makes no representation regarding the character of the soil or subsurface conditions which may be encountered during the performance of the work.

1.7 FINISHED GRADES

- A. The words "finished grades" as used herein mean the required final grade elevations indicated on the Drawings. Where not otherwise indicated, site areas shall be given uniform slopes between points, for which finished grades are shown, or between such points and existing grade except that vertical curves or roundings shall be provided at abrupt changes in slope.

1.8 GRADES AND ELEVATIONS

- A. The Drawings indicate, in general, the alignment and finished grade elevations. The Landscape Architect, however, may make such adjustments in grades and alignment as are found necessary in order to avoid interference and to adapt the grading to other special conditions encountered.

1.9 WORK IN THE PUBLIC WAYS

- A. Notify the appropriate municipal officials at least seven calendar days in advance of commencing any work in the public ways to obtain all required permission to perform this work. Perform all work in the public ways in a manner required by the municipal authorities.

- B. Should there be any conflict between requirements specified in the Contract Documents and those of the City of Somerville, the municipal requirements shall govern.
- C. Do not close or obstruct any streets or sidewalks unless and until they have been discontinued by the appropriate municipal authority or unless and until he shall have first secured all necessary or other permits therefor. No materials whatsoever shall be placed or stored in the streets. Conduct all operations to interfere as little as possible with the use ordinarily made of roads, driveways, sidewalks, or other facilities near enough to the work to be affected thereby.

PART 2 - PRODUCTS

2.1 CAST-IN-PLACE CONCRETE

- A. Cast-in-place concrete shall be Class D, air-entrained concrete conforming to the requirements and applicable provisions of Section 701 of the S.S.H.B. Minimum 28-day compressive strength shall be 4,000 psi unless otherwise noted on the Drawings or in a related Specification section. Concrete shall be air-entrained 5% minimum with a two (2") to four (4") inch maximum slump unless otherwise noted on the Drawings or in a related Specification section.
- B. Form Materials
 - 1. Forms of Exposed Finished Concrete: Unless otherwise indicated, construct form work for exposed concrete surfaces with plywood, metal, metal-framed plywood faced or other acceptable panel-type materials, to provide continuous, straight, smooth, exposed surfaces. Furnish in largest practical sizes to minimize number of joints and to conform to the joint system shown on Drawings. Provide form material with sufficient thickness to withstand pressure of newly placed concrete without bow or deflection.
 - 2. Use plywood complying with U.S. Product Standard PS-1 "B-B (Concrete Form) Plywood," Class I, Exterior Grade or better, mill-oiled and edge-sealed, with each piece bearing legible inspection trademark.
 - 3. Form for Unexposed Finish Concrete: Form concrete surfaces which will be unexposed in finish structure with plywood, lumber, metal or other acceptable material. Provide lumber dressed on at least 2 edges and one side for tight fit.
 - 4. Form Coatings: Provide commercial formulation form-coating compounds that will not bond with, stain or adversely affect concrete surfaces, and will not impair subsequent treatments of concrete surfaces.
- C. Reinforcing Materials
 - 1. Reinforcing Bars: ASTM A615, Grade 60.
 - 2. Welded Wire Fabric (WWF): ASTM A185, welded steel wire fabric.
 - 3. Supports for Reinforcement: Provide supports for reinforcement including bolsters, spacers and other devices for spacing, supporting and fastening reinforcing bars and welded wire fabric in place. Use wire bar type supports complying with CRSI recommendations, unless otherwise acceptable.

D. Cement

1. Cement shall be Portland Cement Type 1, free from water-soluble salts or alkalis which will cause efflorescence on exposed surfaces. Portland Cement shall comply with Standard Specifications of the ASTM-C150 Type I or II.
2. Cement shall be stored in a weather-tight structure and in such a manner as to prevent deterioration or intrusion of foreign matter. It shall be easily accessible for proper inspection and identification of each shipment. Cement that has hardened or partially set shall not be used.

E. Aggregate

1. Fine aggregate for all concrete shall consist of washed inert natural sand conforming to ASTM-C330.

F. Water

1. Water for concrete shall be clean, potable, and free from deleterious substances.
2. When subjected to the mortar strength test described in ASTM-C87 the strength at 28 days of mortar specimens made with the water under examination and normal Portland Cement shall be at least 100% of the strength of similar specimens made with distilled water.

G. Related Materials

1. Grout: Non-shrink, non-metallic grout. Provide one of the following (or approved equal):
 - a. "Five Star Grout": U.S. Grout Company.
 - b. "Masterflow 713": Master Builders.
2. Chemical Hardener (chHD-Fn): Colorless aqueous solution containing a blend of magnesium fluosilicate and zinc fluosilicate combined with a wetting agent, containing not less than 2 lbs. of fluosilicates per gal.
3. Absorptive Cover: Burlap cloth made from jute or kenaf, weighing approximately 9 oz. per sq. yd., complying with AASHTO M 182, Class 2.
4. Moisture-Retaining Cover: One of the following, complying with ASTM C171.
 - a. Waterproof paper
 - b. Polyethylene film.
 - c. Polyethylene-coated burlap
5. Filler strips for expansion joints where used with caulking or sealants shall be cork type, non-extruding, self-expanding filler strips, AASHTO M-153-111, ASTM D1752, III, as manufactured by Celotex Corporation, W.R. Meadows, Inc., W.R. Grace and Company, or equal. Where no sealant is required strips may be non-extruding bituminous type in accordance with ASTM D1751.
6. Admixtures
 - a. Admixtures causing accelerated setting of the cement in concrete shall not be used.
 - b. In general, all concrete shall not contain additives, but an admixture may be employed therein (to improve workability, durability, etc.) subject to prior test and/or approved by the Landscape Architect in writing.

- c. Water-reducing and air-entraining agents shall be used in concrete, as required by the Landscape Architect, in strict accordance with the manufacturer's printed instructions. Agents shall be stored safe from adverse temperature in accordance with manufacturer's printed instructions. Total air entrained in freshly mixed concrete shall be 5.0% plus or minus 1.0% of volume of concrete with required strengths maintained.
 - d. Water-reducing agent: "Sonotard WR" by Sonneborn Building Products, "WRDA" by W.H. Grace Company, "Pozzolith 100" by Master Builders Company, or equal. Water reducing agent must be by same manufacturer as air-entraining agent.
 - e. Air-entraining Agent: "Darex" by W.R. Grace Company, "Aerolith" by Sonneborn Building Products, "MB-VR" by Master Builders Company, "Sealtight Air Entraining Agent" by W.R. Meadows, or equal.
 - f. No other admixtures may be used without Landscape Architect's approval.
- H. Slump Limits: Proportion and design mixes to result in concrete slump at point of placement as follows:
- 1. Ramps and sloping surfaces: Not more than 3".
 - 2. Reinforcing wall systems: Not less than 1" and not more than 3".
 - 3. Other concrete: Not less than 2" and not more than 4".
- I. Curing Compounds
- 1. All curing compounds shall conform to requirements of ASTM Designation C-309, Type I, clear and C-156. No materials containing wax or saponifiable materials will be permitted.
 - 2. Curing compound in areas that will be exposed to view in the finished work, or to receive a painted finish, and areas to receive a concrete topping or ceramic tile mortar beds, seamless composition flooring, synthetic athletic surfacing, or other similar finishes, shall contain a fugitive dye, and shall be of a type that will become brittle and easily removable after about 3 weeks to allow dust-proofing treatment specified here in after.
 - 3. Curing compound shall be Master Builders "Master Seal", Symons "Cure and Seal", Sonneborn "Kure-N-Seal", "CS-309" by W.R. Meadows or equal, conforming to ASTM 309, Type 1 and 2.
- J. Proportioning and Design of Mixes
- 1. Prepare design mixes for each type and strength of concrete by either laboratory trial batch or field experience methods as specified in ACI 301. If trial batch method used, use an independent testing facility acceptable to Landscape Architect for preparing and reporting proposed mix designs. The testing facility shall not be the same as used for field quality control testing unless otherwise acceptable to Landscape Architect.
 - 2. Submit written reports to Landscape Architect of each proposed mix for each class of concrete at least 15 days prior to start of work. Do not begin concrete production until mixes have been reviewed by the Landscape Architect.
 - 3. Adjustments to Concrete Mixes: Mix design adjustments may be requested by Contractor when characteristics of materials, job conditions, weather, test

results, or other circumstances warrant; at no additional cost to Owner and as accepted by Landscape Architect. Laboratory test data for revised mix design and strength results must be submitted to and accepted by Landscape Architect before using in work.

K. Concrete Mix

1. Job-Site Mixing: Mix materials for concrete in appropriate drum type batch machine mixer. For mixers of one cu. yd., or smaller capacity, continue mixing at least 1-1/2 minutes, but not more than 5 minutes after ingredients are in mixer, before any part of batch is released. For mixers of capacity larger than one cu. yd., increase minimum 1-1/2 minutes of mixing time by 15 seconds for each additional cu. yd. or fraction thereof.
2. Provide batch ticket for each batch discharged and use in work indicating project identification name and number, date, mix type, mix time, quantity, and amount of water introduced.
3. Ready-Mix Concrete: Comply with requirements of ASTM C94, and as herein specified.
4. Delete reference for allowing additional water to be added to batch for material with insufficient slump. Addition of water to the batch will not be permitted.
5. During hot weather, or under conditions contributing to rapid setting of concrete, a shorter mixing time than specified in ASTM C94 may be required.
6. When air temperature is between 85 Deg. F (30 deg. C) and 90 Deg. F (32 deg. C), reduce mixing and delivery time from 1-1/2 hours to 75 minutes, and when air temperature is above 90 Deg. F. (32 deg. C), reduce mixing and delivery time to 60 minutes.

PART 3 - EXECUTION

3.1 CAST-IN-PLACE CONCRETE

A. Formwork

1. Forms shall conform to the lines, dimensions and shapes of concrete shown providing for openings, recesses, keys, slots, beam pockets and projections as required.
2. Make forms clean and free of foreign material before placing concrete.
3. Do not use earth cuts as forms for vertical surfaces, unless approved by the Landscape Architect.
4. Design of Formwork
 - a. Comply with ACI 301, Chapter 4, Paragraph 4.2. Formwork drawings shall bear the seal of licensed professional engineer.
 - b. Form rods and tie wires of exterior surfaces shall slope down from the inside to outside of forms.
 - c. Provide forms so that no discernible imperfection is in evidence in finished concrete surfaces due to deformation, bulging, jointing, or leakage of forms.

5. Tolerance
 - a. Comply with ACI 301, Chapter 4, Paragraph 4.3, except as otherwise noted.
6. Preparation of Form Surfaces
 - a. Comply with ACI 301, Chapter 4, Paragraph 4.4
 - b. Use non-staining mineral oil or form lacquer.
- B. Reinforcement
 1. General: Comply with ASI 301, Chapter 5, Paragraph 5.4.
 2. Placing Tolerance: Comply with ACI 301, Chapter 5, Paragraph 5.4.
 3. Placing
 - a. Comply with ACI 301, Chapter 5, Paragraph 5.5. When splices not shown on the Drawings are approved by the Landscape Architect, such splicing shall conform to ACI 318.
 - b. Place reinforcing bars having assigned positions so that distinguishing marks agree with those given on the Shop Drawings relating to or calling for bars.
 - c. Secure all reinforcing bars in place with high-density plastic supporting and spacing devices and metal tying devices. Reinforcing in concrete members that have one or more surfaces exposed, whether painted or unpainted finish, shall be tied with 14 gauge soft annealed galvanized wire. Uncoated tie wire in exposed members will not be accepted.
 4. Minimum Reinforcement: Where no other reinforcement is shown for concrete fill or toppings, provide 6x6 - W1.4XW1.4 welded wire.
- C. Mixing Concrete
 1. Ready Mix Concrete
 - a. Comply with ASTM C94.
 - b. Add mixing water only at the site.
 - c. Discharge the concrete completely at the site within 1-1/2 hours after the introduction of the cement to the aggregates. In hot weather reduce this time limit so that no stiffening of the concrete shall occur until after it has been placed.
 - d. Begin the mixing operation within thirty minutes after the cement has been intermingled with the aggregates.
 2. Batch Mixing at Site
 - a. Comply with ACI 301, Chapter 7, Paragraph 7.2.
 - b. Excessive mixing requiring the addition of water to preserve the required consistency will not be permitted. Mix concrete to a consistency which can be readily placed without segregation.
 - c. Where admixtures are specified, equip mixers with a device for measuring and dispensing the admixture.
 3. Hand-Mixed Concrete: When hand-mixed concrete is allowed and approved for certain parts of the work, mix on watertight platforms. Proportion cement,

sand and aggregate loose by volume, carefully measured. Thoroughly mix sand and cement together dry until the mixture is a uniform color. Add the aggregate and turn the mass over until the mixture is uniform and homogeneous. Add water by sprinkling and turn the mass over until it is uniformly mixed and of the required consistency.

D. Joints and Embedded Items

1. Construction and Control Joints

- a. Comply with ACI 301, Chapter 6, Paragraph 6.1.
- b. When construction and control joints are required or permitted, obtain bond by roughening the surface of the concrete in a manner which will expose the aggregate uniformly and will not leave loosened particles of aggregate or damaged concrete at the surface. Saturate the cleaned surface with water and slush with a coating of 1: 1-1/2 cement-sand grout. Place new concrete before grout has attained its initial set. Clean horizontal construction joints and pour the cement-sand mortar over joints in walls to a depth of 1 in. before depositing concrete. In walls, do not space construction joints more than 40 feet apart, unless otherwise shown.

2. Expansion Joints

- a. Comply with ACI 301, Chapter 6, Paragraph 6.2.b. Install joint filler to allow the required dimension for sealant, as indicated. Dimensions shown on Drawings are based on an assumed design temperature of 70 deg. F. Concreting procedures shall take into account the ambient temperature range at the time of the respective operations.
- b. Sealant to comply with Mass Highway SSHB requirements.

3. Embedded Items

- a. Comply with ACI 301, Chapter 7, Paragraph 6.4 and 6.5.
- b. Accurately set anchorage devices by line and transit, and coordinate in locating of all anchorage devices to be set for the accommodation of all work.
- c. Locate anchor bolts as shown on the Drawings and on Shop Drawings. Obtain necessary templates from manufacturers or other trades as required for the proper setting of anchor bolts and other items.
- d. Assist other trades in the installation of piping, pipe sleeves, conduit, and similar items where such items are to be installed in concrete. Provide frames to securely hold anchor bolts and anchorage devices in place during construction, and take care that no displacement occurs during the pouring of concrete. Under this Section furnish and set items using approved standard type items suitable for their intended purpose.

E. Placing Concrete

- 1. Preparation Before Placing: Conform to ACI 310, Chapter 8, Paragraph 8.1.
- 2. Conveying
 - a. Comply with ACI 301, Chapter 8, Paragraph 8.2.
 - b. Provide a spout or downpipe and elephant trunk or other appropriate method to prevent concrete from falling freely through a height greater than 3 feet.

3. Depositing: Comply with ACI 301, Chapter 8, Paragraph 8.3.
- F. Curing
1. Comply with ACI 301, Chapter 12. Moist cure (continuous free water and cover with burlap) for first five (5) days after casting. Protect against temperatures under 40 deg. F. in first five days.
- G. Form Removal
1. Do not remove forms until the concrete has thoroughly hardened and has attained sufficient strength to support its own weight and construction live loads to be placed thereon, without damage to the structure. In general, do not disturb forms for framing until the concrete has attained at least 40% of design strength for side forms and 80% of design strength for bottom forms. Remove no forms for 24 hours after placing concrete. Protect concrete walks from pedestrian traffic for a period of 3 days after placing. Damp cure as per standards above. Be responsible for proper form removal and replace any work damage due to inadequate maintenance or improper or premature form removal.
 2. Where use of metal form ties extending to within less than 1-1/2 in. of the face of permanently exposed concrete has been unavoidable, cut off such ties at least 1-1/2 in. deep in the concrete but not less than 72 hours after concrete has been cast. Remove forms by methods which will not spill the concrete or cause any injury whatsoever. Hammering or prying against concrete will not be permitted.
- H. Patching
1. Comply with ACI 301, Chapter 9.
- I. Finishing
1. General Requirements for Flatwork: Strike off top surfaces of finished fill and monolithic slabs true and level within a tolerance of 1/8 in. in 10 ft. and measured with a 10 ft. straightedge placed in any direction at any location. Set edge forms and intermediate screed strips accurately and sufficiently rigid to support screeds and so that proper surface elevations and concrete thickness are achieved allowing for dead load deflection and camber of formwork. Take measurements and control tolerances by the use of transit instrument. Upon completion of leveling, remove screed and fill spaces with concrete. Concrete shall have a medium broom finish of parallel marks. Brooming shall be at right angles to the axis of walk or as shown on the Drawings.
 2. Concrete for cast-in-place wall shall have an architectural concrete finish. Top horizontal surface shall be steel trowelled smooth, top edge shall be radiused and vertical exposed surfaces shall be rubbed with a carborundum stone to provide a hand smooth surface. Finished surface to be approved by Landscape Architect.
- J. Grout
1. Mix grout in accordance with the approved manufacturer's instructions to a consistency which will permit placement. Place grout so as to ensure complete bearing and elimination of air pockets.

K. Field Quality Control

1. Sampling and testing for quality control during placement of concrete may include the following, as directed by the Landscape Architect.
 - a. Sampling Fresh Concrete: ASTM C172, except modified for slump to comply with ASTM C94.
 - b. Slump: ASTM C143, one test for each concrete load at point of discharge; and one test for each set of compressive strength test specimens. SLUMP TESTS REQUIRED.
 - c. Air Content: ASTM C173, volumetric method for lightweight or normal weight concrete; one for each set of compressive strength test specimens.
 - d. Concrete Temperature: Test hourly when air temperature is 40 deg. F (4 deg. C) and below, and when 80 deg. F (27 deg. C) and above; and each time a set of compression test specimens made.
 - e. Compression Test Specimen: ASTM C31; one set of 6 standard cylinders for each compressive strength test, unless otherwise directed. Mold and store cylinders for laboratory cured test specimens except when field-cure test specimens are required.
 - f. Compressive Strength Tests: ASTM C39; one set for each 100 cu. yds. or fraction thereof, of each concrete class placed in any one day or for each 5,000 sq. ft. of surface area placed; 1 specimen tested at 7 days, 2 specimens tested at 28 days, and one specimen retained in reserve for later testing if required.
 - g. When total quantity of a given class of concrete is less than 50 cu. yds., strength test may be waived by Landscape Architect if, in his/her judgement, adequate evidence of satisfactory strength is provided.
 - h. When strength of field-cured cylinders is less than 85% of companion laboratory-cured cylinders, evaluate current operations and provide corrective procedures for protecting and curing the in-place concrete.
 - i. Strength level of concrete will be considered satisfactory if average of sets of three consecutive strength test results equal or exceed specified compressive strength, and no individual strength test result falls below specified compressive by more than 500 psi.
2. Test results will be reported in writing to Landscape Architect and Contractor on same day that tests are made. Reports of compressive strength tests shall contain the project identification name and number, date of concrete placement, name of concrete testing service, concrete type and class, location of concrete batch in structure, design compressive strength at 28 days, concrete mix proportions and materials; compressive breaking strength and type of break for both 7-day tests and 28-day test.
3. Additional Tests: The testing service will make additional tests of in-place concrete when test results indicate specified concrete strengths and other characteristics have not been attained in the structure, as directed by Landscape Architect. Testing service may conduct tests to determine adequacy of concrete by cored cylinders complying with ASTM C42, or by other methods as directed. Contractor shall pay for such tests conducted, and any other additional testing as may be required, when unacceptable concrete is verified.

- L. Protection of Concrete: Under no circumstances shall the Contractor pour and leave the fresh concrete open to vandalism, while it is setting up. Damaged concrete shall be subject to rejection by the City.

END OF SECTION

THIS PAGE INTENTIONALLY
LEFT BLANK

SECTION 10 14 00 PROJECT SIGNAGE

PART 1 - GENERAL

1.1 GENERAL REQUIREMENTS

- A. The conditions and general requirements of the Contract, Division 0 and applicable parts of Division 1, apply to the work under this Section.

1.2 SCOPE OF WORK

- A. Provide all materials, labor, mountings and incidentals for:
 - 1. One (1) temporary construction sign, four feet by eight feet (4' x 8'), installed in a location directed by the Owners Representative;
 - 2. One (1) temporary "Pardon Our Appearance" construction sign, four feet by eight feet, to be provided by the City and installed by the Contractor at a location directed by the Owner's Representative.

PART 2 - MATERIALS

2.1 GENERAL

- A. All signs shall be professionally lettered/printed. Wording and layout to be supplied by the Owner or as shown on the Drawings. Submit samples of colors and Shop Drawings indicating lettering and graphics layouts to Landscape Architect for approval.

2.2 TEMPORARY CONSTRUCTION SIGN

- A. Sign shall be made of durable, exterior plywood or metal, securely mounted to wood posts or attached to existing fencing, as directed by the Owner's Representative. Sign shall be professionally lettered. Wording and layout to be supplied by the Owner. Submit samples of color and a Shop Drawing indicating lettering layouts to Engineer for approval. Electronic file with sign layout to be provided to Contractor and Owner's representative by the Landscape Architect.
 - 1. Sign shall be a project sign (or banner) and will include a drawing of the final layout as well as the City Seal, 311 Logo and other pertinent information to be provided by the Owner's Representative. See example included on following page.
- B. Sign shall be securely mounted with galvanized metal attachments and shall be framed so as to be durable. All attachments and mountings shall be child safe and vandal resistant. Should a project banner be provided, it may be securely attached to construction fencing;

2.3 PARDON OUR APPEARANCE SIGN

- A. Sign shall be provided to the Contractor by the City from a prior project.
- B. Sign shall be securely mounted to 4"x4" min. wood posts with galvanized metal attachments and shall be framed so as to be durable. All attachments and mountings shall be child safe and vandal resistant.

SECTION 11 68 33 ATHLETIC FIELD EQUIPMENT

PART 1 - GENERAL

1.1 GENERAL REQUIREMENTS

- A. The conditions and general requirements of the Contract, Division 0 and applicable parts of Division 1, apply to the work under this Section.
- B. All references to products by manufacturer, trade name or performance Specifications bearing the connotation "or Approved Equal" shall be as determined by the Landscape Architect and the City, per MGL c. 30 s. 39M, part b, criteria 1.

1.2 WORK INCLUDED

- A. Provide all labor, equipment, implements and materials required to furnish, install, construct and perform all site improvements complete as shown on the Drawings and specified herein.
- B. To be included, but not limited to the following:
 - 1. Ball Safety Netting System;
 - 2. Storm Protection Measures.
- C. ALL WORK in this section is part of Alternate 1 – see 01 23 00, Alternates.

1.3 REFERENCES

- A. Examine all other Sections of the Specifications and all Drawings for the relationship of the work under this Section and the work of other trades. Cooperate with all trades and all departments of the City and coordinate all work under this Section therewith.
- B. The following related items are included under the Sections listed below:
 - 1. Section 02 41 00 - Site Preparation and Demolition
 - 2. Section 03 30 00 - Cast In Place Concrete
 - 3. Section 31 00 00 - Earthwork
 - 4. Section 32 10 00 - Bases, Ballasts, Paving, and Edging

1.4 SUBMITTALS AND SHOP DRAWINGS

- A. Submit four (4) complete shop drawings, product literature, catalog cuts and / or samples for all items indicating material characteristics, fabrications, details of construction, connections and relationship with adjacent construction, called for on the Drawings and as specified and in accordance with applicable requirements under Division 1.
- B. Allow sufficient time for shop drawing review and approval, before fabricating or ordering.
- C. Submit four (4) copies of the following cut sheets and / or detailed shop drawings for each item to be fabricated and installed under this Section:
 - 1. Ball Safety Netting System;
 - 2. Storm Protection Measures.

- D. Do not order materials or begin installation of Work of this Section until Owners / Landscape Architects approval of submittals has been obtained. Delivered materials shall closely match approved samples.

1.5 SAMPLES

- A. Initial Selection Samples: Submit samples showing complete range of colors, textures and finishes available for each material used.
- B. Verification Samples: Submit representative samples of each material that is to be exposed in the finished work, showing the full range of color and finish variation expected.

1.6 PRODUCT LITERATURE

- A. For each product or material used, submit manufacturer's product data, including installation instructions, use, limitations and recommendations.

1.7 PRODUCT DELIVERY, STORAGE AND HANDLING

- A. Deliver materials in manufacturer's original unopened and undamaged packages and containers with labels legible and intact.
- B. Store and handle materials in accordance with manufacturer's instructions. Prevent damage and deterioration of products from the environment and construction operations.
- C. Handle in accordance with manufacturer's instructions.

1.8 JOB CONDITIONS

- A. Examine all surfaces to receive site improvements to see that they are in proper condition to receive the Work specified. Report to the Engineer in writing all unacceptable areas. All defects resulting from use of accepted surfaces shall be corrected by the appropriate Contractor at no additional expense to the Owner.
- B. Start of Work under this Section 02800 shall constitute acceptance of the site conditions to which this Work is to be applied. Site preparation shall be of proper approved quality. Any defects in Work resulting from such conditions shall be corrected under this Section, at no extra cost to the Owner.
- C. Environmental Requirements: Contractor shall not Work on or with soils when they are dry, wet, or frozen. Field Test: Form soil in palm of hand; if soil retains shape and crumbles upon touching, then it may be worked (if it will not retain its shape, it is too dry; if it does not crumble, it is too wet). Landscape Architect shall be final authority on condition of soil.

1.9 DEFINITIONS

- A. The following items are included herein and shall mean:
 - 1. A.S.T.M. - American Society for Testing and Materials.
 - 2. CPSC - Consumer Product Safety Council.
 - 3. National Federation of State High School Associations (NFHS)
 - 4. National Collegiate Athletic Association (NCAA)
 - 5. International Amateur Athletic Association (IAAF)

6. American Sports Builders Association (ASBA)
7. Manufacturers Data and Recommended Installation Requirements

1.10 WARRANTIES

- A. Attention is directed to provisions of the CONDITIONS OF THE CONTRACT and applicable parts of Division 1 regarding guaranties and warranties.
- B. Manufacturers shall provide their standard guaranties for Work specified in the Section. However, such guaranties shall be in addition to and not in lieu of all other liabilities which manufacturers and Contractor may have by law or by other provisions of the Contract Documents.

1.11 QUALITY ASSURANCE

- A. Comply with applicable codes, ordinances and regulations. Provide products of acceptable manufacturers which have been in satisfactory in similar service for three years. Use experienced installers.

PART 2 - PRODUCT

2.1 BALL SAFETY NETTING SYSTEM

- A. The Ball Safety Netting System shall be TFBSS415P-SG - Ball Safety Netting System with StormGuard as manufactured by Sportsfield Specialties Inc., P.O. Box 231, 41155 State Highway 10, Delhi, NY 13753, p. 888-975-3343, f. 607-746-8481, www.sportsfieldspecialties.com or Approved Equal conforming to the Drawings and the below specifications.
- B. Inner and End Poles: 3.5" Schedule 40 Aluminum Pipe (4" O.D.), finish to be Black Powdercoat, sized as noted on the Drawings.
- C. Upright Post Ground Sleeves: Fabricated with 4.30in OD (4.10in ID) Aluminum, length and finish as shown on the Drawings, and supplied with removable Ground Sleeve Caps.
- D. Ball Safety Net: Height x Length as shown on the Drawings, composed of #36 Black Nylon 1-3/4" Mesh, with Tethers 2X net height + 5Ft
- E. Accessories:
 1. Stainless Steel and/or Galvanized Steel Assembly Hardware
 2. Shell Block Pulley System
 3. 6.0in Net Guide Rings
 4. Secure Snap Clips for Net Attachment
 5. Black Vinyl Coated Wire Rope

2.2 STORM RESISTANCE MEASURES

- A. The Ball Safety Netting System shall be protected from storm damage/breakage through one of the following: EITHER
 1. With a storm resistance system, TFBSS-SG – StormGuard® Break-Away as Manufactured and/or Supplied by: Sportsfield Specialties Inc., P.O. Box 231, 41155 State Highway 10, Delhi, NY 13753, p. 888-975-3343, f. 607-746-8481, www.sportsfieldspecialties.com or Approved Equal; OR

2. Through appropriate construction as warranted by the Manufacturer/Supplier to be free from storm damage, net/support breakage, etc in writing for a period of 10 years, as approved by the Owner and Landscape Architect.
- B. Should a storm resistance breakaway system be used, the system shall be designed and engineered to allow the net to fall to the ground before failures of the poles and/or hardware occur under extreme wind speed and/or adverse weather conditions such as ice and snow. This system shall meet or exceed the performance of the Basis of Design system as documented herein.
1. The Basis-of-Design system utilizes a shear pin device attached to the net at the top of each pole. The snap clip that holds the net up is attached to the oblong shaped hole located at the bottom of the smaller drop shaft connected to the cylindrical steel weight utilizing a 150 lb. break strength aluminum shear pin. The cylindrical steel weight is semi-permanently attached to the rope tether that hoists the net up and down with a removable bolt and includes a rubber absorption bumper to prevent damage to the pole and/or powder coat paint finish.
- C. The poles shall be installed at a maximum of twenty-five foot (25') intervals on center or less. When the wind speed exceeds approximately fifty miles per hour (50mph), the 150 lb. break strength aluminum shear pin will break, allowing the smaller drop shaft to release from the cylindrical steel weight causing the net to fall to the ground. The end user then unwinds the rope tether from the cleat, lower the cylindrical steel weight to the ground, replace the aluminum shear pin and raise the net back up.

PART 3 - EXECUTION

3.1 INSTALLATION OF EQUIPMENT

- A. All athletic equipment shall be installed as recommended with manufacturer's written directions, and as indicated on the drawings.
- B. Concrete anchoring foundations to be verified by a Structural Engineer based on local soil conditions and building codes.
- C. Installer should have a minimum of five (5) ball safety netting system installations or similar experience in the previous three (3) years.
- D. Contractor to touch up all damage to finishes after installation.

END OF SECTION

SECTION 26 56 68 EXTERIOR ATHLETIC LIGHTING

PART 1 - GENERAL

1.1 GENERAL REQUIREMENTS

- A. The conditions and general requirements of the Contract, Division 0 and applicable parts of Division 1, apply to the work under this Section.
- B. All references to products by manufacturer, trade name or performance Specifications bearing the connotation "or Approved Equal" shall be as determined by the Landscape Architect and the City, per MGL c. 30 s. 39M, part b, criteria 1.
- C. Work covered by this section of the specifications shall conform to the contract documents, engineering plans as well as state and local codes.

1.2 SUMMARY

- A. The purpose of these specifications is to define the performance and design standards for Glen Park / Capuano Schoolyard. The Contractor shall supply and install lighting equipment to meet or exceed the standards set forth in these specifications.
- B. The sports lighting will be for the following fields:
 - 1. Soccer Fields
- C. The Lighting System, including the Lights, Light Mounting, Poles, Precast Pole Bases, and Control and Monitoring System, shall be purchased by the Owner and delivered to the Contractor for installation at the site. The expected manufacturer of the lighting system is Musco Sports Lighting LLC (see below).
 - 1. The Contractor shall install all materials properly and in accordance with the Manufacturer's supplied instructions in order to meet or exceed all performance specifications indicated herein.
- D. The primary goals of this sports lighting project are:
 - 1. Guaranteed Light Levels: Selection of appropriate light levels impact the safety of the players and the enjoyment of spectators. Therefore light levels shall be guaranteed for a period of 25 years.
 - 2. Life-cycle Cost: In order to reduce the operating budget, the preferred lighting system shall be energy efficient and cost effective to operate. [All maintenance costs shall be eliminated, and the field(s) should be proactively monitored to detect fixture outages over a 25 year life-cycle. To allow for optimized use of labor resources and avoid unneeded operation of the facility, customer requires a remote on/off control system for the lighting system.]
 - 3. Control and Monitoring: To allow for optimized use of labor resources and avoid unneeded operation of the facility, customer requires a remote on/off control system for the lighting system. Field(s) should be proactively monitored to detect fixture outages over a 25 year life-cycle.

1.3 LIGHTING PERFORMANCE

- A. Performance Requirements: Playing surfaces shall be lit to an average constant light level and uniformity as specified in the chart below. Light levels shall be held constant for 25 years. Lighting calculations shall be developed and field

measurements taken on the grid spacing with the minimum number of grid points specified below. Average illumination level shall be measured in accordance with the IESNA LM-5-04. Light levels shall be guaranteed from the first 100 hours of operation for the maximum warranty period.

Area of Lighting	Average Constant Light Levels	Maximum to Minimum Uniformity Ratio	Grid Points	Grid Spacing
Soccer Area	30.76 fc	20 fc	2.0:1.0	70

1. Project References: Contractors must provide a minimum of five (5) comparable project references within the state of MA. Contractor will include project name, project city, and if requested, contact name and contact phone number for each reference.
- B. Mounting Heights: To ensure proper aiming angles for reduced glare and to provide better playability, the pole mounting heights from the playing field surface shall be as shown on the Drawings (C-1 and C-2).

1.4 LIFE-CYCLE COSTS

- A. Lamp Replacement, Preventive Maintenance, and Spot Maintenance shall be provided by the Manufacturer beginning upon acceptance of proper installation by the Contractor. Owner agrees to check fuses in the event of a luminaire outage.

1.5 WARRANTY AND GUARANTEE

- A. 25-Year Warranty: The manufacturer shall supply a signed warranty covering the entire system for 25 years. Warranty shall guarantee light levels; lamp replacements; system energy consumption; monitoring, maintenance and control services, spill light control, and structural integrity. Manufacturer shall maintain specifically-funded financial reserves to assure fulfillment of the warranty for the full term. Warranty may exclude fuses, storm damage, vandalism, abuse and unauthorized repairs or alterations. Group lamp replacements for constant light systems must occur in accordance with the independent test report provided by the manufacturer; alternate systems must relamp every 2100 hours.
- B. The Contractor shall guarantee all installation and workmanship per the General Conditions of the Contract.

1.6 DELIVERY TIMING

- A. Equipment On-Site: The equipment will be on-site 4-6 weeks from receipt of approved submittals and receipt of complete order information from the Owner. Delivery timing will be coordinated with the Contractor.

1.7 BASIS OF DESIGN AND PRE-BID SUBMITTAL REQUIREMENTS

- A. Basis of Design Manufacturer: Lighting System shall be manufactured by Musco Sports Lighting LLC of Muscatine, Iowa, or Approved Equal conforming to the Specifications herein and on the Drawings and per the requirements below.
- B. Basis of Design Product: Musco's Green Generation Lighting® sports lighting system, as outlined in Musco Project File Number 164520, is the pre-approved, Basis of Design product. Should any changes in the approved design take place, the Contractor will be notified in advance.

PART 2 - PRODUCT

2.1 LIGHTING SYSTEM CONSTRUCTION (FOR REFERENCE; NO PURCHASE BY CONTRACTOR IS REQUIRED)

- A. System Description: Lighting system shall consist of the following:
1. Galvanized steel poles and crossarm assembly.
 2. Pre-stressed concrete base embedded in concrete backfill allowed to cure for 12-24 hours before pole stress is applied. Alternate may be an anchor bolt foundation designed such that the steel pole and any exposed steel portion of the foundation is located a minimum of 18 inches above final grade. The concrete for anchor bolt foundations shall be allowed to cure for a minimum of 28 days before the pole stress is applied.
 3. All luminaires shall be constructed with a die-cast aluminum housing or external hail shroud to protect the luminaire reflector system.
 4. Manufacturer will remote all ballasts and supporting electrical equipment in aluminum enclosures mounted approximately 10' above grade. The enclosures shall include ballast, capacitor and touch-safe fusing to indicate when a fuse is to be replaced for each luminaire. Safety disconnect per circuit for each pole structure will be located in the enclosure.
 5. Wire harness complete with an abrasion protection sleeve, strain relief and plug-in connections for fast, trouble-free installation.
 6. Controls and Monitoring Cabinet to provide on-off control and monitoring of the lighting system, constructed of NEMA Type 4 aluminum. Communication method shall be provided by manufacturer. Cabinet shall contain custom configured contactor modules for 30, 60, and 100 amps, labeled to match field diagrams and electrical design. Manual Off-On-Auto selector switches shall be provided.
- B. Manufacturing Requirements: All components shall be designed and manufactured as a system. All luminaires, wire harnesses, ballast and other enclosures shall be factory assembled, aimed, wired and tested.
- C. Durability: All exposed components shall be constructed of corrosion resistant material and/or coated to help prevent corrosion. All exposed carbon steel shall be hot dip galvanized per ASTM A123. All exposed aluminum shall be powder coated with high performance polyester or anodized. All exterior reflective inserts shall be anodized, coated, and protected from direct environmental exposure to prevent reflective degradation or corrosion. All exposed hardware and fasteners shall be stainless steel of 18-8 grade or better, passivated and coated with aluminum-based thermosetting epoxy resin for protection against corrosion and stress corrosion cracking. Structural fasteners may be carbon steel and galvanized meeting ASTM A153 and ISO/EN 1461 (for hot dipped galvanizing), or ASTM B695 (for mechanical galvanizing). All wiring shall be enclosed within the crossarms, pole, or electrical components enclosure.
1. Enhanced corrosion protection package: Due to the potentially corrosive environment for this project, manufacturers must provide documentation that their products meet the following enhanced requirements in addition to the standard durability protection specified above:
 - a. Exposed carbon steel horizontal surfaces on the crossarm assembly shall be galvanized to a five (5) mil minimum average thickness.

- b. Exposed die cast aluminum components shall be Type II anodized per MIL-STD-8625 and coated with high performance polyester.
 - c. Exposed extruded aluminum components shall be Type II anodized per MIL-STD-8625 and coated with high performance polyester.
- D. Lighting Protection: Manufacturer shall provide integrated lightning grounding via concrete encased electrode grounding system as defined by NFPA 780 and be UL Listed per UL 96 and UL 96A. If grounding is not integrated into the structure, the Manufacturer shall supply grounding electrodes, copper down conductors and exothermic weld kits. Electrodes and conductors shall be sized as required by NFPA 780. The grounding electrode shall be not less than 5/8 inch diameter and 8 feet long, with a minimum of 10 feet embedment. Grounding electrode shall be connected to the structure by a grounding electrode conductor with a minimum size of 2 AWG for poles with 75 feet mounting height or less, and 2/0 AWG for poles with more than 75 feet mounting height.
- E. Safety: All system components shall be UL Listed for the appropriate application.

2.2 ELECTRIC POWER REQUIREMENTS FOR THE SPORTS LIGHTING EQUIPMENT

- A. Electric power: 277-480 Volt, 3 Phase. See also E-1, E-2, and 33 70 00.
- B. Maximum total voltage drop: Voltage drop to the disconnect switch located on the poles shall not exceed three (3) percent of the rated voltage.

2.3 SUPPORT SYSTEM STRUCTURAL REQUIREMENTS

- A. Support Structure Wind Load Strength: Poles and other support structures, brackets, arms, bases, anchorages and foundations shall be determined based on the 2009 IBC Building Code, wind speed of 110, exposure category C. Luminaire, visor, and crossarm shall withstand 150 mph winds and maintain luminaire aiming alignment.
- B. Structural Design: The stress analysis and safety factor of the poles shall conform to AASHTO 2009 (LTS-5) Standard Specifications for Structural Supports for Highway Signs, Luminaires and Traffic Signals.
- C. Soil Conditions: The design criteria for these specifications are based on soil design parameters as outlined in the geotechnical report. If a geotechnical report is not provided by the owner, the foundation design shall be based on soils that meet or exceed those of a Class 5 material as defined by 2009 IBC.

2.4 FOUNDATION DESIGN AND GEOTECHNICAL PARAMETERS

- A. Design Wind Parameters: 105 MPH (Exp. C, I = 1.0) per IBC 2009 Edition (ASCE 7-05). Actual wind speed and exposure must be verified for the site by the proper governing official.
- B. Geotechnical parameters:
 - 1. Allowable end bearing soil pressure: 2000 PSF
 - 2. Allowable lateral soil bearing pressure: 0 PSF/FT (urban fill); 100 PSF/FT (soft clay); 200 PSF/FT (hard clay) in accordance with IBC 2009 Chapter 18.
 - 3. Actual allowable soil parameters must be verified on site. See also Appendix A for Soil Boring Logs.

2.5 CONCRETE FOUNDATIONS

- A. The Concrete foundations shall comply with the Drawings (C-1 and C-2); Section 03 30 00 except as noted herein; and with the following standards: Mixture with ASTM C-94; Portland Cement with ASTM C-150 Type 1-A; Aggregates with ASTM C-33; and shall be in conformance with ACI 318.
- B. Concrete shall be air-entrained (comply with ASTM C-260), have a maximum water-cement ratio $w/cm = 0.43$, and have a minimum compressive strength at 28 days of 4000 PSI.
- C. Design slump limits are 4" minimum and 6" maximum. The job site slump may be increased by the use of a water reducing agent meeting ASTM C494-92.
- D. Concrete reinforcement shall comply with ASTM A615 Grade 60, except ties can be of Grade 40 and be in conformance with ACI 315 and 318.
- E. The top two feet of annulus may be backfilled with soil with a classification of Class 5 or better in accordance with IBC Table 1806.2

PART 3 - EXECUTION

3.1 FIELD QUALITY CONTROL

- A. Illumination Measurements: Upon substantial completion of the project and in the presence of the Contractor, Project Engineer, Owner's Representative, and Manufacturer's Representative, illumination measurements shall be taken and verified. The illumination measurements shall be conducted in accordance with IESNA LM-5-04.
- B. Correcting Non-Conformance: If, in the opinion of the Owner or his appointed Representative, the actual performance levels including footcandles, uniformity ratios, and maximum kilowatt consumptions are not in conformance with the requirements of the performance specifications and submitted information, the Manufacturer or Contractor (as applicable) shall be liable to any or all of the following:
 - 1. Manufacturer shall at his expense provide and install any necessary additional fixtures to meet the minimum lighting standards. The Manufacturer shall also either replace the existing poles to meet the new wind load (EPA) requirements or verify by certification by a licensed structural engineer that the existing poles will withstand the additional wind load.
 - 2. Manufacturer shall minimize the Owner's additional long term fixture maintenance and energy consumption costs created by the additional fixtures by reimbursing the Owner the amount of \$1,000.00 (one thousand dollars) for each additional fixture required.
 - 3. Manufacturer shall remove the entire unacceptable lighting system and install a new lighting system to meet the specifications.
 - 4. Should the performance be the result of improper installation or alignment of the provided fixtures on the provided poles, and not the result of a manufacturing deficiency, the Contractor shall be responsible for the realignment or adjustment of the supplied equipment at their sole expense.

3.2 FOUNDATION INSTALLATION AND POLE MOUNTING

- A. Concrete Foundations and reinforcement shall be installed per 03 30 00 except as noted herein.
- B. Concrete drilled piers must attain 3,000 PSI strength prior to pole installation and fixture mounting.
- C. The top 12'-0" shall be thoroughly consolidated by mechanical vibration during placement.
- D. Concrete shall be placed in a single continuous pour, or with a cold joint at the bottom of the precast base. If a cold-joint, two-pour method is used:
 - 1. With the reinforcement in place, the concrete below the bottom of the manufacturer-supplied precast pole base may be poured and allowed to set up for approximately four hours (cure long enough to support weight of precast base). The precast base may then be set in place and the rest of the concrete backfill poured.
- E. A Geotechnical Engineer or representative thereof is recommended but not required to be available at the time of the foundation installation to verify the Soil Design Parameters and to provide assistance if any problems arise in foundation installation.
- F. Encountering soil formations that will require special design considerations or excavation procedures may occur. Pole foundations will need to be analyzed according to the soil conditions that exist. If any discrepancies or inconsistencies arise, notify the Engineer noted on C-1 and C-2 of such discrepancies; foundations will then be revised accordingly. Revisions will be analyzed per recommendations directed by a licensed Structural Engineer.
- G. All excavations must be free of loose soil and debris prior to foundation installation and concrete backfill placement. Temporary casings or drillers' slurry may be used to stabilize the excavation during installation. Casings must be removed during concrete backfill placement. Concrete backfill must be placed with a tremie when slurry or water is present within the excavation, or when the free drop exceeds 6'-0".
- H. Contractor must be familiar with the Complete Soil Investigation Report and Borings (See Appendix A) and shall contact the preparer of the report (if necessary) to understand the soil conditions and the possibility of groundwater pumping and excavation stabilization or bracing during precast base installation and placement of concrete backfill.
- I. Prune adjacent trees as needed for proper lighting; see 31 13 00.

END OF SECTION

SECTION 31 00 00 EARTHWORK

PART 1 - GENERAL

1.1 GENERAL REQUIREMENTS

- A. The conditions and general requirements of the Contract, Division 0 and applicable parts of Division 1, apply to the work under this Section.
- B. The Contractor shall prior to any removal of surplus fill, excavated material, or debris from the site, furnish on a form supplied by the Owner, written evidence satisfactory to the Owner that he has an approved dumping location for debris and/or spoil from his/her excavation activities.
- C. The Contractor shall keep all public areas clean and free of dirt and debris during the construction period.

1.2 WORK INCLUDED

- A. Provide all labor, equipment, implements and materials required to furnish, install, construct and perform Earthwork as shown on the Drawings and as specified herein.
- B. To be included:

- 1. Excavating, filling, trenching and backfilling of all description required for the construction of pavements, safety surfaces, equipment, site improvements, filling voids left by play equipment and other removals, and all specialties. Provide all additional fill materials as required and specified herein.
- 2. Pumping and/or bailing necessary to maintain excavated spaces free from water from any source whatsoever.
- 3. Provide graded materials, as specified, for fills, base courses and backfills as required.
- 4. Perform all compaction of fill materials as hereinafter specified.
- 5. Obtain all required permits, licenses and approvals of appropriate municipal and utility authorities prior to commencing work of this Section 31 00 00, and pay all costs incurred therefrom.
- 6. If subgrade is deemed unsuitable for placement of subbase material or backfill, work under this Section shall include the additional excavation of 20 cubic yards of unsuitable material beyond the line and grades as shown on drawings, and as determined by the Landscape Architect. Such removals shall be measured by a Civil Engineer or Land Surveyor employed by the Contractor and verified by the Landscape Architect.

If this work is not performed, credit to the extent of unsuitable material removal less than twenty (20) cubic yards in total quantity shall be applied to the contract price at a value of \$35.00 per cubic yard. The contract price shall be reduced by the extent of the work not undertaken as called for in this Section. The contract price shall be increased, if additional work is authorized by the Landscape Architect, at a value of \$40.00 per cubic yard.

- a. For unsuitable material amounts greater or less than five (5) cubic yards, the unsuitable material shall be measured in place by a Civil Engineer employed by the Contractor with quantities verified by the Landscape

Architect. No unsuitable material removals shall be credited to the Contractor without prior measurements and verifications.

7. Work under this Section shall include the removal and backfill of twenty-five (25) cubic yards total of:
- a. Ledge in mass or in trench excavations, and/or;
 - b. Boulder over one (1) cubic yard in size in trench excavations, and/or;
 - c. Solid masonry or concrete foundations other than those for features indicated for removal on the drawings.

Such removals shall be measured by a Civil Engineer or Land Surveyor employed by the Contractor and verified by the Landscape Architect. No rock/foundation removals shall be credited to the Contractor without prior measurements and verifications.

If this work is not performed, credit to the extent of ledge or boulder or concrete masonry removal less than twenty-five (25) cubic yards in total quantity shall be applied to the contract price at a value of \$75.00 per cubic yard. The contract price shall be reduced by the extent of the work not undertaken as called for in this Section. The contract price shall be increased, if additional work is authorized by the Landscape Architect, at a value of \$90.00 per cubic yard.

- C. Examine all other Sections of the Specifications and all Drawings for the relationship of the work under this Section and the work of other trades. Cooperate with all trades and all departments of the City and coordinate all work under this Section therewith.
- D. The following related items are included under the Sections listed below.
1. Section 02 41 00 – Demolition and Site Preparation
 2. Section 03 30 00 – Cast-In-Place Concrete
 3. Section 32 10 00 – Bases, Ballasts, and Paving
 4. Section 32 32 00 – Site Walls
 5. Section 32 90 00 – Planting
 6. Section 33 00 00 – Utilities

1.3 SUBMITTALS

- A. Submit certified gradation test data for borrow materials a minimum of one week prior to delivery to the site.
- B. Provide 10-pound samples of each borrow material to a soil testing facility for moisture density testing a minimum of one week prior to delivery to site.

1.4 LAWS, ORDINANCES, PERMITS AND FEES

The Contractor shall:

- A. Give necessary notices, obtain all permits and pay all governmental taxes, fees and other costs in connection with this work, file all necessary plans, prepare documents and obtain all necessary approvals.
- B. Obtain all required certificates of inspection for this work and deliver same to the Landscape Architect before request for acceptance and final payment for the work.

- C. Include in the work, without extra cost to the Owner, any labor, materials, services, apparatus, drawings (in addition to contract drawings and documents) in order to comply with all applicable laws, ordinances, rules and regulations of the City and the Commonwealth of Massachusetts, whether or not shown on the Drawings and/or specified.
- D. The Contractor shall provide a temporary sidewalk whenever a sidewalk is closed because of the construction. This temporary sidewalk must be at the same level as the existing closed sidewalk and it must be visually partitioned off from the street and work area. The Contractor shall so conduct his operations as to interfere as little as possible with use ordinarily made to roads, driveways, alleys, sidewalks, or other facilities near enough to the work to be affected thereby.

1.5 DEFINITIONS

- A. The following related items are included herein and shall mean:
 - 1. S.S.H.B. - Standard Specifications for Highways and Bridges, the Commonwealth of Massachusetts, Department of Public Works, latest edition
 - 2. A.S.T.M. - American Society for Testing and Materials
- B. Rock excavation shall be defined as:
 - 1. Open rock excavation shall be classified as rock 3 cubic yards in size or larger.
 - 2. Trench rock excavation shall be classified as rock 1 cubic yard or larger.
 - 3. Ledge shall be classified as solid, continuous rock mass, unable to be removed without mechanical measures, and larger than the size/location conditions stated in sub-paragraphs 1 and 2 above.

1.6 BENCHMARKS AND ENGINEERING

- A. Lines and grade work in accordance with Drawings and Specifications shall be laid out by a registered Civil Engineer or registered Surveyor employed by the Contractor. The Contractor shall establish permanent benchmarks, to which access can easily be had during the progress of the work. The Contractor shall maintain all established bounds and benchmarks and replace, as directed, any which may be disturbed or destroyed. The selection of the registered Civil Engineer or Surveyor shall be approved by the Landscape Architect.
- B. The Contractor shall submit written confirmation of dimensions and elevations on the ground and report any discrepancies immediately to the Landscape Architect. Such confirmation shall bear the Engineer's registration stamp. Any discrepancies not reported prior to construction shall not be the basis of claims for extra compensation.
- C. The General Contractor shall not commence any excavation or construction work, until the Landscape Architect's verification has been received and approved by the City.

1.7 SUBSURFACE INFORMATION

- A. The Owner assumes no responsibility for the Contractor's failure to make his own site investigation and makes no representation regarding the character of the soil or subsurface conditions which may be encountered during the performance of the work.

1.8 FINISHED GRADES

- A. The words "finished grades" as used herein mean the required final grade elevations indicated on the Drawings. Where not otherwise indicated, site areas shall be given uniform slopes between points, for which finished grades are shown, or between such points and existing grade except that vertical curves or roundings shall be provided at abrupt changes in slope.

1.9 GRADES AND ELEVATIONS

- A. The Drawings indicate, in general, the alignment and finished grade elevations. The Landscape Architect however, may make such adjustments in grades and alignment as are found necessary in order to avoid interference and to adapt the grading to other special conditions encountered.

1.10 WORK IN THE PUBLIC WAYS

- A. Notify the appropriate municipal officials at least seven calendar days in advance of commencing any work in the public ways to obtain all required permission to perform this work. Perform all work in the public ways in a manner required by the municipal authorities, as per the direction of the Owner's Representative.
- B. Should there be any conflict between requirements specified in the Contract Documents and those of the City of Somerville, the municipal requirements shall govern.
- C. Do not close or obstruct any streets or sidewalks unless and until they have been discontinued by the appropriate municipal authority or unless and until he shall have first secured all necessary or other permits therefor. No materials whatsoever shall be placed or stored in the streets. Conduct all operations to interfere as little as possible with the use ordinarily made of roads, driveways, sidewalks, or other facilities near enough to the work to be affected thereby.

1.11 DISPOSITION OF EXISTING UTILITIES

- A. Active utilities existing on the site shall be carefully protected from damage and relocated or removed as required by the work. When an active utility line is exposed during construction, its location and elevation shall be plotted on the Record Drawings and both the Landscape Architect and the Utility Owner notified in writing.
- B. Inactive or abandoned utilities encountered during construction operations shall be removed, plugged or capped. The location of such utilities shall be noted on the Record Drawings and reported in writing to the Landscape Architect.
- C. Active utility lines damaged in the course of construction operations shall be repaired or replaced as determined by the Landscape Architect without added cost to Owner.
- D. Notify the Owner at least three (3) days in advance of the proposed time for shutting down or interrupting utilities or services which may affect operation of adjoining properties. Unless otherwise authorized by the Owner, schedule such interruptions on weekends, holidays, or before or after Owner's normal working day. In no case shall any services or utilities be interrupted prior to notification and authorization by the Owner.

1.12 PROTECTION

- A. All rules and regulations governing the respective utilities shall be observed in executing all work under this Section. All work shall be executed in such a manner

as to prevent any damage to existing streets, curbs, paving, service utility lines, structures and adjoining property. Monuments and benchmarks shall be carefully maintained and, if disturbed or destroyed, replaced as directed.

- B. The Contractor shall perform the installation, maintenance and removal of all sheet piling, shoring and bracing required for the protection of all items of this Contract affected by the work of this Section.
- C. The Contractor shall furnish all facilities and materials necessary to prevent the earth at the bottom of excavation from becoming frozen or unsuitable to receive footing or other load bearing units.
- D. The work of this Section shall be performed in such a manner as to cause no interference with access by the Subcontractors or other Contractors to all portions of the site as is necessary for the normal conduct of their work.
- E. Protect all areas to remain undeveloped outside the Contract limit lines. Should these areas be damaged, the Contractor shall restore them to the satisfaction of the Landscape Architect and Owner. This includes the repairing and replacement of all damaged conditions such as plant materials and similar items.
- F. Storm drains and other drainage structure shall be protected from dirt and debris during the construction process through the use of haybales and siltation fence, as shown on the Drawings.

PART 2 - PRODUCTS (NOT USED)

PART 3 - EXECUTION

3.1 GRADES AND ELEVATIONS

- A. Establish the lines and grades in conformity with the Drawings. Establish and maintain suitable stakes or batters at points where spot elevations are given on the Drawings and at any other points to be graded as directed by the Landscape Architect. Maintain sufficient reference points at all times during construction to properly perform the Contract installation.

3.2 EXCAVATION

- A. General
 - 1. Excavate all material to the elevations, dimensions and form as shown on the Drawings and as specified for the construction of site improvements and other structures necessary for the completion of the utilities and site work. All unsuitable materials within the indicated and specified limits shall be excavated and removed at no additional cost to the Owner. Any quantities involving an extra or other adjustment of the Contract Price shall be subject to measurement verification and approval by the Landscape Architect prior to the excavation and removal of such materials. Unsuitable materials shall include the following:
 - a. Pavements, utility structures, building foundations and other man-made structures.
 - b. Peat, organic silt and other organic materials subject to decomposition, consolidation or decay.

- c. Miscellaneous fill including cinders, ash, glass, wood, metal and ledge.
 - d. Ledge, or boulders except as specified for fills herein.
2. In general, the General Contractor shall be permitted to use machine excavation except for the final six (6) inches under footing, foundations, utility lines and structure, which shall be handwork. Also, all excavation in the planting areas and areas specified for tree protection shall be hand work or by air spade.
 3. If any part of the excavation is carried through error beyond the depth and dimensions indicated on the Drawings or specified herein, or if the foundation soils are disturbed by dewatering or other construction operation, the General Contractor shall, at his own expense, refill with gravel compacted to ninety-five (95) percent of the maximum dry density at optimum moisture content or with concrete as determined by the Engineer.
 4. When excavation has reached the prescribed depth, the Landscape Architect shall be notified and will make an inspection of the condition and approve the placing of fill material.
 5. The Contractor shall obtain from the proper authorities locations of all utilities within the scope of this work so that there will be no damage done to such utilities. Neither the Owner nor the Landscape Architect will be responsible for any such damage, and the Contractor shall restore any structure or utility so damaged without additional compensation. Attention is called to that fact that there are electric lines, and other utilities in certain locations within and adjacent to the sites. Written notifications to the appropriate utility agencies shall be made at least ten (10) days prior to the commencement of any work on those utilities.
 6. Wherever culverts, sewers, drains, manholes, catch basins, catch basin connections, water mains, valve chambers, utility tunnels, gas pipes, electric and telephone conduits, house service connections of any other underground constructions are encountered in excavating for utilities or any other site work, they shall be protected and firmly supported by the Contractor, at his own expense, until the trench is backfilled and the existing structures are made secure. Injury to any such structures caused by or resulting from the Contractor's operations shall be repaired at the Contractor's expense. The authority having charge of any particular underground structure shall be notified promptly of injury to its structure. All utility lines shall be noted on the required "as-built" plan.
 7. Excess material - Suitable excavation material which is allowable for fill and backfill shall be separately stockpiled as directed by the Landscape Architect. All surplus fill other than that required to complete the intent of the Contract shall become the property of the Contractor and shall be legally disposed of off the property by the General Contractor. All excavated materials which, in the opinion of the Landscape Architect are not suitable for fill and backfill shall be removed and legally disposed of off the property.
 8. Any unsanitary conditions encountered, such as broken sewer mains or uncovered garbage, shall be corrected or removed entirely as directed by the Landscape Architect.
- B. Excavation for Site Improvements.
1. Excavate to the lines and grades shown on the Drawings and as specified to obtain the subgrades for the site improvements.

2. Trenching for all water and drain lines shall comply with the standards in S.S.H.B., especially Section 150.64.
3. Existing service and utilities encountered shall be immediately repaired, protected and maintained in use until relocation of same has been completed or to be cut and capped where directed or be prepared for connection when so required.

3.3 SUBGRADE PREPARATION AND PROTECTION

A. General Requirements

1. All subgrade areas shall be made ready for fill by removal of all organic material, unsuitable soils and deleterious materials to firm natural ground as directed by the Landscape Architect.
2. Scarify, spot-fill, or otherwise treat the surface of areas to receive fill as necessary to remove holes, depressions, ruts, hummocks, or other uneven features.

B. Proof Rolling Subgrades

1. Prior to placement of fill, or bottom filter fabric where shown on drawings, proof roll natural ground by making a minimum of two passes with approved compaction equipment. Proof rolling may be waived by the Landscape Architect where excessively wet or saturated subgrade condition are encountered.

3.4 PROTECTION

- A. Protect open excavations with fencing, warning lights and other suitable safeguards. No open excavation shall be left without proper barriers and other devices necessary for public safety.
- B. Comply with local safety regulations or, in the absence thereof, with the provisions of the Manual of Accident Prevention in Construction of the Associated General Contractors of America, Inc.
- C. Frost Protection - Make no excavation to the full depth indicated when freezing temperature may be expected unless the footing or slabs can be poured immediately after the excavation has been completed. Protect the bottoms as excavated from frost, if placing of concrete is delayed, with straw, tarpaulins or temporary heat until footings or slabs poured and backfill is placed.
- D. Any ditching required to keep the site free from water during construction is the responsibility of the Contractor.

3.5 FILL AND COMPACTION

A. Samples and Testing -- See Earthwork Section 2.01A (Samples and Testing).

B. Compaction Equipment and Tests

1. Compaction equipment, unless otherwise specified, shall consist of heavy vibratory rollers, such as a Raygo 400 or other compaction equipment approved by the Landscape Architect. Equipment shall make a minimum of four (4) passes to achieve compaction as specified; to provide an evenly dense and compacted thickness throughout. All ruts shall be filled, the surface even and compacted to the density called for. The Landscape Architect retains the right to disapprove the use of any equipment that does

not meet the above Specifications or perform the work as intended. Any modifications of equipment or method must be approved by the Landscape Architect.

2. All fill material shall be compacted to at least ninety-five (95) percent of maximum density(s) determined by A.S.T.M. Test Designation D-1557, Method D or A.S.T.M. D-1556.
3. Compaction tests shall be performed at five (5) locations as directed by the Landscape Architect. (For multiple sites, requirements are for each site.)

C. Placing Fills and Compacting

1. Fill material shall be placed in horizontal layers not exceeding six (6) inches. Each layer shall be compacted to the percentage of maximum dry density specified for the particular type of fill and at a water content equal to optimum dry density and optimum water content shall be as specified herein.
2. Where water content of the fill must be adjusted to meet this Specification, the fill shall be thoroughly disked to insure uniform distribution of any water added.
3. Areas to be filled or backfilled shall be free of construction debris, refuse, compressible or decayable materials and standing water. Do not place fill when materials or layers below it are frozen.
4. Notify the Landscape Architect when excavation is ready for inspection. Filling and backfilling shall not be started until conditions have been approved by the Landscape Architect.
5. In confined areas adjacent to footings and foundation walls and in utility trenches, the fill shall be compacted with hand-operated vibration tampers. The maximum lift thickness shall be four (4) inches. The degree of compaction attained shall be equivalent to that attained in the adjacent open areas where heavy rolling equipment is used. Any areas that subsequently settle shall be refilled to true subgrade and properly compacted.

D. Placing Subbase Fills

1. Subbase fills, as specified herein above, shall be provided as subbase under all pavement unless otherwise called for, and as subbase under and/or around footings and as shown on the Drawings or specified.
2. Place subbase in six (6) inch maximum layers; fill and compact each layer to ninety-five (95) percent maximum dry density.

3.6 GRADING

- A. Do all grading required for the work including shaping, trimming, rolling and finishing of the surface of the subgrades for all surfaces. All ruts shall be eliminated. Grading for subgrades for paved areas shall be finished at the required depth below and parallel to the proposed surface within 1/4" in 10'-0" tolerance.
- B. If, during the progress of rough grading work, any water pipe, sewer, conduit, drain, or other construction is damaged as a result of operations under this Contract, the Constructor shall repair all such damage at no additional cost to the Owner and restore work to its original condition.
- C. Do all other cutting, filling and rough grading to the lines and grades indicated on the Drawings. Grade evenly to the finished grades shown on the Drawings. No stone larger than 3" in largest dimension shall be placed in upper 6" of fill.

- D. Grading shall be brought to bottom of base course under areas to be paved.
- E. Complete grading operations after site improvements are constructed, and all materials, rubbish and debris removed from the site. Leave subgrade for planting clean at required grades. Provide sufficient grade staking to witness correct lines and grades, as determined by the Landscape Architect.
- F. Where streets or sidewalks within or outside the limit of Contract lines have been excavated in fulfilling the work required under this Contract, the Contractor shall furnish and install all material necessary to bring finish surfaces level with the existing adjacent surfaces. All work shall be installed to match the existing conditions in accordance with the governing authority. Notify the proper authorities prior to restoring surfaces outside the limit of Contract line.

G. Tolerances

<u>Area</u>	<u>Max Grading Tolerance +/-</u>
1. Subgrade in landscaped areas	1/2" prior to placement of loam
2. Pavement areas	1/4" in 10'

END OF SECTION

THIS PAGE INTENTIONALLY
LEFT BLANK

SECTION 31 13 00 TREE PRUNING AND REMOVALS

PART 1 - GENERAL

1.1 GENERAL REQUIREMENTS

- A. The conditions and general requirements of the Contract, Division 0 and applicable parts of Division 1, apply to the work under this Section.
- B. Under this Section, the Contractor shall furnish all labor, materials, equipment and transportation required to complete all aspects of the work in accordance with all local, state and federal regulations in force at the time of this Contract and in accordance with the various Items specified herein.
- C. The work of this Section consists of all tree pruning and removal work and related Items as specified herein and includes, but is not limited to:
 - 1. Crown Cleaning;
 - 2. Crown Raising;
 - 3. Crown Reduction;
 - 4. Crown Thinning;
 - 5. Crown Training;
 - 6. Tree Removal (if required).
- D. All work in this section shall be performed by a Massachusetts Certified Arborist. (See 1.02, Qualification of Arborist, below.)
- E. All trees to be pruned or removed are located on the site. All trees indicated shall be inspected by the Arborist and Landscape Architect before work is to be done. In addition to trees indicated for removal on the Drawings, trees should be removed for the following reasons: dead trees, hazardous trees, or trees in serious decline, as determined by a certified Arborist. If the Arborist discovers tree(s) which have not been marked for removal and are intended for pruning, but whose condition is such that removal is warranted, whether due to death, disease, decay, damage, or structural weakness, such tree(s) shall not be pruned and the Arborist shall immediately report these findings in writing to the Owner and await the Owner's direction before proceeding with work on the particular tree(s) in question.
- F. The intent of this portion of the Contract is to identify trees that should be removed while pruning all remaining trees on the site to provide safety, protection of property, clearance of roadways, walks, buildings and luminaries, and to improve the overall structure of the trees.
- G. The Contractor is required to review and inspect the site regarding trees to be removed (as indicated on the Drawings) prior to bid proposal in order to form his/her own assumptions as to the ultimate cost of the work.
- H. The Contractor shall be required to measure the DBH (Diameter of the tree at 4.5' from the ground) of each tree pruned and to record the species of the tree and its overall condition after pruning. If a police detail is required, this report shall also include any police detail information. Payments will not be processed until this information is received.

1.2 QUALIFICATION OF ARBORIST

- A. Work on this section of the Contract shall be limited to individuals, partnerships and corporations who are actively engaged in the field of Arboriculture, and who demonstrate competence, experience and financial capability to carry out the terms of this project. Subcontractors must derive a majority of their income from arboricultural work. The Owner may require proof of these qualifications.
- B. Unless otherwise approved by the Owner, all work shall be conducted by qualified and trained personnel under the direct supervision of a Massachusetts Certified Arborist, in good standing. A Massachusetts Certified Arborist must be on site at all times during any pruning operations. The Contractor shall be required to provide proof of certification.
- C. Any subcontractor hired by the General Contractor to perform any portion of the work shall meet all qualifications herein and be acceptable to the Owner.

1.3 SPECIAL REQUIREMENTS

- A. Dutch elm disease wood (if any) shall be disposed of in accordance with provisions of General Laws, Chapter 87, Section 5, and Chapter 132, Section 8 and 11 as amended; and in accordance with any additional local regulations. All wood shall be removed from the site and be properly disposed of in accordance with state and local regulations.
- B. No burning is permitted on the project site.
- C. Prior to commencing work, the Contractor shall submit a plan for legal disposal of removed materials, acceptable to the Owner.
- D. The Contractor shall be required to place door hangers at all properties that abut a tree to be serviced. The door hanger will contain information regarding the City's intention to prune the trees near their property. The Contractor shall be required to indicate the date when the trees will be serviced on the door hanger. The door hanger is to be placed 48 hours in advance of the work. Door hangers will be provided by the Owner.

1.4 STANDARDS AND DEFINITIONS

- A. Pruning and Removals shall conform to the following:
 - 1. American National Standards Institute (ANSI): Standard A300-2001 Standard Practices for Tree Care Operations – Tree, Shrub and Other Woody Plant Maintenance
 - 2. American National Standards Institute (ANSI): Standard Z-133.1.-2001 Safety Requirements for Tree Care Operations – Pruning, Trimming, Repairing, Maintaining, and Removing Trees, and Cutting Brush
 - 3. All other applicable Occupational Safety and Health Administration (OSHA) standards, and state and local regulations.
- B. American National Standards Institute- (ANSI) is the private, non-profit organization that administers the safety and maintenance regulations for the Tree Care Industry.
- C. Crown Cleaning- The removal of dead, diseased, obstructing, split, and/or broken branches that are 2 inches in diameter or greater. Limbs that are susceptible to failure from dense or heavy foliar masses should be thinned.
- D. Crown Raising- The removal of lower tree branches to allow safe movement of vehicles and pedestrians under the canopy of the tree. Limbs above sidewalks shall

be no lower than 10 feet from the ground. Limbs over the road shall be no lower than 16 feet from the ground.

- E. Crown Reduction- The technique used to reduce the overall mass of the tree by thinning out the top and sides or just removing individual limbs of the tree. Reduction pruning is commonly associated with pruning away from buildings, structures, signs, lights and other overhead obstructions.
- F. Crown Thinning- The selective removal of branches to increase light penetration and air movement. No more than 25% of the trees living branches shall be removed.
- G. Crown Training- A pruning process that utilizes all the major pruning types to promote a strong central leader and strong scaffold branches on recently planted trees.
- H. D.B.H.- Diameter at breast height. The location on a tree 4.5 feet above ground where the diameter of the tree is measured.
- I. Massachusetts Certified Arborist- (MCA) An individual who is listed by the Massachusetts Arborist Association as a MCA who has passed a comprehensive exam and maintained their certification through the accumulation of continuing education credits.
- J. Occupational Safety & Health Administration- (OSHA) is the Federal agency responsible for insuring worker safety.
- K. Owner- the individual or designated representative responsible insuring the requirements of this Contract are adhered to.
- L. Street tree- Any tree planted and maintained with in the public right of way under the jurisdiction of the City of Somerville.

1.5 EXAMINATION OF SITE AND DOCUMENTS

- A. The Contractor shall be responsible for having a clear understanding of the existing conditions of the site before submitting a bid for this Contract and shall be responsible for fully carrying out the work of the Contract, regardless of actual site conditions encountered.

1.6 ORDER OF WORK

- A. Before any work is started, the Contractor shall attend a conference with the Owner and the Landscape Architect. The Contractor shall provide a list of trees that should be removed for the following reasons: dead trees, hazardous trees, or trees in serious decline. All trees to remain shall be pruned to provide safety, protection of property, clearance of roadways, walk, buildings and luminaries, and to improve the overall structure of the tree. The type of pruning to be performed includes but is not limited to crown cleaning, crown raising, crown reduction, crown thinning, and crown training. At this conference the Owner will also establish the order of precedence for carrying out the work.
- B. Based on the conference, the Contractor shall submit a schedule of work for the Owner's review and approval prior to beginning work. Any changes to this schedule must be approved by the Owner. Unless otherwise authorized by the Owner, failure of the Contractor to comply with the approved pruning and removal schedule shall be sufficient cause to give notice that the Contractor is in default of the Contract and will result in its termination. Unless otherwise authorized by the Owner, the Contractor must complete ALL pruning work within 40 business days from the notice to proceed.

1.7 CHANGES IN THE WORK

- A. The Owner reserves the rights to change, add, or delete areas or quantities to be pruned or removed as deemed to be in the City's best interest.
- B. No claim for extra compensation or extension of time will be allowed on account of actual conditions inconsistent with those assumed.
- C. Any alterations or modifications of the work performed under this contract shall be made only by written agreement between the Contractor and the Owner. No claims for extra work or materials shall be allowed unless covered by written agreement.

1.8 PROTECTION OF VEGETATION TO BE PRESERVED

- A. The Contractor shall protect all existing trees, shrubs and lawns designated to remain for the length of the construction period. The placement of protection devices, such as snow fence enclosures, shall, however, be at the Contractor's discretion except those required by the Owner.
- B. Damage no plant to remain by burning, by pumping of water, by cutting of live roots or branches, or by any other means. No plants to be saved shall be used for crane stays, guys or their fastenings. Vehicles shall not be parked within the dripline of trees to remain, or wherever damage may result to trees to be saved. Construction material shall not be stored beneath trees to be saved.
- C. The Contractor shall be liable for any damage to any tree, shrub or lawn to remain, and shall immediately report to the Owner for appraisal of any damage and for determination of corrective treatment of compensation to the Owner.
- D. The Contractor shall compensate the Owner for damages by installing replacement tree(s) of the size and species approved by the City, and of sufficient quantity such as the sum of the DBH inches for replacement trees equals the total DBH inches of the damaged tree(s). Damaged shrubs shall be replaced with shrub(s) of the same size, species, and quantity, unless determined otherwise by the Owner.
- E. Damaged shrubs or lawns shall be restored or replaced to match existing to remain to the satisfaction of the Owner, at no cost to the Owner.

PART 2 - MATERIALS

2.1 EQUIPMENT AND MATERIALS

- A. Equipment necessary for this Contract shall be properly maintained and in good operating condition to the City's satisfaction. The Contractor shall promptly remove and replace any equipment which the Owner deems to be in unsatisfactory repair or condition or otherwise unsuitable.
- B. At the discretion of the Owner, if the equipment failures, breakdowns or other related problems occur that are jeopardizing the meeting of deadlines established in the written schedule provided by the Contractor, the Contract will be terminated.
- C. Vehicles shall display prominently the Contractor's name, address, and telephone number on both doors.
- D. Aerial lift equipment shall be required for pruning and removal work unless otherwise approved by the Owner. Such equipment shall have a minimal working height of fifty-five (55) feet, and shall include an articulated upper boom, insulated lower boom, a ten to fifteen (10-15) cubic yard enclosed hydraulic dump body, pintlehook and attachments for a towed chipper, or approved equal.

- E. A chipper, meeting all OSHA requirements, shall be used which will process material up to twelve (12) inches in diameter.
- F. A crane or log loader shall be used on site to remove logs too large to be chipped.

2.2 PERSONNEL

- A. The Contractor shall submit each employee's name and title prior to the commencement of work. The Contractor shall provide a list of all Massachusetts Certified Arborists who will be working on this contract. This list shall include the names of those individuals and their certification number. The Contractor shall advise the Owner of any changes in the roster assigned to this contract.
- B. A crew shall consist of a minimum, one (1) tree trimmer/ climber, and one (1) ground person (one of which shall be a crew foreman and a Massachusetts Certified Arborist in good standing). The crew foreman shall have a minimum of five (5) years climbing and pruning experience.
- C. Each worker shall be experienced and highly qualified with necessary tree work skills to successfully complete this contract, including the ability and training to perform aerial rescue. Said skill shall also include worker safety and ability to be in compliance with current OSHA and ANSI Z-133.1 Standards.

PART 3 - EXECUTION

3.1 DESCRIPTION OF WORK

- A. Each tree to be pruned shall be serviced according to the following types of pruning, as needed: Crown Cleaning, Crown Raising, Crown Reduction, Crown Thinning and Crown Training.
- B. The Contractor shall adhere to the specifications and provide suitable facilities for inspecting the work. Failure of the Owner to immediately reject unsatisfactory work or to notify the Contractor of deviations from the Specifications shall not relieve the Contractor of responsibility to correct or remedy unsatisfactory work.
- C. The Contractor shall only work on trees designated by the Owner. No compensation will be made for work performed on any other trees.
- D. No removal is anticipated. If the Contractor discovers tree(s) which have been marked for pruning, but whose condition is such that removal is warranted, whether due to death, disease, decay, or structural weakness, such tree(s) shall not be pruned and the Contractor shall report these findings to the Owner, in writing, within 24 hours, and await the Owner's direction before proceeding with work on the particular tree(s) in question.
- E. Tree removal is generally described as the removal of individual trees that have been found to be dead, hazardous, and/ or otherwise marked for removal by the Owner.

3.2 USE AND CARE OF THE SITE

- A. The Contractor shall leave the work site at the end of each working period in a condition satisfactory to the Owner.
- B. Pavements shall be swept and lawns or other surfaces raked or otherwise cleaned of all material related to the work operation. Degree of clean up required will be described by the Owner at the Pre-construction Conference and will be based upon the character of the work area.

- C. All trimmings or any other form of debris shall be collected, chipped, hauled and disposed of properly in accordance with all applicable laws at the Contractor's expense.
- D. No over night parking of equipment will be allowed.

3.3 PRUNING PROCEDURES AND QUALITY CONTROL

- A. All pruning shall be performed in manner which maintains the natural aesthetic characteristics of the species and variety of trees. No topping or dehorning of trees or stubbing back of branches shall be permitted. All cuts shall be made to a lateral branch a minimum of one third (1/3) the size of the branch being removed, unless otherwise instructed by the Owner.
- B. The use of climbing spurs or spiked shoes shall not be permitted for pruning trees and their use will result in immediate cancellation of the Contract. They are only permitted during tree removal operations and emergency aerial rescue operations.
- C. All cuts shall be made sufficiently close to the parent stem so that wound closure can be readily started under normal conditions. Cuts shall never be made through the branch collar. Slab cuts, rip cuts and all other cuts that do not meet the most current edition of the ANSI A300 pruning standard will result in cancellation of the Contract.
- D. Trees shall be pruned to provide clearance around luminaires and buildings, and proper elevation over street and sidewalk surfaces to at least the following minimum specifications:
 - 1. Sidewalk/Paths – All branches shall be pruned to allow a minimum ten (10) foot clearance over sidewalks and paths, including proposed new paths.
 - 2. Luminaires – Any and all branches extending directly below a pedestrian light, limiting the light reaching the street or path, or between an area light/sports light and the target area, shall be removed, and all branches shall be cut back to afford a minimum four (4) foot clearance.
 - 3. House/Building – All branches shall be pruned to allow a minimum of five (5) foot clearance away from homes and buildings, or if possible ten (10) foot clearance where trees will not be severely disfigured due to crown reduction, this shall be determined by the City Arborist.
 - 4. Street/Roads – All branches shall be pruned to allow a minimum sixteen (16) foot clearance over street surface.
- E. All limbs over two inches in diameter to be removed shall be precut to prevent splitting. Any branches that would injure the tree or other objects by falling shall be lowered to the ground by proper rigging and rope procedures.
- F. Remove one of two crossed or rubbing branches where practical so the removal will not leave large holes in the general outline of the tree.
- G. On trees known to be diseased, tools are to be disinfected with alcohol after each cut between trees and where there is known to be a danger of transmitting the disease on tools.
- H. Lateral branches as well as occasional water sprouts may be retained. Complete removal of secondary laterals and water sprouts resulting in the stripping of major limbs, will not be permitted.

3.4 REMOVAL PROCEDURES AND QUALITY CONTROL

- A. Trees designated to be removed shall be taken down and all leaves, branches and trunks of trees properly disposed of by chipping or removal from the premises.
- B. Trees are to be felled in such a manner that does not injure trees to be saved or endangers or harms the public and adjacent property.
- C. Removal of all parts of each tree, excluding the stump, shall be completed on the same day that the removal process is started, including the trunk (or butt) of the tree.
- D. Stump removal shall consist of grinding the stump and any roots to a depth of six inches below grade and the disposal of the wood waste. The area or tree pit is to be left at the finish grade using the specified planting mix that meets the requirements laid out in section 32 90 00. Unless otherwise approved by the Owner, the stump must be removed within ten (10) business days from the date the above ground portion of the tree is removed.

3.5 SAFETY

- A. All equipment to be used and all work to be performed must be in full compliance with all standards as promulgated by OSHA at the time of bidding, including, but not limited to those regulations concerning noise levels, protective devices and operator safety.
- B. The Contractor shall be solely responsible for pedestrian and vehicular safety and control within the work site and shall protect the public and its property from injury or damage that could be caused by the progress of the work. To this end the Contractor shall post all work areas. The Contractor must also provide police details and / or erect and maintain protective devices acceptable to the City Arborist, including but not limited to barricades, lights and warning signs.
- C. Any practice employed by the Contractor that is obviously hazardous, as determined by the City Arborist, shall be immediately discontinued.

3.6 FINAL ACCEPTANCE

- A. Upon completion of the work the Contractor shall notify the Owner in writing and request that a final inspection for acceptance be made.

END OF SECTION

THIS PAGE INTENTIONALLY
LEFT BLANK

SECTION 32 10 00 BASES, BALLASTS, AND PAVING

PART 1 - GENERAL

1.1 GENERAL REQUIREMENTS

- A. The conditions and general requirements of the Contract, Division 0 and applicable parts of Division 1, apply to the work under this Section.
- B. All references to products by manufacturer, trade name or performance Specifications bearing the connotation "or Approved Equal" shall be as determined by the Landscape Architect and the City, per MGL c. 30 s. 39M, part b, criteria 1.

1.2 WORK INCLUDED

- A. Provide all labor, equipment, implements and materials required to furnish, install, construct and perform all paving operations complete as shown on drawings and specified herein.
- B. Work includes, but is not limited to the following:
 - 1. Fill Materials;
 - 2. Bituminous Concrete Patching (full depth and top course areas);
 - 3. New Concrete Pad.

1.3 REFERENCES

- A. Examine all other sections of the Specifications and all Drawings for the relationship of the work under this Section and the work of other trades. Cooperate with all trades and all departments of the City of Somerville and coordinate all work under this Section.
- B. The following related items are included under the Sections list below:
 - 1. Section 02 41 00 – Demolition and Site Preparation
 - 2. Section 03 30 00 – Cast-In-Place Concrete
 - 3. Section 31 00 00 – Earthwork
 - 4. Section 33 70 00 – Electrical Utilities

1.4 DEFINITIONS

- A. The following related items are included herein and shall mean:
 - 1. S.S.H.B. - Standard Specifications for Highways and Bridges, the Commonwealth of Massachusetts, Department of Public Works, latest edition.
 - 2. A.S.T.M. - American Society for Testing and Materials.
 - 3. A.A.S.H.T.O. - American Assoc. of State Highway & Transportation Officials.

1.5 JOB CONDITIONS

- A. Start of work under this Section shall constitute acceptance of the foundation conditions to which this work is to be applied. Any defects in work resulting from such conditions shall be corrected under this Section, at no extra cost to the Owner.

- B. Maintain sub-base in satisfactory condition and properly drained until surface improvement is placed.

1.6 SUBMITTALS

- A. Do not order materials or begin installation of work of this Section until Owner approval of submittals has been obtained.

1.7 PROTECTION

- A. All existing items indicated to remain on the Drawings, including but not limited to furnishings, trees, play equipment, or any installed improvements, shall be protected from any damage during paving. Any damaged materials shall be replaced at the expense of the Contractor. For tree protection fencing, see Drawings.
- B. Ensure that a safe, ADA-compliant Accessible Route in the public right-of-way remains open during all paving work, including drying and curing periods. The safe pedestrian alternate route shall be clearly marked at the public sidewalks.

PART 2 - PRODUCTS

2.1 FILL MATERIALS

All fill used to bring site to subgrade shall be subbase fill as defined below.

- A. Reuse of Existing Material In Place:
 - 1. As the existing pavements are generally true to grade and have not substantially subsided or heaved, the existing base course material may be reused provided that it is, in the judgment of the Landscape Architect and the Owner, essentially suited for continued use after the pavements above have been removed.
 - 2. The Contractor shall be responsible for protecting the quality and integrity of the base material after the pavements have been removed, and shall be responsible for its removal and replacement at no additional cost to the Owner if, after exposure and acceptance for reuse, it becomes contaminated with other soils which would render it unsuitable for reuse. The Contractor shall re-compact all disturbed areas due to removals.
- B. Samples and Testing:
 - 1. All new fill material and its placement shall be subject to quality control testing. A qualified laboratory will be selected by the Owner to perform test on materials. All costs of testing will be paid for by the Contractor. Test results and laboratory recommendations shall be available to the Landscape Architect. Submit one test for each material source proposed for use.
 - 2. Provide samples of each fill material from the proposed source of supply. Allow sufficient time for testing and evaluation of results before material is needed. Submit samples from alternate source if required.
 - 3. The Landscape Architect will be sole and final judge of suitability of all material.
 - 4. The laboratory will determine maximum dry density and optimum water content in accordance with ASTM D1557, Method D and the in-place density in accordance with ASTM D1556.

5. Test of material as delivered may be made from time to time. Materials in question may not be used, pending test results. Tests of compacted materials will be made regularly. Remove rejected materials and replace with new, whether in stockpiles or in place.
 6. Cooperate with laboratory in obtaining field samples of in-place materials after compaction. Furnish incidental field labor in connection with these tests.
- C. Compacted Graded Gravel / Structural Fill
1. All new material under paving shall be compacted graded gravel; all footings and all voids left from equipment removal shall be filled with compacted graded gravel.
 2. All structural fill shall meet the specifications of M1.03.1 "Processed Gravel for Subbase" in S.S.H.B. Submit sample and test results to Contracting Officer for approval.
- D. Drainage Stone (3/4" Crushed Stone):
1. Drainage stone, or 3/4" crushed stone, shall be 3/4" (except where other size indicated on the Drawings) clean, angular stone of a hardness suitable for use in structural applications. Drainage Stone shall comply with M2.01.4 of SSHB.
- 2.2 BITUMINOUS CONCRETE PAVEMENT PATCHING (FULL DEPTH OR TOP COURSE)
- A. Pavement: Shall be bituminous concrete Class I-1 conforming to the Standard Specifications. Full-depth bituminous concrete shall be laid in two (2) courses with a minimum finished pavement depth after rolling of 4".
 - B. Base Course: Shall consist of 2 1/2" minimum thickness. Composition of mixture shall be dense mix conforming to requirements for binder course.
 - C. Wearing Course: Shall consist of 1 1/2" minimum thickness. Composition mixture shall be dense mix conforming to requirements for top course.
- 2.3 CONCRETE PAVING
- A. Cast-in-place concrete shall be Class D, air-entrained concrete conforming to the requirements and applicable provisions of Section 701 of the S.S.H.B. Minimum 28-day compressive strength shall be 4,000 psi. Concrete shall be air-entrained 6% with a three (3") to four (4") inch maximum slump.
 - B. For all specifications other than above (4000 PSI), Concrete Paving shall conform to the materials, procedures, performance standards, formwork requirements, and all other specifications in Section 03 30 00, Cast-In-Place Concrete.

PART 3 - EXECUTION

3.1 FILL MATERIALS

- A. Fill materials shall be installed in accordance with Section 31 00 00, Earthwork (special attention is directed to 31 00 00.3.05, Fill and Compaction) and as indicated on the Drawings.

3.2 BITUMINOUS CONCRETE PAVEMENT

- A. Grades: All grades in pavement areas shall be established and maintained to a tolerance of 1/4" in 10'-0".
- B. Installation to comply with all standard and specifications set forth in the Massachusetts Highway Department S.S.H.B.
- C. Edges of Bituminous Concrete Pavement and transitions to adjacent materials shall be even and smooth. Allow 12" overlap of top-course bituminous concrete over existing base course outside the sawcut line to provide a smooth transition.

3.3 CONCRETE PAVING

- A. Concrete paving shall be installed according to the specifications contained in section 03 30 00, Cast In Place Concrete.
- B. Edges of concrete pavement shall be even and smooth.
- C. Concrete paving shall have a light broom finish perpendicular to the primary direction of travel. Walks and pads shall be sloped to drain away from buildings and structures, 1.5% typical.

3.4 GRADE STAKES

- A. Install and maintain grade stakes, as directed. All subgrades must be approved before base course construction.

3.5 FINISH GRADES

- A. The words "finish grades" as used herein mean the required final grade elevations.

END OF SECTION

SECTION 32 92 00 TURF AND GRASSES

PART 1 - GENERAL

1.1 GENERAL REQUIREMENTS

- A. The conditions of the Contract and Division 1 General Requirements apply to the work under this Section.
- B. The Work of this section is integral with the whole of the Contract Documents and is not intended to be interpreted outside the context. This Section consists of the provision of all materials, labor, equipment and the like for the complete execution of all planting and lawn establishment and related items as indicated on the Drawings and/or as specified herein.
- C. All references to products by manufacturer, trade name or performance Specifications bearing the connotation "or Approved Equal" shall be as determined by the Landscape Architect and the City, per MGL c. 30 s. 39M, part b, criteria 1.
- D. Contractor shall comply with all laws, regulations, and quarantines for agricultural and horticultural products.

1.2 WORK INCLUDED

- A. The principal Work of this Section consists of all planting work, including the provision of all materials, labor, equipment, services and incidentals necessary to complete all of the Work in accordance with the Contract Documents, and the like for the complete execution of all planting and related items, as indicated on the Drawings and/or as specified herein and includes, but is not limited to the following:
 - 1. Topsoil (loam borrow), Fine Grading and Loaming;
 - 2. Soil Additives;
 - 3. Grass Seed;
 - 4. Hydroseeding;
 - 5. Maintenance and protection of new lawns, until final acceptance.

1.3 SPECIAL CONDITIONS

- A. No burning will be permitted on the project site.
- B. Prior to commencement of Work, the Contractor shall submit a plan for legal disposal of removed materials, acceptable to the Owner.

1.4 REFERENCES

- A. Examine all other Sections of the Specifications and all Drawings for the relationship of the work under this Section and the work of other trades. Cooperate with all other trades and all departments of the City of Boston and coordinate all work under this Section therewith.
- B. The following related items are included under the Sections listed below:
 - 1. Section 02 41 00 - Site Preparation and Demolition
 - 2. Section 31 00 00 - Earthwork - Clearing, Excavation, Filling and Grading
 - 3. Section 31 13 00 - Selective Tree and Shrub Removal and Trimming

1.5 SUBMITTALS AND PRODUCT LITERATURE

- A. Prior to ordering the below listed materials, submit representative samples to Landscape Architect for selection and approval, in accordance with requirements of General Condition and special provisions as follows. Do not order material until Landscape Architect's approval has been obtained. Delivered materials shall closely match the approved samples.
- B. For each product or material used, submit manufacturer's product data, including installation instructions, use, limitations and recommendations.
- C. Submit the following samples:
 - 1. Topsoil: The Contractor shall provide a one (1) cubic foot representative sample from each proposed source for testing and approval as directed by the Landscape Architect. The Contractor shall deliver samples to testing laboratory prior to any loaming and shall have the testing report sent directly to the Landscape Architect, and pay all costs.
 - a. Mechanical and chemical (pH soluble salts) analysis shall be by public extension service agency or a certified private testing laboratory in accordance with the current standards of the Association of Official Agricultural Chemists and approved by Landscape Architect.
 - b. Report shall be submitted at least one (1) month before any loaming is to be done. Soil tests shall be for Nitrate Nitrogen, Ammonium Nitrogen, Phosphorus, Potassium, Calcium, Aluminum, Soluble Salts and Lead, and show acidity and USDA classification of the soil.
 - c. Report shall include recommendations based on the analysis and the proposed planting.
 - 2. Submit material specifications and installation instructions where applicable attesting that soil additives, fertilizer, and lime, meet the requirements specified.
 - 3. Seed specifications.
 - 4. Submit information on hydroseeding machinery.

1.6 PRODUCT DELIVERY AND HANDLING

- A. All topsoil, whether from stockpiles on site or loam borrow, shall be stored in piles not to exceed six feet in height, and shall not be handled when frozen or not in a friable condition.
- B. All grass seed shall be delivered in standard size bags of the vendor, showing weight, analysis, and name of vendor, and shall be delivered and stored in such manner that its effectiveness will not be impaired. All seed shall be delivered and handled so as to meet all product requirements at the time it is put in place.

1.7 DEFINITIONS

- A. The following related items are included herein and shall mean:
 - 1. SSHB: The Commonwealth of Massachusetts, Department of Public Works, Standard Specifications for Highways and Bridges, latest edition
 - 2. AOAC: Association of Official Agricultural Chemists
 - 3. AAN: American Association of Nurserymen

1.8 CERTIFICATE OF ACCEPTANCE AND GUARANTEE FOR PLANTINGS

- A. Upon completion of all seeding, and following written verification by the Landscape Architect, the Contractor shall maintain all lawns for ninety (90) days or through the end of the growing season, whichever comes later. After the maintenance period, the Contractor shall request of the Landscape Architect, in writing, an inspection to determine whether the lawn establishment is acceptable. If the plant material and workmanship are acceptable, written notice will be given by the Landscape Architect to the Contractor stating that the guarantee period begins from the date of the Certificate of Acceptance.
- B. Lawns shall be guaranteed for a period of one (1) year after inspection and acceptance and shall be alive and in satisfactory growth at the end of the guarantee period. The sum of 10% of the total cost of the planting shall be retained and paid to the Contractor after replacements have been made, one (1) year from acceptance of original planting. Any lawn replacement shall come with a new one (1) year guarantee.
- C. At the end of the guarantee period, inspection will be made again. Any lawn required under this contract that is dead or unsatisfactory shall be removed from the site. Each lawn area shall show at least 75% healthy growth. These lawns shall be replaced during the normal planting season, until the plants live through one year. A final inspection for acceptance will be made after the replacement plantings have lived through one (1) year.
- D. All replacements shall be with seed of the same kind and size specified. The cost shall be borne by the Contractor.

1.9 EXAMINATION OF SITE CONDITIONS

- A. All areas to be seeded shall be inspected by the Contractor before starting work and any defects shall be reported to the Landscape Architect prior to beginning this work. The commencement of work by the Contractor shall indicate his acceptance of the areas to be planted and he shall assume full responsibility.

1.10 ENVIRONMENTAL REQUIREMENTS

- A. Contractor shall not work on or with soils when they are dry, wet, or frozen. Field Test: Form soil in palm of hand; if soil retains shape and crumbles upon touching, then it may be worked (if it will not retain its shape, it is too dry; if it does not crumble, it is too wet). Landscape Architect shall be final authority on condition of soil.

1.11 PROTECTION

- A. The Contractor shall be liable for any damage to property caused by the work, and all areas disturbed shall be returned to their original condition to the satisfaction of the Landscape Architect. During all work of this section, the Contractor shall protect all site improvements from contact with agricultural chemicals, soil amendments, and fertilizers.
- B. The Contractor shall provide all erosion, sedimentation, and environmental controls necessitated by site and governing codes.
- C. Damage no plant to remain by burning, by pumping of water, by cutting of live roots or branches, or by any other means. No plant to be saved shall be used for crane stays, guys, or their fastenings. Vehicles shall not be parked within the dripline of trees to remain, or wherever damage may result to trees to be saved. Construction material shall not be stored beneath trees to be saved.

1.12 QUALITY ASSURANCE

- A. Qualifications: Hydroseeding shall be performed only by a certified landscape contractor with experienced workmen familiar with proper procedures and under the supervision of a qualified supervisor. Contractor shall have a minimum of five (5) years experience with Work similar in nature and scope to this Section.

1.13 WARRANTIES

- A. All lawns to be guaranteed for one (1) year from date of substantial completion. Any replacement material shall come with a new one (1) year guarantee.
- B. Manufacturers shall provide their standard guaranties for work specified in the Section. However, such guaranties shall be in addition to and not in lieu of all other liabilities which manufacturers and Contractor may have by law or by other provisions of the Contract Documents.

PART 2 - PRODUCTS

2.1 TOPSOIL (LOAM BORROW)

- A. Loam shall be a "fine sandy loam" or a "sandy loam" determined by mechanical analysis and based on the USDA classification system. It shall be of uniform composition, without admixture of subsoil. It shall be free of stones greater than one inch, lumps, plants and their roots, debris and other extraneous matter over one inch in diameter or excess of smaller pieces of the same materials as determined by the Landscape Architect. It shall not contain toxic substances harmful to plant growth. It shall be obtained from naturally well drained areas which have never been stripped before and have a history of satisfactory vegetative growth. Loam shall contain not less than 4% nor more than 10% organic matter as determined by the loss on ignition of oven-dried samples. Test samples shall be oven-dried to a constant weight at a temperature of 230 F, plus or minus 9.
- B. Loam shall provide a rich, organic layer of planting soil that is also well-drained. Loam shall be a mixture of topsoil, compost and sand.
- C. Loam shall have an acidity range of pH 5.6 to pH 6.5.
 - 1. The amount of either sulfur or limestone required to adjust the planting loam to the proper pH range (above) shall be determined by the Landscape Architect on the basis of soil tests as specified herein.

2.2 SOIL ADDITIVES

- A. Commercial fertilizer, peat, humus or other additives shall be used to counteract soil deficiencies as recommended by the soil analysis and as directed by the Landscape Architect.
 - 1. Commercial fertilizer shall be a product complying with the State and United States Fertilizer Laws. Deliver to the site in the original unopened containers which shall bear the manufacturer's Certificate of Compliance covering analysis which shall be furnished to the Landscape Architect. At least 50% by weight of the Nitrogen content shall be derived from organic materials. Fertilizer shall contain the percentages of weight of ingredients as follows, or as recommended by the soil analysis when that is significantly different:

	<u>Nitrogen</u>	<u>Phosphorus</u>	<u>Potash</u>
For all plants	10%	10%	10%

- B. Ground dolomite limestone shall be an approved agricultural limestone containing not less than 85% of total calcium or magnesium carbonates. Limestone shall be ground to such fineness that 50% will pass through a 100 mesh sieve and 90% will pass through a 20 mesh sieve.
- C. Humus shall be natural humus, reed peat or sedge peat. It shall be free from excessive amounts of zinc, low in wood content, free from hard lumps and in a shredded or granular form. According to the methods of testing of A.O.A.C., latest edition, the acidity range shall be approximately 5.5 pH to 7.6 pH and the organic matter shall be not less than 85% as determined by loss on ignition. The minimum water absorbing ability shall be 200% by weight on an oven-dry basis.
- D. Peat moss shall be composed of the partly decomposed stems and leaves of any or several species of sphagnum moss. It shall be free from wood, decomposed colloidal residue and other foreign matter. It shall have an acidity range of 3.5 pH to 5.5 pH as determined in accordance with the methods of testing of A.O.A.C., latest edition. Its water absorbing ability shall be a minimum of 1,100% by weight on an oven-dry basis.
- E. Superphosphate: Superphosphate shall be composed of finely ground phosphate rock as commonly used for agricultural purposes containing not less than 18% available phosphoric acid.
- F. Water retention gel shall be used if needed. Mix with soil per manufacturer's directions.

2.3 GRASS SEED

- A. Grass seed for lawn areas shall be fresh, clean, dry, new crop seed, which meets the standard of the Federal Seed Act. Seed shall be mixed in proportion by weight and testing the minimum percentages of purity and germination. Seed shall be nursery grown seed composed of grasses grown from the following seed mixtures.

Lawn areas:

% by Weight	Common Name of Grass	% Purity	% Germination
35	Creeping Red Fescue	97	85
15	Pennifine Perennial Rye	98	90
50	Kentucky Bluegrass	96	85

- B. Weed seed shall not exceed 0.5% by weight. Bluegrass cultivar shall be Midnight, Ram I, Merit, Baron, or approved equal. Fescue cultivar for lawn area shall be Jamestown II, Chewings fescue, Reliant hard fescue, Warwick or SR5000 Chewings fescue or approved equal
- C. Seed mix shall be by: Lesco, Inc., Waltham, MA (ph. 1.781.893.6660), Northeast Nursery, Inc., Peabody, MA (ph. 1.978.535.6550), or Pacific Northwest Seeds, Waltham, MA., (ph. 1.781.694.9011), or Approved Equal.

2.4 WOOD CELLULOSE FIBER MULCH

- A. Mulch to cover hydroseeded areas shall be fiber processed from whole wood chips manufactured specifically for standard hydraulic mulching equipment. Fiber shall not be produced from recycled material such as sawdust, paper, or cardboard.

- B. Moisture content shall not exceed 10%, plus or minus 3%, as defined by the pulp and paper industry standards. Fiber shall have a water holding capacity of not less than 900 grams water per 100 grams fiber.
- C. The mulch shall be of such character that the fiber will be dispersed into a uniform slurry when mixed with water. It shall be nontoxic to plant or animal life.
- D. The mulch shall contain a non-petroleum based organic tackifier and a green dye to allow for easy visual metering during application but shall not be injurious to plant growth. Tackifier shall be Hydrotack or approved equal.

2.5 WATER

- A. The Contractor shall be responsible to furnish his/her own supply of water to the site at no extra cost. If possible, the Owner shall furnish the Contractor upon request with an adequate source and supply of water at no charge. However, if the Owner's water supply is not available or not functioning, the Contractor shall be held responsible to furnish adequate supplies at his own cost. All work injured or damaged due to the lack of water, or the use of too much water, shall be the Contractor's responsibility to correct. Water shall be free from impurities injurious to vegetation.

2.6 PROTECTIVE FENCING

- A. Protect existing trees as directed in 01 57 00.

PART 3 - EXECUTION

3.1 FINE GRADING AND LOAMING

- A. After existing pavement has been removed, existing vegetation has been either removed and stockpiled for transplant or removed, scarify subgrade, remove compacted areas and then spread loam mix.
- B. After the areas to be loamed have been brought to subgrade, and immediately prior to dumping and spreading the loam, the subgrade shall be loosened by disking or rototilling to a depth of at least three inches (3") to permit bonding of the loam to the subsoil. Remove all stones greater than two inches (2") and all debris or rubbish. Such material shall be removed from the site.
- C. Loam shall be placed and spread over approved areas to a depth sufficiently greater than six inches (6") so that after natural settlement and light rolling, the completed work will conform to the lines, grading and elevations indicated. Supply additional loam, after testing and approval, as may be needed to give the specified depths and finished grades under the contract without additional cost to the Owner.
- D. No subsoil or loam shall be handled in any way if it is in a wet, dry, or frozen condition.
- E. Sufficient grade stakes shall be set for checking the finished grades. Grades shall be established which are accurate to one-tenth (1/10th) of a foot either way. Connect contours and spot elevations with an even slope.
- F. After lime, fertilizer, and humus if required have been spread and incorporated into the bed, it shall be carefully prepared by scarifying or harrowing and hand raking. All large stiff clods, lumps, brush, roots, stumps, litter and other foreign matter, and stones over one inch (1") in diameter shall be removed from the loam. Loam shall also be free of smaller stones in excessive quantities as determined by the

Landscape Architect. If lawn is to be hydroseeded, lime and fertilizer may be applied with seed.

- G. The whole surface shall then be rolled with a hand roller weighing not more than 100 lbs. per foot of width. During the rolling, all depressions caused by settlement or rolling shall be filled with additional loam and the surface shall be regraded and rolled until presenting a smooth and even finish to the required grade.

3.2 SOIL ADDITIVES

- A. Follow all recommendations for soil additives as determined by an approved Soil Testing Laboratory, and all manufacturers' instructions pertaining to additives.

3.3 HYDROSEEDING

- A. Limit of seeding shall be shown on the Drawings, in addition to all existing lawn areas on the site disturbed in the process of the Work and not replaced with another material, whether noted on the Drawings or not. All areas on the plan shall be loamed and seeded only after written approval of the finished grading or as directed by the Landscape Architect. All seeded areas are to be hydroseeded.
- B. The actual planting of seed shall be done only during periods within this season which are normal for such work as determined by weather conditions and be accepted practice in this locality. At his/her option and on his/her responsibility the Contractor may plant seed under unseasonable conditions without additional compensation, but subject to the Architect's approval as to time and methods.
- C. Planting may be done between August 15 and October 15, or between April 15 and June 15.
- D. Soil additives shall be spread and thoroughly incorporated into the layer of loam and the upper 1 inch of the underlying subsoil by harrowing or other methods approved by the Architect. The following soil additives shall be incorporated:
 - 1. Ground limestone as required by soil analysis to achieve a pH of 6.0 to 6.5.
 - 2. Fertilizer as required by soil analysis.
 - 3. Superphosphate at the rate of 20 lbs. Per 1,000 square feet.
 - 4. Humus as required by soil analysis.
- E. Seeding of lawns shall be done only by experienced workmen under the supervision of qualified foreman. Seeding shall consist of soil preparation, rolling, hydroseeding, weeding, fertilizing, watering and otherwise providing all labor and materials necessary to secure the establishment of acceptable turf.
- F. The soil on which the seed is spread shall be reasonably moist and shall be watered, if directed by the Architect. The seeded areas shall be watered evenly and at a rate of 5 gallons per square yard, unless otherwise directed by the Architect.
- G. Contractor shall place and maintain barriers (in a neat condition) around hydroseeded areas to keep people off during the first sixty (60) days.
- H. The application of grass seed, fertilizer, limestone, and a suitable wood fiber or other mulch shall be accomplished in one operation for hydroseeding.
- I. Hydroseeding shall be done by use of an approved spraying machine, which shall be operated only by personnel thoroughly familiar with this type of seeding operation.

- J. Prior to starting work, Contractor shall furnish the Architect with a certified statement as to the number of pounds of materials to be used per 100 gallons of water and the number of square feet to be covered with the quantity of solution in the hydroseeder.
1. Materials shall be mixed with water in the machine and kept in an agitated state in order that the materials may be uniformly suspended in the water.
 2. Solution shall be sprayed evenly over the area so that resulting deposits of all materials shall equal the required rates.
 3. Spraying equipment shall be thoroughly cleaned and flushed prior to start of work and after every ten acres.
 4. When inoculum is required, if the inoculum is left in the solution with fertilizer for longer than thirty minutes, a fresh charge of inoculum shall be added to the mixture.

3.4 MAINTENANCE AND PROTECTION OF LAWNS

- A. During construction, Contractor is responsible for mowing all of the existing lawn within the Limit of Work shown on the drawings. This includes the portion of lawn within the no cut / no fill zone.
- B. Maintenance shall begin immediately after an area is planted and shall continue until final acceptance. The minimum maintenance period shall be ninety (90) calendar days after completion of all plant installations. Watering and mowing shall be done by the Contractor for the full 90 days. If 90 day period has not elapsed before watering, mowing, and maintenance must stop due to cold weather, the remaining days of the maintenance period will be fulfilled when the growing season begins the following spring.
- C. Maintenance shall consist of keeping the grass in a healthy growing condition and shall include replacements, watering, weeding, cultivating, fertilizing, re-seeding, and mowing,
- D. Contractor shall warrantee lawn for one (1) year after acceptance.
- E. Protection: Seeded areas shall be protected against trespassing and damage of any kind. This shall include the provision and installation of approved temporary fencing if necessary. If any lawn becomes damaged or injured by vandalism or neglect prior to provisional acceptance, the Contractor shall treat or replace them at his own expense.
- F. Watering of Lawn Areas:
1. First week: The Contractor shall provide all labor and arrange for all watering necessary for rooting of the seed. In the absence of adequate rainfall, watering shall be performed daily or as often as necessary during the first week and in sufficient quantity to maintain moist soil to a depth of at least 4 inches. Watering shall not be done during the heat of the day to help prevent wilting.
 2. Second and Subsequent weeks: The Contractor shall water the lawn as required to maintain adequate moisture, until final acceptance, in the upper 4 inches of soil.
 3. Watering shall be done in a manner that will provide uniform coverage, prevent erosion due to application of excessive quantities over small areas, and prevent damage to the finished surface by the watering equipment. The Contractor shall furnish sufficient watering equipment to apply one (1) complete coverage to the lawn areas in an eight (8) hour period.

- G. Mowing: The first mowing of lawn areas shall not be attempted until the seed is firmly rooted and secure in place. Not more than 40% of the grass leaf shall be removed by initial or subsequent mowings. Grass height shall be maintained between 2 inches and 2-1/2 inches unless otherwise specified. Thereafter grass shall be maintained at 2 inches until acceptance.
- H. Fertilizing: A second application of fertilizer, as specified herein, shall be applied approximately 6 weeks after the seed has been installed as directed by the Landscape Architect. Fertilizer shall be applied at the rate of 10 pounds per 1,000 square feet.
- I. Erosion Control: Contractor is responsible for soil stabilization while lawns are being established. Erosion control methods include mulching and installation of biodegradable mesh.

3.5 FINAL ACCEPTANCE OF LAWN AREAS

- A. Contractor is to maintain all lawn upon installation. Ninety day maintenance period begins after all lawn has been planted. After the 90 day maintenance period, lawn areas will be reviewed for final acceptance.
- B. Conditions of Final Acceptance
 - 1. Lawn acceptance shall be given for entire completed lawn area. No partial acceptance shall be given.
 - 2. Lawns shall exhibit uniform, thick, well-developed stand of grass. Lawn areas shall have no bare spots.
 - 3. No lawn areas or plant beds shall exhibit signs of damage from erosion, washouts, gullies, or other causes.
 - 4. Pavement surfaces and site improvements adjacent to lawn areas and plantings shall be clean and free of spills from placing or handling of loam borrow and seeding/planting operations.
- C. Inspection and Final Acceptance
 - 1. Upon completion of 90 day maintenance period, the Contractor shall request the Landscape Architect's review to determine if work is acceptable.
 - a. If work is not accepted, Landscape Architect will issue a written list of outstanding work. Maintenance period to be extended until completion of work.
 - b. Contractor shall notify Landscape Architect when outstanding work is completed and ready for review. When work is complete, as determined by Landscape Architect, a letter of Final Acceptance will be issued.

END OF SECTION

THIS PAGE INTENTIONALLY
LEFT BLANK

SECTION 33 05 23 TRENCHLESS UTILITY INSTALLATION

PART 1 - GENERAL

1.1 GENERAL REQUIREMENTS

- A. The conditions and general requirements of the Contract, Division 0 and applicable parts of Division 1, apply to the work under this Section.
- B. The Contractor shall prior to any removal of surplus fill, excavated material, or debris from the site, furnish on a form supplied by the Owner, written evidence satisfactory to the Owner that he has an approved dumping location for debris and/or spoil from his/her excavation activities.
- C. The Contractor shall keep all public areas clean and free of dirt and debris during the construction period.

1.2 WORK INCLUDED

- A. Provide all labor, equipment, implements and materials required to furnish, install, construct and perform Trenchless Electric Conduit Installation in certain areas as shown on the Drawings and as specified herein.
- B. To be included:
 - 1. Excavation of drilling and receiving pits.
 - 2. Drilling of a pilot hole at prescribed line and grade.
 - 3. Reaming of the hole (if needed).
 - 4. Pullback of the conduit through the hole.
 - 5. All incidental work such as (to the extent that any of the following are applicable) horizontal and vertical control points, survey, grids, permits, slurry treatment and disposal, shoring and casing of the pits if required, and all else necessary for the complete installation of the conduits in accordance with these specifications and contract drawings and without disturbance to existing paving intended to remain in place.
- C. Examine all other Sections of the Specifications and all Drawings for the relationship of the work under this Section and the work of other trades. Cooperate with all trades and all departments of the City and coordinate all work under this Section therewith.
- D. The following related items are included under the Sections listed below.
 - 1. Section 02 41 00 – Demolition and Site Preparation
 - 2. Section 31 10 00 – Earthwork
 - 3. Section 32 10 00 – Bases, Ballasts, and Paving
 - 4. Section 33 00 00 – Electrical Utilities

1.3 SUBMITTALS

- A. Complete methodology specific to the trenchless conduit installation, including equipment specifications and capabilities, size of pilot hole, number and size of pre-reams, use of rollers, baskets, and side booms (if any) to suspend and direct conduit

during pull back, and type and capabilities of pilot hole tracking system (if needed) including tolerances and operating personnel.

- B. Contractor to submit specifications on drilling equipment to be used to ensure that the equipment will be adequate to complete the project.
- C. NOTE: Alternate methods (including but not limited to Horizontal Directional Drilling, Horizontal Boring Units for Compaction Drilling, and Pneumatic Mole systems) may all be proposed provided that they are capable of performing the required work (installation of appropriately sized electrical conduit at appropriate depths) without disturbance to the existing pavements above.

1.4 LAWS, ORDINANCES, PERMITS AND FEES

The Contractor shall:

- A. Give necessary notices, obtain all permits and pay all governmental taxes, fees and other costs in connection with this work, file all necessary plans, prepare documents and obtain all necessary approvals.
- B. Obtain all required certificates of inspection for this work and deliver same to the Landscape Architect before request for acceptance and final payment for the work.
- C. Include in the work, without extra cost to the Owner, any labor, materials, services, apparatus, drawings (in addition to contract drawings and documents) in order to comply with all applicable laws, ordinances, rules and regulations of the City and the Commonwealth of Massachusetts, whether or not shown on the Drawings and/or specified.
- D. The Contractor shall provide a temporary sidewalk whenever a sidewalk is closed because of the construction. This temporary sidewalk must be at the same level as the existing closed sidewalk and it must be visually partitioned off from the street and work area. The Contractor shall so conduct his operations as to interfere as little as possible with use ordinarily made to roads, driveways, alleys, sidewalks, or other facilities near enough to the work to be affected thereby.

1.5 DEFINITIONS

- A. The following related items are included herein and shall mean:
 - 1. S.S.H.B. - Standard Specifications for Highways and Bridges, the Commonwealth of Massachusetts, Department of Public Works, latest edition
 - 2. A.S.T.M. - American Society for Testing and Materials

1.6 SUBSURFACE INFORMATION

- A. The Owner assumes no responsibility for the Contractor's failure to make his own site investigation and makes no representation regarding the character of the soil or subsurface conditions which may be encountered during the performance of the work except to the extent shown in Appendix A, Soil Boring Logs.

1.7 WORK IN THE PUBLIC WAYS

- A. Notify the appropriate municipal officials at least seven calendar days in advance of commencing any work in the public ways to obtain all required permission to perform this work. Perform all work in the public ways in a manner required by the municipal authorities, as per the direction of the Owner's Representative.

- B. Should there be any conflict between requirements specified in the Contract Documents and those of the City of Somerville, the municipal requirements shall govern.
- C. Do not close or obstruct any streets or sidewalks unless and until they have been discontinued by the appropriate municipal authority or unless and until he shall have first secured all necessary or other permits therefor. No materials whatsoever shall be placed or stored in the streets. Conduct all operations to interfere as little as possible with the use ordinarily made of roads, driveways, sidewalks, or other facilities near enough to the work to be affected thereby.

1.8 DISPOSITION OF EXISTING UTILITIES

- A. Active utilities existing on the site shall be carefully protected from damage and relocated or removed as required by the work. Active utility lines damaged in the course of construction operations shall be repaired or replaced as determined by the Landscape Architect without added cost to Owner. See also 31 00 00, Earthwork.

1.9 JOB CONDITIONS AND PROTECTION

- A. Environmental Requirements
 - 1. Drilling operations must not interfere with or endanger surface and activity upon the surface. Areas outside designated work areas should not be disturbed. Examine work area and notify City of conditions that may adversely affect work.
 - 2. Contractor shall conduct operations and schedule cleanup in a manner to cause the least possible obstruction and inconvenience to traffic, pedestrians and to adjacent property owners.
- B. The Contractor shall carry out the operations in strict accordance with all applicable health and safety regulations.
- C. All rules and regulations governing the respective utilities shall be observed in executing all work under this Section. All work shall be executed in such a manner as to prevent any damage to existing streets, curbs, paving, service utility lines, structures and adjoining property. Monuments and benchmarks shall be carefully maintained and, if disturbed or destroyed, replaced as directed.
- D. The work of this Section shall be performed in such a manner as to cause no interference with access by the Subcontractors or other Contractors to all portions of the site as is necessary for the normal conduct of their work.

PART 2 - PRODUCTS

2.1 CONDUITS AND CONNECTIONS

- A. Electrical Conduit and Connections shall be as specified in 33 70 00 and as shown on the Drawings (E-1 and E-2), subject to the approval of the City of Somerville Department of Inspectional Services.
- B. The Contractor shall take precautions to protect the conduit while being handled. Conduit shall be stored on clean, level ground to prevent undue scratching or gouging of the conduit. Conduit with gouges greater than 10% of the minimum wall thickness will be rejected.

- C. The Contractor shall comply with the manufacturer's storage and handling requirements.

2.2 DIRECTIONAL DRILLING EQUIPMENT

A. General:

1. As a minimum, the directional drilling equipment shall consist of a rig of sufficient capacity to perform the bore and pullback the conduit, personnel meeting the training requirements, and all other equipment required to complete the installation, including if necessary a drilling fluid mixing, delivery and recovery system of sufficient capacity to successfully complete the bore, and a vacuum truck of sufficient capacity to handle the drilling fluid volume.
 - a. Several different systems are acceptable, provided that the Contractor will certify that they are capable of performing the work described herein. These may include Mini or Maxi Horizontal Directional Drilling; Horizontal Boring and Compaction Drilling units; and so-called Pneumatic Mole systems, depending on the complexity of the work. The Contractor should select the most cost-effective method of achieving the desired work results.
 - b. The Contractor has the option of using a drilling fluid recycling system capable of removing solids from the drilling fluid so that the fluid can be re-used. Depending on conditions and equipment, drilling fluid may not be required. Submit appropriate information on proposed methodology to the Landscape Architect for approval.
2. Prior to delivery to the site, all drilling equipment shall be serviced, inspected for damage and repaired as necessary. The equipment shall be in good, safe operating condition.

B. Drilling System:

1. The drilling machine shall consist of a hydraulically powered system or mechanically driven system (depending on project complexity) to bore, push, and pull hollow drive pipe or conduit into the ground at a horizontal angle.
2. The hydraulic or mechanical power system shall be selfcontained with sufficient pressure and volume to power drilling operations. Hydraulic system (if used) shall be free of leaks.
3. Rig shall not exceed the conduit's rated maximum pull-back pressure during pull-back operations, either through limitations within the rig or through proper monitoring during the execution..
4. The rig shall be properly grounded in accordance with accepted industry standard practices.
5. All equipment to be used shall be appropriate to the size and length of the excavation and the soil type, per accepted best practices in the industry.

PART 3 - EXECUTION

3.1 NOTIFICATIONS

- A. The City must be notified 48 hours in advance of starting work. The Directional Drilling shall not begin until the City is present at the job site and agrees that proper preparations for the operation have been made.

- B. The City's approval for beginning the installation shall in no way relieve the Contractor of the ultimate responsibility for the satisfactory completion of the work as authorized under the Contract.

3.2 CONSTRUCTION PRACTICES

- A. Repair of Damaged Sections: Segments of conduit having cuts or gouges on the exterior of the conduit in excess of 10% of the minimum wall thickness of the conduit shall be cut out and removed or that section of conduit will be rejected. The undamaged portions of the conduit shall be rejoined using an appropriate joining method.
- B. Conduit Joining: Sections of PVC conduit should be joined into continuous lengths on the job site above ground. The joining method shall be performed in strict accordance with the conduit manufacturer's recommendations.
- C. Installation Tolerances: Conduit shall be installed to the approximate lines and alignments shown on the drawings, at appropriate depths per the Drawings and Specifications, subject to field modification with the City's and Engineer's approval based on actual conditions encountered.
 - 1. The City reserves the right to reject conduits installed not meeting the tolerance requirements specified herein. It will be the responsibility of the Contractor to replace or repair rejected work with conduit meeting these requirements. No additional compensation shall be provided to the Contractor for replacement of conduit not meeting tolerance requirements.
- D. It is the responsibility of the Contractor to implement means and procedures compatible with anticipated ground conditions. The Contractor shall have a representative who is thoroughly knowledgeable of the equipment and procedures present at the job site during the entire installation and available to address immediate concerns and emergency operations.
- E. If any condition is encountered that stops the forward progress of drilling operations, the Contractor shall determine the best course of action. The Contractor may be allowed to abandon the completed portion in place and start a new hole as directed by the City at no additional cost to the City.
- F. Contractor shall take responsibility for the restoration of any damage caused by heaving, settlement, separation of pavement, escaping drilling fluid, or other aspects of the operation, at no cost to the City.
- G. The installation of the electrical conduit into the bore hole shall be on the same day that the bore is completed to ensure the necessary support exists.
- H. The required conduit shall be assembled in a manner that minimizes the obstruction of adjacent roadways, driveways or public activities. The Contractor shall erect temporary fencing around entry and exit staging areas as needed.

3.3 PERSONNEL REQUIREMENTS

- A. All personnel shall be fully trained in their respective duties as part of the directional drilling crew and in safety.

3.4 DRILLING PROCEDURE

- A. General Methodology: Several procedures/rigs are acceptable, as appropriate to the scale of the proposed work and the installation requirements, including but not limited to Horizontal Directional Drilling (Maxi or Mini); Horizontal Boring; Compaction

Drilling; and Pneumatic Mole systems. The method and equipment used shall be suitable to the proposed work and to the soil conditions expected, subject to standard industry practices, but shall otherwise be at the discretion of the Contractor.

- B. Site Preparation: Work site as indicated on drawings, within right of way, shall be protected and shall provide a level working area. No alterations beyond what is required for operations are to be made. Contractor shall confine all activities to designated work areas.
- C. Environmental Protection: Contractor shall place silt fence between all drilling operations and any drainage, wetland, waterway or other area designated for such protection by contract documents, state, federal and local regulations as noted in 01 57 00. Additional environmental protection necessary to contain any hydraulic or drilling fluid spills shall be put in place, including berms, liners, turbidity curtains and other measures. Contractor shall adhere to all applicable environmental regulations.
- D. Safety: Contractor shall adhere to all applicable state, federal and local safety regulations and all operations shall be conducted in a safe manner.
- E. Pilot Hole:
 - 1. The Contractor shall follow the conduit alignment as shown on the Drawings, subject to adjustments as agreed to in the field with the Contractor, Landscape Architect, and City. If further adjustments are required, the Contractor shall notify the City for approval prior to making the adjustments.
 - 2. In the event of difficulties at any time during operations requiring the complete withdrawal from the bore, the Contractor may be allowed to withdraw and abandon the bore and begin a second attempt at a location approved by the City.
 - 3. In the event (if applicable) that a drilling fluid fracture, inadvertent returns or returns loss occurs during pilot hole drilling operations, contractor shall cease drilling and advise the City. The Contractor along with the manufacturer of the rig or drilling mud supplier or his geotechnical engineer shall advise the City in writing the proposed method to deal with breakout.
 - 4. Establish an entry angle so that the curvature of the pilot hole does not exceed the allowable bending radius of the conduit. Entrance and exit angles of the drill should range between 8 and 20 degrees and 5 and 10 degrees respectively. Direct horizontal boring is also acceptable.
 - 5. If drilling mud is used during the drilling process, the Contractor shall limit mud pressure in the borehole to not exceed that which can be supported by the overburden to prevent heaving or hydraulic fracturing of the soil.
- F. Conduit Installation:
 - 1. Conduit shall be installed in accordance with the instruction of the manufacturer, as shown on the Drawings and as specified herein.
 - 2. Care shall be taken in loading, transporting and unloading to prevent injury to the conduit. Conduit or fitting shall not be dropped. All conduit or fitting shall be examined before installation, and no piece shall be installed which is found to be defective. Any damage to the conduit shall be repaired as directed by the City. If any defective conduit is discovered after it has been installed, it shall be removed and replaced with a sound conduit in a satisfactory manner by the contractor, at his own expense.

3. After the pilot hole is completed, the Contractor shall enlarge the hole by prereaming (if needed), and install a swivel to the reamer and commence pullback operations.
 4. The pilot hole shall be back-reamed to accommodate and permit free sliding of the product inside the borehole according to industry standards.
 5. The conduit being pulled into the bore shall be protected and supported by rollers if necessary so that it moves freely and is not damaged by debris on the ground during installation. The conduit may not be dragged across the ground surface.
 6. Pullback forces shall not exceed the allowable pulling forces for the product conduit. The thickness of the conduit shall be increased by Contractor at their cost if pullback forces are anticipated to exceed the allowable pulling force on the specified conduit.
 7. The Contractor shall allow sufficient lengths of conduit to extend past the termination point 12 inches minimum to allow connections to adjacent conduit sections or manholes. Pulled conduit shall be allowed 12 hours of stabilization prior making tie-ins. The length of extra product conduit shall be at the Contractor's discretion.
- G. Drilling Fluid (If Used):
1. Disposal of excess drilling fluid and spoils will be the responsibility of the Contractor who shall comply with all relevant regulations, right-of-way, work space, and permit agreements. Excess drilling fluid and spoils shall be disposed of properly. The Contractor is responsible for transporting all excess drilling fluid and spoils to the disposal site and paying any disposal costs. Excess drilling fluid and spoils shall be transported in a manner that prevents accidental spillage onto roadways. Excess drilling fluid and spoils shall not be discharged into sanitary or storm systems, ditches or waterways.
 2. Drilling fluid returns (caused by fracturing of formations) at locations other than the entry and exit points shall be minimized. The Contractor shall immediately clean up any drilling fluid that inadvertently surfaces.
 3. The Contractor shall be responsible for all fees and provisions for a clean water supply for mixing of drilling fluid.

3.5 PROTECTION

- A. Protect open excavations with fencing, warning lights and other suitable safeguards. No open excavation shall be left without proper barriers and other devices necessary for public safety.
- B. Comply with local safety regulations or, in the absence thereof, with the provisions of the Manual of Accident Prevention in Construction of the Associated General Contractors of America, Inc.
- C. Frost Protection - Make no excavation to the full depth indicated when freezing temperature may be expected unless the footing or slabs can be poured immediately after the excavation has been completed. Protect the bottoms as excavated from frost, if placing of concrete is delayed, with straw, tarpaulins or temporary heat until footings or slabs poured and backfill is placed.
- D. Any ditching required to keep the site free from water during construction is the responsibility of the Contractor.

3.6 CLEANING, SITE RESTORATION AND INSPECTION

- A. Following drilling operations, Contractor will demobilize equipment and restore the worksite to original condition. All mud shall be disposed of by the Contractor.
- B. The Contractor is required to maintain the work site in a neat and orderly condition throughout the period of work and after completing the work at each site, remove debris, surplus material and temporary structures erected by the Contractor. Upon completion of work, the site must be restored to its former condition.

END OF SECTION

SECTION 33 70 00 ELECTRICAL UTILITIES

PART 1 - GENERAL

1.1 GENERAL REQUIREMENTS

- A. The conditions and general requirements of the Contract, Division 0 and applicable parts of Division 1, apply to the work under this Section.
- B. All references to products by manufacturer, trade name or performance Specifications bearing the connotation "or Approved Equal" shall be as determined by the Landscape Architect and the City, per MGL c. 30 s. 39M, part b, criteria 1.
- C. The term "This Contractor" as used under this section and on the Electrical Drawings (E1 and E2) shall mean the Electrical Contractor, but shall not absolve the General Contractor of the responsibility for ensuring the proper completion of all work specified herein.

1.2 WORK INCLUDED

- A. Provide all labor, equipment, implements and materials required to furnish, install, construct and perform all site improvements complete as shown on the Drawings and specified herein.
- B. The Contractor shall pay for all costs and fees related to connecting the utilities and shall file all applications, details, and drawings required by the local authority having jurisdiction.
- C. To be included, but not limited to the following:
 - 1. Conduits, sleeves, handholes, wiring, and connections as needed to install all lighting elements and related materials noted on the Drawings.

1.3 REFERENCES

- A. Examine all other Sections of the Specifications and all Drawings for the relationship of the work under this Section and the work of other trades. Cooperate with all trades and all departments of the City and coordinate all work under this Section therewith.
- B. The following related items are included under the Sections listed below:
 - 1. Section 02 41 00 – Demolition and Site Preparation
 - 2. Section 26 56 68 – Exterior Athletic Lighting
 - 3. Section 31 00 00 – Earthwork
 - 4. Section 32 10 00 – Paving, Color Coating & Sport Court Surfacing

1.4 SUBMITTALS

- A. Shop Drawings and Samples
 - 1. Provide complete Shop Drawings and/or samples and catalog cuts for all items called for on the Drawings and as specified and in accordance with applicable requirements under Division 1.
 - 2. Submit Shop Drawings and product data within thirty (30) days after award of the Contract. Check, stamp, and mark with project name all submittals

before transmitting to Landscape Architect. Indicate all proposed deviations from Contract Documents.

3. Electrical Component Submittals:
 - a. Wiring Diagram and Shop Drawings showing all clearances, connections, and components for review by Department of Public Works;
 - b. Electrical conduits, fittings, and switches as required;
 - c. Straps and clamps for mounting as required;
 - d. Handholes as needed for proper installation and as shown on the Drawings.

1.5 PRODUCT DELIVERY, STORAGE AND HANDLING

- A. Deliver materials in manufacturer's original unopened and undamaged packages with labels legible and intact.
- B. Store materials in unopened packages in a manner to prevent damage from the environment and construction operations.
- C. Handle in accordance with manufacturer's instructions.
- D. The Contractor shall be solely responsible for all materials stored on the site once delivered. Any materials left unsecured at the job site shall be solely at the contractor's own risk.

1.6 REFERENCE STANDARDS AND SPECIFICATIONS

- A. Perform work strictly as required by rules, regulations, standards, codes, ordinances, and laws of local, state, and federal government, and other authorities that have lawful jurisdiction.
- B. All materials and installations for Electrical components shall be in accordance with the latest edition of the Massachusetts Electrical Code, OSHA codes, National Electrical Codes, and NFPA, and all applicable local codes and ordinances. Materials and equipment shall be listed by Underwriters Laboratories (UL). Special Attention shall be paid to the latest edition of the following standards:
 1. City of Somerville Department of Public Works Regulations and Standards
 2. American National Standards Institute ANSI
 3. American Society for Testing & Materials ASTM
 4. National Fire Protection Association NFPA
 5. Occupational Safety & Health Administration OSHA
 6. Underwriter's Laboratories, Inc. UL
- C. The above listed codes and standards are referenced to establish minimum requirements; wherever this Section requires higher grades of materials and workmanship than required by the listed codes and standards, this Section shall apply. In the event a conflict occurs between the above listed codes and standards and this Section, the more stringent requirement shall govern.

1.7 MAINTENANCE KIT

- A. At the completion of construction, the Contractor shall provide to the City Department of Public Works, Parks Maintenance Division, a Maintenance Kit

containing all touch-up paint, maintenance instructions, spare parts, and other maintenance materials provided by the manufacturers of all improvements.

- B. The Maintenance Kit shall be delivered in a single container clearly labeled with the Park Name, and each item shall be identified as to the source.

1.8 PERMITS AND FEES

- A. This Contractor shall give all necessary notices, obtain all necessary permits and licenses, file necessary plans and pay all fees and any back charges for permits and inspections. Permit fees are the responsibility of the Contractor as part of his bid, as is all coordination with the local utilities. Contractor is also responsible for obtaining any site specific utility requirements for this project prior to the start of construction and notifying local utilities for all inspections prior to backfilling, etc.

PART 2 - PRODUCTS

2.1 ELECTRICAL SYSTEM: GENERAL

- A. Materials and products furnished shall be designed for the intended use, shall meet all requirements of the latest edition of the National Electric Code (NEC), and all local codes.
- B. Materials shall be manufactured in accordance with the standards indicated in this Section, and typical industry standards and codes for the products specified. Materials and equipment shall be Underwriter's Laboratory (UL) listed, and ASME and AGA approved, for the intended service.
- C. The materials used shall be new, unused, and of the best quality for the intended use. All equipment shall have the manufacturer's name, address, model or type designation, serial number and all applicable ratings clearly marked thereon in a location which can be readily observed after installation. The required information should be marked on durable nameplates that are permanently fastened to the equipment.
- D. Electrical equipment shall at all times during construction be adequately protected against mechanical injury or damage by water. Electrical equipment shall not be stored outside exposed to the elements. If any equipment or apparatus is damaged, such damage shall be repaired at no additional cost, or replaced at no additional cost as directed by the Landscape Architect.

2.2 EMBEDMENT MATERIALS AND DUCT BANKS

- A. Backfill containing large rock, paving materials, cinders, large or sharply corrosive material shall not be placed in an excavation where materials may:
 - 1. Damage raceways, cables, or other substructures;
 - 2. Prevent adequate compaction of fill; or
 - 3. Contribute to corrosion of raceways, cables, or other substructures.
- B. Where necessary to prevent physical damage to the raceway or cable, protection shall be provided in the form of granular or selected material, suitable running boards, suitable sleeves, or other approved means.
 - 1. Provide concrete encasement around sleeves, running boards, etc. under all paved areas, with 3" minimum cover on all sides of all sleeves.

2. Provide sleeves and encasements under paved areas for current and/or future use where so indicated on the Drawings, including the Landscape plans. Spare (unused) raceways shall include pull lines.
 3. Raceways in duct banks shall be separated by 7.5" minimum on center.
- C. Crushed stone fill shall consist of clean, crushed stone conforming to that specified in Section 31 00 00, EARTHWORK.
- D. Sand fill for service lines shall be clean washed sand.

2.3 RACEWAYS

- A. Rigid Metallic Conduit: UL6 and ANSI C80.1.
- B. Flexible Metallic Conduit: UL1. Liquidtight flexible metal conduit shall be used in wet locations.
- C. Polyvinyl Chloride (PVC) Conduit, electrical, gray, Schedule 40 or Schedule 80 as specified, meeting the requirements of UL 651 and NEMA TC-2. If concrete encasement is required, a minimum of 3,000 psi concrete shall be used. All conduits placed under paving, and subject to vehicular traffic, shall be concrete-encased Schedule 40 or Schedule 80 as directed.
- D. Minimum size of conduit shall be 3/4". Unless indicated on Drawings, conduit sizes can be sized in accordance with National Electric Code (NEC). Conduit bends shall not have kinks or flats, and shall not be less than standard radii.
- E. Rigid Galvanized Steel (RGS) conduit shall be used for all power, control signal, and instrumentation wiring, except where noted. Conduit shall be fully threaded at both ends and each length shall be furnished with one threaded coupling. All 90 degree conduit sweeps shall be RGS for all entry and exit into concrete pads and at riser poles, with ground bushings connected to new grounding with minimum #4Awg ground wire for conduit grounding bushings.
- F. Conduits shall be made electrically continuous at coupling and connections to boxes and cabinets by means of joining fasteners or copper bond wires. Conduit shall be connected to grounded structural steel or the ground network. After assembly all conduit locknuts, all EMT coupling fittings, and all bond wire screws shall be set up tight before installation of wiring. Insulated metallic bushings shall be used on all conduits entering panel cabinets, pull-boxes, and wiring gutters, except on branch lighting circuits.
- G. Expansion fittings shall be provided on all conduits as required by the 2008 National Electrical Code, and as required by local and state codes. This includes, but is not limited to, vertical conduit risers coming from below-grade.

2.4 WIRE AND CABLE

- A. Unless otherwise noted, conductors for power, lighting, and grounding above grade shall be No. 12 through No. 8 AWG, NEC type THWN/THHN, meeting the requirements of UL 83. Conductors for power and lighting shall be no smaller than No. 12 AWG.
- B. Conductors for power, lighting, grounding, and control below grade (and in wet locations) shall be No. 2 AWG and larger, NEC type XHHW (or XHHW-2), meeting the requirements of NEMA WC7 and ICEA S-66-524.
- C. All conductors shall be annealed copper, 98% conductivity, Class B stranded, except conductors used for power and lighting circuits No. 10 AWG and smaller which may

be solid. All conductors should be rated for 600 volts or less, with a thermal rating of 90° C.

- D. The outside covering of all wiring for power, lighting, grounding, and control uses shall be color coded to identify polarity as follows:

	208Y/120 V. 3 Phase	240D/120 V 3 Phase	480Y/277 V 3 Phase
Phase A	Black	Black	Brown
Phase B	Red	Red	Orange
Phase C	Blue	Orange	Yellow
Neutral	White	White	Gray
Ground	Green	Green	Green

2.5 WIRE AND CABLE CONNECTORS AND DEVICES

- A. Wire and cable connectors and devices shall meet the requirements of UL 486. Connectors, including miscellaneous nuts, bolts, and washers shall be silicon bronze. Ferrous materials shall not be used. All connectors below grade shall be water-proof secondary type, gel-filled, bolted submersible connectors (gel-port style). No "wire-nuts" are allowed to be used below grade.

2.6 BOXES

- A. Outlet and Switch Boxes: NEMA OS 1.
- B. Pull Boxes, Junction Boxes, and Equipment Enclosures: NEMA ICS 6.
- C. Pull boxes, junction boxes, and equipment enclosures shall be of NEMA Type 3R construction for outdoor or wet location use, unless otherwise noted.
- D. Box sizes shall not be less than that required by the Massachusetts Electrical Code.

2.7 WIRING DEVICES

- A. Wiring Devices: NEMA WD 1.
- B. Wiring devices shall be specification grade, 20 ampere, ivory with Type 302 stainless steel plates. Ground fault current interrupting (GFCI) devices shall be provided where specified and/or required by applicable codes.

2.8 WARNING TAPE

- A. Warning tape shall be six (6) inches wide, polyethylene not less than 3.5 mil thick with a minimum strength of 1,500 psi. Install 8 inches below final grade. Tape shall be red for electric conduit. Tape shall have black lettering on two lines as indicated below:

CAUTION CAUTION CAUTION
BURIED ELECTRIC LINE BELOW

2.9 WIRING:

- A. All exposed wiring shall be in electric metallic tubing. All concealed wiring shall be in accordance with local codes.
- B. All branch circuit conductors shall be copper, minimum #12 AWG size, THHN or THWH as required, 600V rated.

- C. All feeder conductors shall be copper, AWG size as noted, XHHW insulation, 600V rated.

2.10 ELECTRIC HANDHOLES

- A. Electric Handholes are to be strong, lightweight, and non-conductive, and provided in the dimensions as shown on the Contract Drawings if indicated, or as required by codes and standards if not indicated. Electric Handholes shall be Ultraviolet (UV) resistant, along with being unaffected by moisture, freezing temperatures, soil, and sub-soil chemicals. Electric Handholes to be polymer concrete composite, as approved by Landscape Architect.
- B. Handholes shall be provided with skid-resistant surface covers, with an "Electric" logo. Handholes and Covers shall be design for street-rated, heavy duty applications, meeting the requirements of either: AASHTO HS-20 or ANSI/SCTE 77-2002 Tier 15 loading, with a minimum design load of 15,000 lbs for both the handhole box and cover. Covers shall include recessed stainless steel captive bolts of a penta-head design. The nuts for the bolts shall be selfcentering and corrosion resistant. Handholes shall meet the requirements of the latest edition of the National Electric Code (2008 or later) with regards to structural integrity, installation methods, grounding of the cover and metallic parts, etc. Handholes shall be UL listed for the intended use.
- C. Color of handholes and covers to be green in grass areas and to coordinate with pavement in sidewalk areas, as approved by Landscape Architect. Handholes to be installed flush with final grade. A layer of 6-inches of crushed rock shall be installed below and in the bottom of each handhole to assist with drainage, and this compacted gravel base material shall extend out beyond the sidewalls of the handhole. Conduits shall sweep up and be at least 4-inches above top of stone.
- D. Handhole size to be 12"W x 24"L x 18"D minimum for this project.

PART 3 - EXECUTION

3.1 MATERIALS AND WORKMANSHIP

- A. Work shall be executed in a workmanlike manner and shall present a neat, rectilinear and mechanical appearance when completed. Do not run raceway, pipe, or service exposed unless shown exposed on Drawings.
- B. Material and equipment shall be new and installed according to manufacturer's recommended best practice so that complete installation shall operate safely and efficiently.

3.2 CONTINUITY OF SERVICES

- A. Do not interrupt existing services without Owner's, Utilities', and Landscape Architect's approvals.

3.3 ELECTRICAL SERVICES: GENERAL

- A. This Section covers the requirements for installation of materials, proper workmanship, testing, cleaning, grounding, and work methods to be followed by the Contractor. This Section also includes specific instructions to be used in conjunction with the contract Drawings. Any discrepancies noted between the specification, Drawings, and actual installation shall be reported immediately to the Owner,

Engineer, and Architect. Failure on the part of the Contractor to report discrepancies immediately will be considered negligent and Contractor will be responsible for correcting actions at no cost to Owner.

- B. Contractor is responsible for coordinating work with other trades, Owner, and Architect's schedule. Work will be coordinated such that systems can be properly located, and conflicts and delays are avoided. Contractor shall consider commencement of work acceptance of existing conditions.

3.4 ELECTRICAL SYSTEM TESTING, INSPECTION AND CLEANING

- A. Test wiring and connections for continuity and grounds before fixtures are connected; demonstrate insulation resistance by megger test as required at not less than 500 volts. Insulation resistance between conductors and grounds for secondary distribution systems shall meet National Electrical Code (NEC) and interNational Electrical Testing Association (NETA) requirements.
- B. Verify and correct as necessary: voltages, tap settings, trip settings and phasing on equipment from secondary distribution system to point of use. Test secondary voltages at transformers, bus in panelboards, and at other locations on distribution systems as necessary. Test secondary voltages under no-load and full-load conditions.
- C. Test lighting fixtures with specified lamps in place for 100 hours. Replace lamps that fail within 90 days after acceptance by Owner at no extra cost to Owner (no exceptions).
- D. Provide necessary testing equipment and testing services.
- E. Failures or defects in workmanship or materials revealed by tests or inspection shall be corrected promptly and retested. Replace defective material.
- F. Clean panels and other equipment. Panelboard interiors shall be cleaned and vacuumed.
- G. Equipment with damage to painted finish shall be repaired to Owner's and Landscape Architect's satisfaction. After completion of project, clean exterior surfaces of electrical equipment.

3.5 WIRING METHODS

- A. Install wire and cables in approved raceways as specified and as approved by authorities that have jurisdiction.
- B. Follow homerun circuit numbers and/or notes as shown on the Drawings to connect circuits to panelboards. Where homerun circuit numbers are not shown on Drawings, divide similar types of connected loads among phase buses so that currents are approximately equal in normal usage.
- C. Run concealed conduit in as direct lines as possible with a minimum number of bends of longest possible radius. Run exposed conduit parallel to or at right angles to paving/curbing lines. Bends shall be free from dents or flattening. The exact locations and routing of conduit shall be determined by the Contractor subject to the approval of the Owner and Landscape Architect.
- D. Polarity of all electrical connections shall be observed in order to preserve phase relationship in all feeders and equipment.
- E. Splices shall be made in neat, workmanlike manner using approved mechanical connectors. After splicing, insulation equal to that on the spliced wires shall be

applied at each splice. Splices are permitted only in junction boxes, outlet boxes, or other permanently accessible locations. Splices installed in electric handholes shall be weather and waterproof, pre-molded polymer splices. Hand taping of splices below-grade is not acceptable.

3.6 GROUNDING

- A. Bond and ground equipment and systems connected under this Section in accordance with standards of the NEC and other applicable regulations and codes.
- B. Conduit system shall be electrically continuous throughout, grounded at service entrance. Equipment frames, enclosures, boxes, etc. shall be grounded by use of green-jacketed (or bare copper) ground, sized as per Table 250-95 of the NEC.
- C. Green bonding jumper shall be installed in flexible conduits.
- D. Copper fittings for ground connections shall conform to the requirements of ASTM B 30. All bolts, u-bolts, cap screws, nuts, and lock washers for copper fitting shall be of approved corrosion-resisting material. Compression connectors required for all below-grade grounding connections. Exothermic (cad-weld) connectors are also acceptable for use below grade. The use of bolted grounding and ground rod connectors below grade is not acceptable.
- E. Ground Rods shall be 5/8" diameter and 8' in length, copperweld as required by applicable codes (NEC, NESC). Bonding connections to ground rods shall be permanent, welded or crimped, with copper connectors. All wire used for grounding shall be no smaller than #4 Awg copper, stranded conductor. Contractor shall bond all meter enclosure cabinets, meter sockets, safety disconnects, conduit grounding bushes, etc.

3.7 INSTALLATION OF LIGHTING FIXTURES

- A. Verify construction of light pole foundations is suitable, and provide fixtures, poles, hardware, and other accessories suitable for construction encountered.
- B. Install Lighting System, as specified elsewhere in this Specification. Ground pole steel/aluminum to power system grounding conductor at each pole location, per NEC.
- C. Coordinate installation of fixtures with installation of surrounding materials and landscaping (if applicable). Investigate lighting fixture locations and foundation supports to ensure that no interference exists between lighting fixtures, supports, and other equipment including that provided by other trades. Report any possible interferences to the Landscape Architect.

3.8 INSTALLATION OF ELECTRICAL EQUIPMENT

- A. Contractor to Furnish and Install the indicated major electrical components, and all necessary minor and expected accessories.
- B. Contractor to meet with local wiring inspector prior to the start of any work and obtain any local site requirements and restrictions, which must be followed. Contractor shall also meet with local utility, any other Town/City officials, as directed by Owner and wire inspector, prior to the start of work, or ordering of materials. Failure to meet with the local officials and utility prior to ordering materials and start of construction will be considered negligent and all necessary corrections resulting from this failure will be at no cost to Owner.

- C. Provide, furnish and install all products and work outlined in Paragraph 1.2.C of this Specification Section.
- D. Provide all grounding of electrical installations and lighting. Grounding to be installed per installation details and National Electrical Code.
- E. Balance the lighting, receptacle and electrical load evenly on all circuits and on all phases of each circuit.
- F. Provide new handholes and conduit system for lighting and electrical work, in locations as shown on Contract Drawings or as directed in the field by the Landscape Architect and Owner.
- G. Install all equipment in locations as shown on Contract Drawings. All deviations must be approved, in advance by Owner, Architect and Engineer.
- H. Install all equipment per manufacturer's instructions.

3.9 EMBEDMENT MATERIALS AND DUCT BANKS

- A. Pitch all ductbanks away from the electrical cabinet/room.
- B. Minimum cover on all ductbanks shall be as follows:
 - 1. 12" under any building or structure with a 4" minimum slab.
 - 2. 18" under pedestrian areas;
 - 3. 24" under all areas subject or potentially subject to vehicular traffic (including all park pathways and plaza areas).

3.10 GUARANTEES

- A. Guarantee all work in writing for one year from date of final acceptance. Repair or replace all defective materials or installation at no cost to the Owner. Correct, to the satisfaction of the Landscape Architect and Owner, all damage to finishes or other materials caused in making the necessary repairs and replacements under this guarantee at no cost to the Owner.
- B. Submit guarantee to Landscape Architect before submitting for final payment.

END OF SECTION

THIS PAGE INTENTIONALLY
LEFT BLANK

B-1

Bronson Drilling Boring Log

Project #:	140324	Date	5/29/2014
Client:	CBA Landscape Architects	Boring #	B-1
Site Location:	Capuano School		
Boring Location:	Southeast Corner of Field		
Drill Rig:	AMS Powerprobe	Personnel:	Dan
Total Depth:	12		
Soil Sampling Liners:	3		

Sample ID	Depth	% Recovered	Sample Description	Well Construction
S-1	0-4	25	Urban Fill: very soft, contains brick and coal as	None
			Saturated at 1'	
S-2	4-8	25	Urban fill to 6', soft clay 6'-8'	
S-3	8-12	75	Soft clay to 10', hard clay 10'-12'	

Grey = Gy
Brown = Br
Black = Bk
Orange = Or

Grain Size (USCS)			
silt/ clay	< 0.08mm	fine gravel	19-4.8mm
fine (f) sand	0.43-0.08 mm	coarse gravel	75-19mm
med. (m) sand	2.0-0.43mm	cobble	300-75mm
coarse (c) sand	4.8-2.0mm	boulder	>300mm

Bronson Drilling Boring Log

Project #:	140324	Date	5/29/2014
Client:	CBA Landscape Architects	Boring #	B-2
Site Location:	Capuano School		
Boring Location:	Southwest corner of field		
Drill Rig:	AMS Powerprobe	Personnel:	Dan
Total Depth:	12		
Soil Sampling Liners:	3		

Sample ID	Depth	% Recovered	Sample Description	Well Construction
				None
S-1	0-4	25	Urban fill, especially brick, very soft groundwater at 2'	
S-2	4-8	25	Urban fill, soft	
S-3	8-12	100	Hard clay at 8'	

Grey = Gy
Brown = Br
Black = Bk
Orange = Or

Grain Size (USCS)			
silt/ clay	< 0.08mm	fine gravel	19-4.8mm
fine (f) sand	0.43-0.08 mm	coarse gravel	75-19mm
med. (m) sand	2.0-0.43mm	cobble	300-75mm
coarse (c) sand	4.8-2.0mm	boulder	>300mm

Bronson Drilling Boring Log

Project #:	140324	Date	5/29/2014
Client:	CBA Landscape Architects	Boring #	B-3
Site Location:	Capuano School		
Boring Location:	Northwest corner of field		
Drill Rig:	AMS Powerprobe	Personnel:	Dan
Total Depth:	12		
Soil Sampling Liners:	3		

Sample ID	Depth	% Recovered	Sample Description	Well Construction
				None
S-1	0-4	25	Clean fill 0-2', urban fill 2'-4', soft Groundwater around 2'	
S-2	4-8	0	No recovery, very soft material	
S-3	8-12	100	Soft clay 8'-10', firm clay 10'-12'	

Grey = Gy	Grain Size (USCS)		
Brown = Br	silt/ clay	< 0.08mm	fine gravel
Black = Bk	fine (f) sand	0.43-0.08 mm	coarse gravel
Orange = Or	med. (m) sand	2.0-0.43mm	cobble
	coarse (c) sand	4.8-2.0mm	boulder
			19-4.8mm
			75-19mm
			300-75mm
			>300mm

Bronson Drilling Boring Log

Project #:	140324	Date	5/29/2014
Client:	CBA Landscape Architects	Boring #	B-4
Site Location:	Capuano School		
Boring Location:			
Drill Rig:	AMS Powerprobe	Personnel:	Dan
Total Depth:	12		
Soil Sampling Liners:	3		

Sample ID	Depth	% Recovered	Sample Description	Well Construction
				None 1'-4'
S-1	0-4		Clean fill 0-1', alternating soft clay/sand layers	
			Groundwater around 2'	
S-2	4-8		Very soft coarse sand and black organic material	
S-3	8-12		Soft black and gray silty clay	

Grey = Gy
Brown = Br
Black = Bk
Orange = Or

Grain Size (USCS)			
silt/ clay	< 0.08mm	fine gravel	19-4.8mm
fine (f) sand	0.43-0.08 mm	coarse gravel	75-19mm
med. (m) sand	2.0-0.43mm	cobble	300-75mm
coarse (c) sand	4.8-2.0mm	boulder	>300mm

City of Somerville, Massachusetts

Plans for the Construction of:

CAPUANO FIELD LIGHTING at Glen Park

Glen Street, East Somerville

City of Somerville, Massachusetts Joseph A. Curtatone, Mayor

Mayor's Office of Strategic Planning & Community
Development

Michael F. Glavin, Executive Director
Hayes Morrison, Director of Transportation
and Infrastructure

Arn Franzen, Director of Parks & Open Space
Phone: 617-625-6000 x2525

Plans Prepared By:

CBA | Landscape Architects LLC

24 THORNDIKE STREET | CAMBRIDGE MA 02141
phone 617.945.9760 | www.cbaland.com | cba@cbaland.com

landscape architecture
urban design
master planning




July, 2014



100% Construction Documents

DRAWING LIST - Project No. 1319a


- L-1 Existing Conditions & Demolition Plan
- L-2 Materials & Layout Plan
- L-3 Landscape Details
- E-1 Electrical Plan
- E-2 Electrical Details
- C-1 Structural Details
- C-2 Structural Details



DEMOLITION NOTES

1. The base plan is based on the construction drawings from the construction of the school building, supplemented by field observation and City records, NOT on a verified survey. The Contractor shall exercise care during construction and excavations to avoid damage to existing underground utilities whose locations may not be shown on these Drawings.
2. The Contractor shall verify location of and protect all utilities, drainage, and sub-drainage structures prior to starting construction. Call DIG-SAFE (1-888-DIG-SAFE).
3. Contractor shall complete all demolition & removals required for the intent of the design.
4. Protect existing Synthetic Turf field, fencing, and turf anchors from damage. The Turf Field is to remain open (access from the playground side entrance only) during construction.
5. Protect from damage all trees, shrubs, curbs, paving, and any other site feature that is not designated for removal. (See Detail 3 on L-3 and Note 7 below.)
6. Any damaged item not scheduled for removal shall be restored by the Contractor at no extra charge to Owner. Contractor shall restore at no additional cost to the Owner any existing lawn areas incurring damage during construction; see L-2 and Specifications.
7. **ALL REMOVALS AND ALL EXCAVATIONS** outside Tree Protection Fencing but within the dripline of existing trees shall be **HAND WORK** or **AIR SPADE ONLY**. Cut no roots without the express permission of Landscape Architect or Owner's Representative. (See Specifications 01 57 00.)
8. Existing trees shall be pruned to allow proper clearance around new lighting elements and circulation areas. All Pruning work shall be by a MA Certified Arborist. See 31 13 00 for more information.
9. Temporary fencing with construction signage shall be installed around the perimeter of the work and staging areas to secure project site and notify the public of the closure for construction; see Specifications section 01 56 00. The Temporary Fencing shall be the Limit of Work unless otherwise directed in the Field. All public pathways outside the indicated fencing shall remain open. Review construction fencing and staging with the City of Somerville to confirm emergency vehicle access, etc. during construction.
10. Contractor shall review items to be removed, proposed staging areas, access routes, and intended procedure for accomplishing the Work with the Landscape Architect and Owner's Representative prior to commencement of work.






MATERIALS, LAYOUT, & GRADING NOTES

1. The Landscape Contractor shall verify location of and protect all utilities, drainage, and sub-drainage structures. Call DIG-SAFE.
2. Landscape Contractor shall verify all dimensions on the ground and report any discrepancies to the Landscape Architect.
3. Landscape Contractor shall stake layout of plan on the site for approval of Landscape Architect, before commencing construction.
4. Confirm that footings for new light poles and sports netting poles do not interfere with existing underground utilities, drain structures, or drain lines. Initial excavations should be hand excavation if necessary to ensure that utilities are not damaged.
5. All transitions to existing grades to be smooth and gradual.
6. 2% maximum Cross-Slopes on accessible routes.
7. Repaired lawn areas shall be hydroseeded; see specifications. Provide 6" minimum of new topsoil in repaired lawn areas. Protect repaired lawns from foot traffic during lawn establishment.
8. Sports Lights, Poles, Control System, and Precast Pole Bases (see Details) to be purchased by Owner (N.I.C.) and delivered to the Contractor. The Contractor shall be responsible for all excavation, poured concrete footings, reinforcement, wiring, conduit, and connections, and for the installation of the lights.


CAPUANO FIELD LIGHTING
Somerville, Massachusetts
MATERIALS AND LAYOUT PLAN

DATE: July, 2014
SCALE: 1" = 16' - 0"
FILE: Cap-CDs-Lighting
DWN BY: DJC
CKD BY: CCB
PROJ. #: 1319a







1 Bit. Conc. Sawcut and Patch
Scale: 1" = 1'-0"



2 Concrete Pad at Control Cabinet
Scale: 1"=1'-0"




3 Tree Protection
Scale: 1/2" = 1'-0"




- NOTES:**
1. Lighting Assemblies, Poles, Precast Pole Bases, and Control and Monitoring System and Cabinet to be purchased by Owner (N.I.C.) and delivered to the Contractor. Contractor shall be responsible for all installation and connections as shown on the Drawings.
 2. See Sheets C-1 and C-2 for pole foundation information and notes.
 3. See Sheets E-1 and E-2 for electrical information (conduits, wiring, etc.)
 4. Installation to meet all applicable codes. Install per Sports Lighting manufacturer's instructions.
 5. Coordinate post footings with existing and proposed utilities on site, and with proposed sports netting poles. Do not compromise or undermine existing synthetic turf field or fencing.


4 Sports Lighting & Pole Assembly
Scale: No Scale



5 Sports Protective Netting – ALTERNATE 1
Scale: 3/8" = 1'-0" (Except As Noted)




Net Attachment Enlargements
Scale: 1 1/2" = 1'-0"




Breakaway System
Not To Scale

- NOTES:**
1. Netting System to be TFBSS415P "15' Ball Safety System" with Powdercoat Finish by Sportsfield Specialties Inc. of Delhi, NY (888-975- 3343 or www.sportsfieldspecialties.com) or Approved Equal, 15' min. Nominal Net Height, with Seasonally Removable Net.
 2. Net System to have a storm-protection system (StormGuard by Sportsfield Specialties or Approved Equal) or to have Manufacturer's warranty against storm damage/breakage. If proposing an alternate manufacturer or product, submit information on proposed storm/wind protection for Landscape Architect's approval. See Specifications.
 3. Confirm footing design and size with a registered Structural Engineer to ensure proper size for local codes and soil conditions (site soils are poor – see Specifications).



SITE PLAN
SCALE: 1"=16'-0"



CAPUANO SCHOOLYARD
Somerville, Massachusetts
PROPOSED ELECTRICAL PLAN


DATE: JULY 14, 14
SCALE: AS NOTED
FILE: Filename.dwg
DWN BY: MP
CKD BY: MZ
PROJ. #: 1319a

ELECTRICAL
SITE PLAN



E-1

ZADE ASSOCIATES LLC
CONSULTING ENGINEERS
140 BEACH STREET, BOSTON, MA 02111
TEL. (617) 338-4406
FAX. (617) 451-2540
E-MAIL: zade@aol.com




GENERAL NOTES:

OWNER WILL FURNISH THE CONTROL PANEL, CONTROL AND MONITORING CABINET AS WELL AS ALL POLE LIGHTS, POLES AND POLE BASES. GC TO INSTALL AND EC TO WIRE. SEE ALSO DRAWINGS L-2, C-1 AND C-2 FOR COORDINATIONS.

POWER RISER DIAGRAM

PANEL SCHEDULE									
ITEM	VOLT/PHASE/WIRE	MLO	MCB	CIRC	F: Flush S: Surf.	P: Plug B: Bolt	BRANCH BREAKERS	SPR=SPARE SPC=SPACE	
PANEL SL	277-480V/3/4	100A	-	30	S	B	(4)30/3, (9)20/1		

PANEL BOARDS MAY BE SERIES RATED OR FULLY RATED FOR AVAILABLE SHORT CIRCUIT RATINGS. IF SERIES RATINGS ARE APPLIED SUPPLIER SHALL BE RESPONSIBLE FOR PROVIDING PROPER SERIES RATED EQUIPMENT AS REQUIRED. AVAILABLE SHORT CIRCUIT CURRENT FOR THE MAIN SERVICE IS 25TIMES OF THE FULL LOAD SERVICE CURRENT. DOWNSTREAM PANELS SHALL BE SERIES RATED ACCORDINGLY. AVAILABLE SHORT CIRCUIT CURRENT FOR TRANSFORMERS ARE 35 TIMES OF TRANSFORMER FULL LOAD CURRENT. SEE RISER DIAGRAM FOR CONNECTION DIAGRAM OF THE PANELS. NO LINE IMPEDANCE ARE TO BE CONSIDERED IN SERIES RATING APPLICATIONS. FOR APPLICATIONS WHERE SERVICE INFORMATION IS NOT SHOWN THAN SERIES RATING SHALL BE APPLIED BASED ON 25 TIMES OF THE FULL LOAD CURRENT OF ANY ATTACHED EQUIPMENT (PANEL OR BUS-DUCT) FOR CITY OF BOSTON NETWORK, CARRY 100KAIC



SYMBOL LIST

- DUPLEX RECEPTACLE, 120V,18" AFF.
- DUPLEX RECEPTACLE WITH GROUND FAULT INTERRUPTER 8" ABOVE COUNTER TO Q
- FUSED DISCONNECT SWITCH, (3R RAIN-PROOF).
- TYPICAL WIRING, DIAGONAL LINES INDICATES QUANTITY OF CONDUCTORS.
- HOMERUN TO PANEL WITH CONDUCTOR.(HOT, NEUTRAL, GROUND)
- JUNCTION BOX
- LIGHTING & POWER PANEL, RECESSED
- RACEWAY CONCEALED IN CEILING, PLENUM OR WALLS
- RACEWAY CONCEALED IN SLAB (FLOOR)

ELECTRICAL SPECIFICATIONS

- 1.1 General
- The General Conditions and Drawings issued for this Project shall be considered as part of the Electrical Specifications.
 - The term "This Contractor" as used under this Section and wherever used on the electrical drawings shall mean the Electrical Contractor.
- 1.2 Scope of Work
- The work under this Specification includes the furnishing of all labor and material as specified herein and as shown on the Drawings necessary to install a complete and ready for operation. Manufacturer's catalogue numbers are shown for reference purposes only. They are meant to provide a general description of the design and quality of materials required. Equivalent products by other manufacturers will be considered.
- 1.3 Codes and Specifications
- The work shall be conducted in accordance with the latest rules and regulations of the State of MASSACHUSETTS and the local codes as most recently issued, OSHA codes, National Electrical Codes and NFPA.
 - All exposed wiring shall be in electric metallic tubing. All concealed wiring shall be in accordance with local codes.
 - All branch circuit conductors shall be copper, minimum #12 AWG size THHN or THWH as required, 600V rated.
 - All feeder conductors shall be copper, AWG size as noted XHHW insulation, 600V.
- 1.4 Coordination of Work
- The Contractor shall schedule and coordinate his work with all trades involved to insure proper installation and operation.
 - The Contract Drawings are diagrammatic only and indicate the extent, general locations and arrangement of the piping and wiring of equipment. The exact locations shall be coordinated with Architectural Drawings and Documents of other trades.
 - This Contractor shall verify fixture mounting and location against plans, elevations and detail drawings. Exact location of all fixtures shall be confirmed with owner's representative prior to rough-in.
 - Submit Shop Drawings and product data within thirty (30) days after award of the Contract. Check, stamp and mark with project name submittals before transmitting to Architect. Indicate deviations from Contract Documents.
 - This Contractor shall give notices, file plans, obtain permits and licenses, pay fees and back charges, and obtain the necessary approvals from authorities that have jurisdiction.
 - Material and equipment shall be UL, ASME and AGA approved for intended service.
 - Guarantee work in writing for one year from date of final acceptance. Repair or replace defective materials or installation at no cost to Owner. Correct damage caused in making necessary repairs and replacements under guarantee at no cost to the Owner.
 - Submit guarantee to Architect before final payment.

ZADE ASSOCIATES LLC

CONSULTING ENGINEERS

140 BEACH STREET, BOSTON, MA 02111

TEL. (617) 338-4406

FAX. (617) 451-2540

E-MAIL: zadeeco@aol.com

CAPUANO SCHOOLYARD

Somerville, Massachusetts


ELECTRICAL DETAILS

DATE:	JULY 14,14
SCALE:	AS NOTED
FILE:	Filename.dwg
DWN BY:	MP
CKD BY:	MZ
PROJ. # :	1319a

ELECTRICAL DETAILS

MUZZEER MUZZEERZADE ELECTRICAL No. 32578 REGISTERED PROFESSIONAL ENGINEER

Muzzaffer Muzzeerzade



POLE FOUNDATION ELEV.
SCALE: NOT TO SCALE

SOIL BACKFILL NOTE:
THE TOP TWO FEET OF ANNULUS MAY BE BACKFILLED WITH SOIL, WITH A CLASSIFICATION OF CLASS 5 OR BETTER IN ACCORDANCE WITH IBC - TABLE 1806.2.

POLE IDENTIFICATION				
POLE DESIGNATION	POLE TYPE	PRECAST BASE TYPE	FIXTURE CONFIGURATION (FIX. PER XARM)	FIXTURE AND ACCESSORIES EPA (FT ²)
S1 - S4	LSS60A	2B	3 (3)	5.7

CONCRETE/REINFORCEMENT NOTES
CONCRETE SHALL COMPLY WITH THE FOLLOWING ASTM STANDARDS: MIXTURE WITH ASTM C-94, PORTLAND CEMENT WITH ASTM C-150 TYPE 1-A, AGGREGATES WITH ASTM C-33 AND BE IN CONFORMANCE WITH ACI 318.
CONCRETE SHALL BE AIR-ENTRAINED (COMPLY WITH ASTM C-260), HAVE A MAXIMUM WATER -CEMENT RATIO, w/cm = 0.43 AND HAVE A MINIMUM COMPRESSIVE STRENGTH AT 28 DAYS OF 4,000 PSI.
DESIGN SLUMP LIMITS ARE 4" MINIMUM AND 6" MAXIMUM. THE JOB SITE SLUMP MAY BE INCREASED BY THE USE OF A WATER REDUCING AGENT MEETING ASTM C494-92.
CONCRETE REINFORCEMENT SHALL COMPLY WITH ASTM A615 GRADE 60, EXCEPT TIES CAN BE OF GRADE 40 AND BE IN CONFORMANCE WITH ACI 315 & 318.
CONCRETE DRILLED PIERS MUST ATTAIN 3,000 PSI STRENGTH PRIOR TO POLE INSTALLATION AND FIXTURE MOUNTING.
THE TOP 12'-0" SHOULD BE THOROUGHLY CONSOLIDATED BY MECHANICAL VIBRATION DURING PLACEMENT.

INSTALLATION NOTE:
CONCRETE TO BE PLACED IN A CONTINUOUS POUR OR A COLD JOINT WILL BE ACCEPTABLE AT THE BOTTOM OF THE PRECAST BASE. TWO POUR: WITH THE REINFORCEMENT IN PLACE, THE CONCRETE BELOW THE BOTTOM OF THE PRECAST BASE MAY BE POURED AND ALLOWED TO SET UP FOR APPROXIMATELY FOUR HOURS (CURE LONG ENOUGH TO SUPPORT WEIGHT OF PRECAST BASE). THEN THE PRECAST BASE MAY BE SET IN PLACE AND THE REST OF THE CONCRETE CONCRETE BACKFILL POURED.

DESIGN NOTES
DESIGN PARAMETERS: WIND: 105 MPH (EXP. C, I = 1.0) PER IBC CODE, 2009 EDITION (ASCE 7-05). DESIGN WIND PARAMETERS ARE NOTED. ACTUAL WIND SPEED AND EXPOSURE MUST BE VERIFIED FOR THE SITE BY THE PROPER GOVERNING OFFICIAL.
GEOTECHNICAL PARAMETERS: ALLOWABLE END BEARING SOIL PRESSURE: 2,000 PSF ALLOWABLE LATERAL SOIL BEARING PRESSURE: 0 PSF/FT (URBAN FILL), 100 PSF/FT (SOFT CLAY), 200 PSF/FT (HARD CLAY) IN ACCORDANCE WITH THE 2009 EDITION OF THE INTERNATIONAL BUILDING CODE, CHAPTER 18.
DESIGN SOIL PARAMETERS ARE AS NOTED. ACTUAL ALLOWABLE SOIL PARAMETERS MUST BE VERIFIED ON SITE. REFERENCE SOILS AND FOUNDATION REPORT, NO. 140324, PREPARED BY CBA LANDSCAPE ARCHITECTS; CAMBRIDGE, MA.
A GEOTECHNICAL ENGINEER OR REPRESENTATIVE OF IS RECOMMENDED (NOT REQUIRED) TO BE AVAILABLE AT THE TIME OF THE FOUNDATION INSTALLATION TO VERIFY THE SOIL DESIGN PARAMETERS AND TO PROVIDE ASSISTANCE IF ANY PROBLEMS ARISE IN FOUNDATION INSTALLATION.
ENCOUNTERING SOIL FORMATIONS THAT WILL REQUIRE SPECIAL DESIGN CONSIDERATIONS OR EXCAVATION PROCEDURES MAY OCCUR. POLE FOUNDATIONS WILL NEED TO BE ANALYZED ACCORDING TO THE SOIL CONDITIONS THAT EXIST. IF ANY DISCREPANCIES OR INCONSISTENCIES ARISE, NOTIFY THE ENGINEER OF SUCH DISCREPANCIES. FOUNDATIONS WILL THEN BE REVISED ACCORDINGLY. REVISIONS WILL BE ANALYZED PER RECOMMENDATIONS DIRECTED BY A LICENSED ENGINEER.
ALL EXCAVATIONS MUST BE FREE OF LOOSE SOIL AND DEBRIS PRIOR TO FOUNDATION INSTALLATION AND CONCRETE BACKFILL PLACEMENT. TEMPORARY CASINGS OR DRILLERS SLURRY MAY BE USED TO STABILIZE THE EXCAVATION DURING INSTALLATION. CASINGS MUST BE REMOVED DURING CONCRETE BACKFILL PLACEMENT. CONCRETE BACKFILL MUST BE PLACED WITH A TREMIE WHEN SLURRY OR WATER IS PRESENT WITHIN THE EXCAVATION OR WHEN THE FREE DROP EXCEEDS 6'-0".
CONTRACTOR MUST BE FAMILIAR WITH THE COMPLETE SOIL INVESTIGATION REPORT AND BORINGS, AND CONTACT THE GEOTECHNICAL FIRM (IF NECESSARY) TO UNDERSTAND THE SOIL CONDITIONS AND THE POSSIBILITY OF GROUND WATER PUMPING AND EXCAVATION STABILIZATION OR BRACING DURING PRECAST BASE INSTALLATION AND PLACEMENT OF CONCRETE BACKFILL.
GENERAL NOTES: FIXTURES MUST BE LOCATED TO MAINTAIN 10'-0" MINIMUM HORIZONTAL CLEARANCE FROM ANY OBSTRUCTION. ENGINEER MUST BE NOTIFIED IF FOUNDATIONS ARE NEAR ANY RETAINING WALLS OR WITHIN / NEAR ANY SLOPES STEEPER THAN 3H : 1V. POLES, FIXTURES, PRECAST BASES, ELECTRICAL ITEMS AND INSTALLATION PER MUSCO LIGHTING.



GLEN PARK
SOCCER
FIELD LIGHTING
SOMERVILLE, MA




STRUCTURAL
ENGINEERS, P.C.
114 NICHOLAS DRIVE
MARSHALLTOWN, IOWA 50158
PHONE NUMBER: 641-752-6334
EMAIL: MSL.INFO@SEPC.BIZ

DRAWING TITLE: POLE AND FOUNDATION	NOTES: SCAN #164520
PROJECT NUMBER 164520	DATE 07 JULY 2014
DRAWING NUMBER C1	OF TWO

PRECAST BASE IDENTIFICATION					
PRECAST BASE TYPE	PRECAST BASE WEIGHT	PRECAST BASE LENGTH	PROJECTION ABOVE GRADE	STANDARD EMBEDMENT	OUTSIDE DIAMETER
2B	1,690 LBS	17'-3"	7'-3"	10'-0"	12.00"
REFERENCE POLE ID TABLE ON SHEET C1 FOR POLE TO PRECAST BASE TYPES					

POLE FOUNDATION SCHEDULE									
POLE DESIGNATION	FORCES			DRILLED PIER			REINFORCING		
	MOMENT (M) FT-LBS	SHEAR (V) LBS	VERTICAL (P) LBS (1.)	DIAMETER INCHES	EMBEDMENT DEPTH	CONCRETE BACKFILL YD ³ (2.)	CORE DIAMETER INCH (3.)	VERTICAL REINFORCING	HORIZONTAL TIES
S1 (BORING B-3)	39,868	1,090	1,089	36	18'-0"	3.9	29	12 - #6	#4 @ 12"
S2 (BORING B-4)	39,868	1,090	1,089	36	20'-0"	5.0	29	12 - #6	#4 @ 12"
S3 (BORING B-1)	39,868	1,090	1,089	36	18'-0"	3.9	29	12 - #6	#4 @ 12"
S4 (BORING B-2)	39,868	1,090	1,089	36	17'-0"	3.7	29	12 - #6	#4 @ 12"

1. WEIGHT OF POLE, FIXTURES AND ACCESSORIES.
2. MINIMUM CONCRETE BACKFILL VOLUME, SITE CONDITIONS MAY REQUIRE ADDITIONAL BACKFILL.
3. CORE DIAMETER EQUAL TO INSIDE DIAMETER OF TIES.



A

PIER DETAIL

SCALE: NOT TO SCALE



GLEN PARK
SOCCER
FIELD LIGHTING
SOMERVILLE, MA

CORPORATE: 100 1st AVE WEST
OSKALOOSA, IA 52577
(800) 825-6020

STRUCTURAL
ENGINEERS, P.C.

114 NICHOLAS DRIVE
MARSHALLTOWN, IOWA 50158
PHONE NUMBER: 641-752-6334
EMAIL: MSL.INFO@SEPC.BIZ

DRAWING TITLE:
POLE AND FOUNDATION
SCALE: SEE PLAN
NOTES:
SCAN #164520

PROJECT NUMBER
164520

DATE
07 JULY 2014

DRAWING NUMBER
C2

OF TWO